

REFERENCES

- Abadie, P., Boulenger, J.P., Benali, K., Barre, L., Zarifian, E. and Baron, J.C. 1999. Relationships between trait and state anxiety and the central benzodiazepine receptor: a PET study. Eur. J. Neurosci. 11: 1470-1478.
- Adell, A., Bortolozzi, A., Díaz-Mataix, L., Santana, N., Celada, P. and Artigas, F. 2010. Serotonin interaction with other transmitter systems. In: Muller, C. and Jacobs, B. (eds.). Handbook of Behavioral Neurobiology of Serotonin. 21: 250-276.
- Amano, K., Tanikawa, T., Iseki, H., Kawabatake, H., Notani, M., Kawamura, H. and Kitamura, K. 1978. Single neuron analysis of the human midbrain tegmentum: rostral mesencephalic reticulotomy of pain relief. Appl. Neurophysiol. 41: 66-78.
- Amin, Z., Mason, G.F., Cavus, I., Krystal, J.H., Rothman, D.L. and Epperson, C.N. 2006. The interaction of neuroactive steroids and GABA in the development of neuropsychiatric disorders in women. Pharmacol. Biochem. Behav. 84: 635-643.
- Andrade, T.G., Nakamura, J.S., Avanzi, V. and Graeff, F.G. 2005. Anxiolytic effect of estradiol in the median raphe nucleus mediated by 5-HT_{1A} receptors. Behav. Brain. Res. 163: 18-25.
- Argyropoulos, S.V., Sandford, J.J. and Nutt, D.J. 2000. The psychobiology of anxiolytic drug. Part 2: Pharmacological treatments of anxiety. Pharmacol. Ther. 88 (3): 213-27.
- Arpels, J.C. 1996. The female brain hypoestrogenic continuum from the premenstrual syndrome to menopause. A hypothesis and review of supporting data. J. Reprod. Med. 41: 633-639.
- Avis, N.E., Crawford, S., Stellato, R. and Longcope, C. 2001. Longitudinal study of hormone levels and depression among women transitioning through menopause. Climacteric. 4: 243-249.

- Beitz, A.J., Clements, J.R., Mullett, M.A. and Ecklund, L.J. 1986. Differential origin of brainstem serotonergic projections to the midbrain periaqueductal gray and superior colliculus of the rat. J. Comp. Neurol. 250: 498-509.
- Bethea, C.L., Lu, N.Z., Gundlah, C. and Streicher, J.M. 2002. Diverse actions of ovarian steroids in the serotonin neural system. Front. Neuroendocrinol. 23: 41-100.
- Bischoff, S., Leonhard, S., Reymann, N., Schuler, V., Shigemoto, R., Kaupmann, K. and Bettler, B. 1999. Spatial distribution of GABA (B) R1 receptor mRNA and binding sites in the rat brain. J. Comp. Neurol. 412: 1-16.
- Borue, X., Chen, J. and Condron, B.G. 2007. Developmental effects of SSRIs: lessons learned from animal studies. Int. J. Dev. Neurosci. 25: 341-347.
- Bosse, R. and Di Paolo, T. 1995. Dopamine and GABA_A receptor imbalance after ovariectomy in rats: model of menopause. J. Psychiatry. Neurosci. 20(5): 364-371.
- Boulware, M.I., Weick, J.P., Becklund, B.R., Kuo, S.P., Groth, R.D. and Mermelstein, P.G. 2005. Estradiol activates group I and II metabotropic glutamate receptor signaling, leading to opposing influences on cAMP response element-binding protein. J. Neurosci. 25: 5066-5078.
- Bourin, M., Petit-Demouliere, B., Dhonnchadha, B.N. and Hascoet, M. 2007. Animal models of anxiety in mice. Fundam. Clin. Pharmacol. 21: 567-574.
- Bowman, R.E., Ferguson, D. and Luine, V.N. 2002. Effects of chronic restraint stress and estradiol on open field activity, spatial memory, and monoaminergic neurotransmitters in ovariectomized rats. Neuroscience. 113: 401- 410.
- Brandao, M.L., Troncoso, A.C., de Souza Silva, M.A. and Huston, J.P. 2003. The relevance of neuronal substrates of defense in the midbrain tectum to anxiety and stress: empirical and conceptual considerations. Eur. J. Pharmacol. 463: 225-233.
- Bueno, C.H., Zangrossi, J.H., Nogueira, R.L., Soares, V.P. and Viana, M.B. 2005. Panicolytic-like effect induced by the stimulation of GABA_A and GABA_B receptors in the dorsal periaqueductal grey of rats. Eur. J. Pharmacol. 516: 239-246.

- Byrnes, E.M., Lee, J.O. and Bridges, R.S. 2007. Alterations in GABA_A receptor alpha2 subunit mRNA expression following reproductive experience in rats. Neuroendocrinology. 85(3): 148-156.
- Carey, M.P., Billing, A.E. and Fry, J.P. 1992. Fluctuations in responses to diazepam during the oestrous cycle in the mouse. Pharmacol. Biochem. Behav. 41: 719-725.
- Castilho, V.M., Macedo, C.E. and Brandao, M.L. 2002. Role of benzodiazepine and serotonergic mechanisms in conditioned freezing and antinociception using electrical stimulation of the dorsal periaqueductal gray as unconditioned stimulus in rats. Psychopharmacology (Berl). 165(1): 77-85.
- Clement, Y. and Chapouthier, G. 1998. Biological bases of anxiety. Neurosci. Biobehav. Rev. 22(5): 623-633.
- Clode, S.A. 2006. Assessment of in vivo assays for endocrine disruption. Best. Pract. Res. Clin. Endocrinol. Metab. 20(1): 35-43.
- Cole, J.C., Burroughs, G.J., Lavery, C.R., Sheriff, N.C., Sparham, E.A. and Rodgers, R.J. 1995. Anxiolytic-like effects of yohimbine in the murine plus-maze: strain independence and evidence against alpha 2-adrenoceptor mediation. Psychopharmacology (Berl). 118: 425-436.
- Curran-Rauhut, M.A. and Petersen, S.L. 2002. Regulation of glutamic acid decarboxylase 65 and 67 gene expression by ovarian steroids: identification of two functionally distinct populations of GABA Neurones in the preoptic area. J. Neuroendocrinol. 14: 310-317.
- Davis, M., Hitchcock, J.M. and Bowers, M.B. 1994. Stress-induced activation of prefrontal cortex dopamine turnover: blockade by lesions of the amygdale. Brain. Res. 664(1-2): 207-210.
- Deutch, A.Y. and Roth, R.H. 2003. Neurotransmitters. In: Squire L.R., Bloom, F.E., McConnell, S.K., et al. edition (eds). Fundamental neuroscience 2th. pp. 163-196. Academic Press.
- Dias, R., Sheppard, W.F., Fradley, R.L., Garrett, E.M., Stanley, J.L., Tye, S.J., Goodacre, S., Lincoln, R.J., Cook, S.M., Conley, R., Hallett, D., Humphries, A.C., Thompson, S.A., Wafford, K.A., Street, L.J., Castro, J.L., Whiting, P.J., Rosahl, T.W., Atack, J.R., McKernan, R.M., Dawson, G.R. and Reynolds,

- D.S. 2005. Evidence for a significant role of alpha 3-containing GABA_A receptors in mediating the anxiolytic effects of benzodiazepines. J. Neurosci. 25: 10682-10688.
- Diaz-Veliz, G., Butron, S., Benavides, M.S., Dussaubat, N. and Mora, S. 2000. Gender, estrous cycle, ovariectomy, and ovarian hormones influence the effects of diazepam on avoidance conditioning in rats. Pharmacol. Biochem. Behav. 66 (4): 887-892.
- Ditkoff, E.C., Crary, W.G., Cristo, M. and Lobo, R.A. 1991. Estrogen improves psychological function in asymptomatic postmenopausal women. Obstet. Gynecol. 78: 991-995.
- Dixon, C.I., Rosahl, T.W. and Stephens, D.N. 2008. Targeted deletion of the GABRA2 gene encoding alpha2-subunits of GABA_A receptors facilitates performance of a conditioned emotional response, and abolishes anxiolytic effects of benzodiazepines and barbiturates. Pharmacol. Biochem. Behav. 90(1): 1-8.
- Diz-Chaves, Y., Kwiatkowska-Naqvi, A., Von Hulst, H., Pernia, O., Carrero, P. and Garcia-Segura, L.M. 2012. Behavioral effects of estradiol therapy in ovariectomized rats depend on the age when the treatment is initiated. Exp. Gerontol. 47: 93-99.
- Donner, N.C. and Handa, R.J. 2009. Estrogen receptor beta regulates the expression of tryptophan-hydroxylase 2 mRNA within serotonergic neurons of the rat dorsal raphe nuclei. Neuroscience. 163: 705–718.
- File, S.E. and Zangrossi, J.H. 1993. "One-trial tolerance" to the anxiolytic actions of benzodiazepines in the elevated plus-maze, or the development of a phobic state?. Psychopharmacology (Berl). 110: 240-244.
- File, S.E., Lister, R.G., Maninov, R. and Tucker, J.C. 1984. Intrinsic behavioural actions of n-propyl beta-carboline-3-carboxylate. Neuropharmacology. 23(4): 463-466.
- Follesa, P., Mancuso, L., Biggio, F., Cagetti, E., Franco, M., Trapani, G. and Biggio, G. 2002. Changes in GABA_A receptor gamma 2 subunit gene expression induced by long-term administration of oral contraceptives in rats. Neuropharmacology. 42(3): 325-336.

- Frazer, A. and Hensler, J.G. 1999. Serotonin. In: Siegel, G.J., Agranoff, B.W., Albers, R.W., et. al. (eds). Basic neurochemistry: molecular, cellular and medical aspects 6th edition. pp. 265- 291. Lippincott Williams&Wilkins.
- Frye, C.A. and Walf, A.A. 2004. Estrogen and/or progesterone administered systemically or to the amygdala can have anxiety-, fear-, and pain-reducing effects in ovariectomized rats. Behav. Neurosci. 118: 306-313.
- Galeeva, A. and Tuohimaa, P. 2001. Analysis of mouse plus-maze behavior modulated by ovarian steroids. Behav. Brain. Res. 119: 41-47.
- Gao, B., Fritschy, J.M., Benke, D. and Mohler, H. 1993. Neuron-specific expression of GABA_A-receptor subtypes: differential association of the alpha 1- and alpha 3-subunits with serotonergic and GABAergic neurons. Neuroscience. 54: 881-892.
- Gentil, V., Tavares, S., Gorenstein, C., Bello, C., Mathias, L., Gronich, G. and Singer, J. 1990. Acute reversal of flunitrazepam effects by Ro 15-1788 and Ro 15-3505: inverse agonism, tolerance, and rebound. Psychopharmacology (Berl). 100(1): 54-59.
- Gervasoni, D., Peyron, C., Rampon, C., Barbagli, B., Chouvet, G., Urbain, N., Fort, P. and Luppi, P.H. 2000. Role and origin of the GABAergic innervation of dorsal raphe serotonergic neurons. J. Neurosci. 20: 4217-4225.
- Giulian, D., Pohorecky, L.A. and McEwen, B.S. 1973. Effects of gonadal steroids upon brain 5-hydroxytryptamine levels in the neonatal rat. Endocrinology. 93: 1329 -1335.
- Gordon, J.A. and Hen, R. 2004. The serotonergic system and anxiety. Neuromolecular. Med. 5:27-40.
- Gouveia, J.A., Antunes, G., Maximino, C. and Silvio, M. 2009. The effects of diazepam on the elevated T-maze are dependent on the estrous cycle of rats. Psychol. Neurosci. 2 (2): 227-233.
- Graeff, F.G. and Del-Ben, C.M. 2008. Neurobiology of panic disorder: From animal models to brain neuroimaging. Neurosci. Biobehav. Rev. 32: 1326–1335.
- Graeff, F.G., Guimaraes, F.S. and De Andrade, T.G. 1996. Role of 5-HT in stress, anxiety, and depression. Pharmacol. Biochem. Behav. 54(1): 129-141.

- Graeff, F.G., Netto, C.F. and Zangrossi, J.H. 1998. The elevated T-maze as an experimental model of anxiety. Neurosci. Biobehav. Rev. 23: 237-246.
- Graeff, F.G., Viana, M.B. and Tomaz, C. 1993. The elevated T maze, a new experimental model of anxiety and memory: effect of diazepam. Braz. J. Med. Biol. Res. 26: 67-70.
- Griffiths, J.L. and Lovick, T.A. 2005. GABAergic neurones in the rat periaqueductal grey matter express $\alpha 4$ $\beta 1$ and δ GABA_A receptor subunits: plasticity of expression during the estrous cycle. Neuroscience. 137: 457-466.
- Guimaraes, F.S., Zangrossi, J.H., Del Ben, C.M. and Graeff, F.G. 2010. Serotonin in Panic and Anxiety Disorders. In: Müller, C. and Jacobs, B. (eds.). Handbook of Behavioral Neurobiology of Serotonin. 21: 667-685.
- Gulinello, M. and Smith, S.S. 2003. Anxiogenic effects of neurosteroid exposure: sex differences and altered GABA_A receptor pharmacology in adult rats. J. Pharmacol. Exp. Ther. 305(2): 541-548.
- Gulinello, M., Gong, Q.H., Li, X. and Smith, S.S. 2001. Short-term exposure to a neuroactive steroid increases alpha4 GABA_A receptor subunit levels in association with increased anxiety in the female rat. Brain Res. 910(1-2): 55-66.
- Gulinello, M., Orman, R. and Smith, S.S. 2003. Sex differences in anxiety, sensorimotor gating and expression of the alpha4 subunit of the GABA_A receptor in the amygdala after progesterone withdrawal. Eur. J. Neurosci. 17: 641-648.
- Halbreich, U. 2003. The etiology, biology, and evolving pathology of premenstrual syndromes. Psychoneuroendocrinology. 28 (Suppl 3): 55- 99.
- Harandi, M., Aguera, M., Gamrani, H., Didier, M., Maitre M., Calas A. and Belin, M.F. 1987. Gamma-Aminobutyric acid and 5-hydroxytryptamine interrelationship in the rat nucleus raphe dorsalis: combination of radioautographic and immunocytochemical techniques at light and electron microscopy levels. Neuroscience. 21: 237-251.
- Hasler, G., Nugent, A.C., Carlson, P.J., Carson, R.E., Geraci, M. and Drevets, W.C. 2008. Altered cerebral gamma-aminobutyric acid type A-benzodiazepine

- receptor binding in panic disorder determined by [^{11}C] flumazenil positron emission tomography. Arch. Gen. Psychiatry. 65: 1166-1175.
- Hasler, G., van der Veen, J.W., Geraci, M., Shen, J., Pine, D. and Drevets, W.C. 2009. Prefrontal cortical gamma-aminobutyric Acid levels in panic disorder determined by proton magnetic resonance spectroscopy. Biol. Psychiatry. 65: 273-275.
- Heffner, T.G., Harman, J.A. and Seiden, L.S. 1980. A rapid method for the regional dissection of the rat brain. Pharmacol. Biochem. Behav. 13: 453-456.
- Heine, P.A., Taylor, J.A., Iwamoto, G.A., Lubahn, D.B. and Cooke, P.S. 2000. Increased adipose tissue in male and female estrogen receptor- α knockout mice. Proc. Natl. Acad. Sci. U. S. A. 97: 12729-12734.
- Henderson, L.P. 2007. Steroid modulation of GABA $_A$ receptor-mediated transmission in the hypothalamus: effects on reproductive function. Neuropharmacology. 52: 1439-1453.
- Henderson, L.P. and Jorge, J.C. 2004. Steroid modulation of GABA $_A$ receptor: from molecular mechanisms to CNS role in reproduction, dysfunction and drug abuse. Adv. Mol. Cell. Biol. 32: 219-250.
- Herbison, A.E. and Fenelon, V.S. 1995. Estrogen regulation of GABA $_A$ receptor subunit mRNA expression in preoptic area and bed nucleus of the stria terminalis of female rat brain. J. Neurosci. 15(3 Pt 2): 2328-37.
- Hickey, M., Bryant, C. and Judd, F. 2012. Evaluation and management of depressive and anxiety symptoms in midlife. Climacteric. 15: 3-9.
- Hiroi, R. and Neumaier, J.F. 2006. Differential effects of ovarian steroids on anxiety versus fear as measured by open field test and fear-potentiated startle. Behav. Brain. Res. 166: 93-100.
- Hiroi, R. and Neumaier, J.F. 2009. Estrogen decreases 5-HT $_{1B}$ autoreceptor mRNA in selective subregion of rat dorsal raphe nucleus: inverse association between gene expression and anxiety behavior in the open field. Neuroscience. 158: 456-464.
- Hiroi, R. and Neumaier, J.F. 2011. Complex roles of estrogen in emotion: sex matters. Biol. Psychiatry. 70: 908-909.

- Hockel, S.H.J., Moller, W.E. and Wollert, U. 1979. Diazepam increases L-tryptophan uptake into various regions of the rat brain. Res. Commun. Psychol. Psychiat. Behav. 4: 467-475.
- Hsiao, C.C., Liu, C.Y. and Hsiao, M.C. 2004. No correlation of depression and anxiety to plasma estrogen and progesterone levels in patients with premenstrual dysphoric disorder. Psychiatry. Clin. Neurosci. 58(6): 593–599.
- Imwalle, D.B., Gustafsson, J.A. and Rissman, E.F. 2005. Lack of functional estrogen receptor beta influences anxiety behavior and serotonin content in female mice. Physiol. Behav. 84: 157-163.
- Jardim, M.C., Aguiar, D.C. and Moreira, F.A. 2005. Role of glutamate ionotropic and benzodiazepine receptors in the ventromedial hypothalamic nucleus on anxiety. Pharmacol. Biochem. Behav. 82(1): 182-189.
- Jasnow, A.M., Mong, J.A. and Romeo, R.D. 2007. Estrogenic regulation of gene and protein expression within the amygdala of female mice. Endocrine. 32(3): 271-279.
- Johnson, M.R., Lydiard, R.B. and Ballenger, J.C. 1995. Panic disorder: Pathophysiology and drug treatment. Drugs. 49: 328-344.
- Judge, S.J., Ingram, C.D. and Gartside, S.E. 2004. GABA receptor modulation of 5-HT neuronal firing: characterization and effect of moderate in vivo variations in glucocorticoid levels. Neurochem. Int. 45: 1057-1065.
- Jung, M.E., Depoortere, R. and Oglesby, M.W. 2001. Use of negatively reinforcing electrical brain stimulation to detect conventional and nonconventional anxiolytics as well as an anxiogenic drug. Pharmacol. Biochem. Behav. 68: 33-42.
- Juptner, M., Jussofie, A. and Hiemke, C. 1991. Effects of ovariectomy and steroid replacement on GABA_A receptor binding in female rat brain. J. Steroid Biochem. Molec. Biol. 38(2): 141-147.
- Kalandakanond-Thongsong, S., Daendee, S. and Srikiatkachorn, A. 2012. Effect of the acute and chronic estrogen on anxiety in the elevated T-maze. Physiol. Behav. 105: 357-363.
- Kaminer, D. and Stein, D.J. 2003. Social anxiety disorder. World. J. Biol. Psychiatry. 4: 103-110.

- Kandel E.R. 2000. Disorder of mood: depression, mania and anxiety disorder. In: Kandel E.R., Schwartz, J.H. and Jessell T.M. (eds.). Principles of neural science 4th. pp 1208-1226.
- Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R. and Walters, E.E. 2005. Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. Arch. Gen. Psychiatry. 62: 593-602.
- Koen, N. and Stein, D.J. 2011. Pharmacotherapy of anxiety disorders: a critical review. Dialogues. Clin. Neurosci. 13: 423-437.
- Korte, S.M., De Boer, S.F. and Bohus, B. 1999. Fear-potentiation in the elevated plus-maze test depends on stressor controllability and fear conditioning. Stress. 3: 27-40.
- Lagunas, N., Calmarza-Font, I., Diz-Chaves, Y. and Garcia-Segura, L.M. 2010. Long-term ovariectomy enhances anxiety and depressive-like behaviors in mice submitted to chronic unpredictable stress. Horm. Behav. 58: 786-791.
- LeDoux, J.E. 2000. Emotion circuits in the brain. Annu. Rev. Neurosci. 23: 155-184.
- Lenze, E.J. and Wetherell, J.L. 2011. A lifespan view of anxiety disorders. Dialogues. Clin. Neurosci. 13: 381-399.
- Li, S., Varga, V., Sik, A. and Kocsis, B. 2005. GABAergic control of the ascending input from the median raphe nucleus to the limbic system. J Neurophysiol. 94(4): 2561-2574.
- Liberzon, I., Phan, K.L., Khan, S. and Abelson, J.L. 2003. Role of the GABA_A receptor in anxiety: evidence from animal models, molecular and clinical psychopharmacology, and brain imaging studies. Curr. Neuropharmacol. 1: 267-283.
- Lim, L., Ng, T.P., Chua, H.C. Chiam, P.C., Won, V., Lee, T., Fones, C. and Kua, E.H. 2005. Generalised anxiety disorder in Singapore: prevalence, co-morbidity and risk factors in a multi-ethnic population. Soc. Psychiatry Psychiatr. Epidemiol. 40(12): 972-979.
- Litvin, Y., Pentkowski, N.S., Pobbe, R.L., Blanchard, D.C. and Blanchard, R.J. 2008. Unconditioned models of fear and anxiety. In: Blanchard, R.J., Blanchard,

- D.C., Griebel, G. and Nutt, D. (eds.). Handbook of Behavioral Neuroscience. 17: 81-99.
- Lopez-Munoz, F., Alamo, C. and Garcia-Garcia, P. 2011. The discovery of chlordiazepoxide and the clinical introduction of benzodiazepines: half a century of anxiolytic drugs. J. Anxiety. Disord. 25: 554-562.
- Lovick, T.A. and Paul, N.L. 1999. Co-localization of GABA with nicotinamide adenine dinucleotide phosphate-dependent diaphorase in neurones in the dorsolateral periaqueductal grey matter of the rat. Neurosci. Lett. 272 (3): 167-170.
- Lovick, T.A., Griffiths, J.L., Dunn, S.M. and Martin, I.L. 2005. Changes in GABA_A receptor subunit expression in the midbrain during the oestrous cycle in Wistar rats. Neuroscience. 131: 397-405.
- Lovick, T.A. 2008. GABA in the female brain - oestrous cycle-related changes in GABAergic function in the periaqueductal grey matter. Pharmacol. Biochem. Behav. 90: 43-50.
- Low, K., Crestani, F., Keist, R., Benke, D., Brunig, I., Benson, J.A., Fritschy, J.M., Rulicke, T., Bluethmann, H., Mohler, H. and Rudolph, U. 2000. Molecular and neuronal substrate for the selective attenuation of anxiety. Science. 290: 131-134.
- Lowry C.A. and Hale M.W. 2010. Serotonin and the neurobiology of anxious states. In: Muller, C. and Jacobs, B. (eds.). Handbook of Behavioral Neurobiology of Serotonin. 21: 379-397.
- Maguire, J. and Mody, I. 2007. Neurosteroid synthesis-mediated regulation of GABA_A receptors: relevance to the ovarian cycle and stress. J. Neurosci. 27(9): 2155-2162.
- Malizia, A.L., Cunningham, V.J., Bell, C.J., Liddle, P.F., Jones, T. and Nutt, D.J. 1998. Decreased brain GABA(A)-benzodiazepine receptor binding in panic disorder: preliminary results from a quantitative PET study. Arch. Gen. Psychiatry. 55: 715-720.
- Martin, J.V. and Williams, D.B. 1995. Benzodiazepine binding varies with stage of estrous cycle in unwashed membranes from mouse brain. Life. Sci. 57(21): 1903-1909.

- Martinez, R.C., Ribeiro de Oliveira, A. and Brandao, M.L. 2007. Serotonergic mechanisms in the basolateral amygdala differentially regulate the conditioned and unconditioned fear organized in the periaqueductal gray. Eur. Neuropsychopharmacol. 17: 717-724.
- Matos, F.F., Urban, C. and Yocca, F.D. 1996. Serotonin (5-HT) release in the dorsal raphe and ventral hippocampus: raphe control of somatodendritic and terminal 5-HT release. J. Neural. Transm. 103(1-2):173-190.
- McCarthy, M.M., Felzenberg, E., Robbins, A., Pfaff, D.W. and Schwartz-Giblin, S. 1995. Infusions of diazepam and allopregnanolone into the midbrain central gray facilitate open-field behavior and sexual receptivity in female rats. Horm. Behav. 29: 279-295.
- McEwen, B.S. and Alves, S.E. 1999. Estrogen actions in the central nervous system. Endocr. Rev. 20 (3): 279-307.
- Millan, M.J. 2003. The neurobiology and control of anxious states. Prog. Neurobiol. 70(2): 83-244.
- Millan, M.J. and Brocco, M. 2003. The Vogel conflict test: procedural aspects, gamma-aminobutyric acid, glutamate and monoamines. Eur. J. Pharmacol. 463: 67-96.
- Millan, M.J., Brocco, M., Gobert, A., Dorey, G., Casara, P. and Dekeyne, A. 2001. Anxiolytic properties of the selective non-peptidergic CRF1 antagonists, CP-154,526 and DMP695: a comparison to other classes of anxiolytic agent. Neuropsychopharmacology. 25: 585-600.
- Mitra, S.W., Hoskin, E., Yudkovitz, J., Pear, L., Wilkinson, H.A., Hayashi, S., Pfaff, D.W., Ogawa, S., Rohrer, S.P., Schaeffer, J.M., McEwen, B.S. and Alves, S.E. 2003. Immunolocalization of estrogen receptor beta in the mouse brain: comparison with estrogen receptor alpha. Endocrinology. 144 (5): 2055-2067.
- Mohler, H. 2012. The GABA system in anxiety and depression and its therapeutic potential, Neuropharmacology. 62: 42-53.
- Mohler, H., Crestani, F. and Rudolph, U. 2001. GABA_A-receptor subtypes: a new pharmacology. Curr. Opin. Pharmacol. 1: 22-25.

- Mohler, H., Fritschy, J.M. and Rudolph, U. 2002. A new benzodiazepine pharmacology. J. Pharmacol. Exp. Ther. 300: 2-8.
- Mora, S., Dussaubat, N. and Diaz-Veliz, G. 1996. Effects of the estrous cycle and ovarian hormones on behavioral indices of anxiety in female rats. Psychoneuroendocrinology. 21: 609-20.
- Morgan, M.A. and Pfaff, D.W. 2001. Effects of estrogen on activity and fear-related behaviors in mice. Horm. Behav. 40: 472-482.
- Morgan, M.A. and Pfaff, D.W. 2002. Estrogen's effects on activity, anxiety, and fear in two mouse strains. Behav. Brain. Res. 132(1): 85-93.
- Morris, H.V., Dawson, G.R., Reynolds, D.S., Atack, J.R. and Stephens, D.N. 2006. Both alpha2 and alpha3 GABA_A receptor subtypes mediate the anxiolytic properties of benzodiazepine site ligands in the conditioned emotional response paradigm. Eur. J. Neurosci. 23(9): 2495-2504.
- Musatov, S., Chen, W., Pfaff, D.W., Mobbs, C.V., Yang, X.J., Clegg, D.J., Kaplitt, M.G. and Ogawa, S. 2007. Silencing of estrogen receptor in the ventromedial nucleus of hypothalamus leads to metabolic syndrome. Proc. Natl. Acad. Sci. U. S. A. 13: 2501-2506.
- Naftolin, F., MacLusky, N.J., Leranth, C.Z., Sakamoto, H.S. and Garcia-Segura, L.M. 1988. The cellular effects of estrogens on neuroendocrine tissues. J. Steroid. Biochem. 30: 195-207.
- Nakamura, N.H., Rosell, D.R., Akama, K.T. and McEwen, B.S. 2005. Estrogen and ovariectomy regulate mRNA and protein of glutamic acid decarboxylases and cation-chloride cotransporters in the adult rat hippocampus. Neuroendocrinology. 80: 308-323.
- Nakamura, N.H., Rosell, D.R., Akama, K.T. and McEwen, B.S. 2004. Estrogen and ovariectomy regulate mRNA and protein of glutamic acid decarboxylases and cation-chloride cotransporters in the adult rat hippocampus. Neuroendocrinology. 80(5): 308-323.
- Nash, J.R. and Nutt, D.J. 2005. Pharmacotherapy of anxiety. Handb. Exp. Pharmacol. 469-501.
- Noriega, N.C., Eghlidi, D.H., Garyfallou, V.T., Kohama, S.G., Kryger, S.G. and Urbanski, H.F. 2010. Influence of 17beta-estradiol and progesterone on

- GABAergic gene expression in the arcuate nucleus, amygdala and hippocampus of the rhesus macaque. Brain. Res. 1307: 28-42.
- Nutt, D.J. 1991. Anxiety and its therapy: today and tomorrow. In: Briley, M. and File, S.E. (eds.). New Concepts in Anxiety. MacMillan Press. London.
- Nutt, D.J., Glue, P., Lawson, C. and Wilson, S. 1990. Flumazenil provocation of panic attacks. Evidence for altered benzodiazepine receptor sensitivity in panic disorder. Arch. Gen. Psychiatry. 47(10): 917-925.
- Ogawa, S., Eng, V., Taylor, J., Lubahn, D.B., Korach, K.S. and Pfaff, D.W. 1998. Roles of estrogen receptor-alpha gene expression in reproduction-related behaviors in female mice. Endocrinology. 139 (12): 5070-5081.
- Oliveira, L.C., Nobre, M.J., Brandao, M.L. and Landeira-Fernandez, J. 2004. Role of amygdala in conditioned and unconditioned fear generated in the periaqueductal gray. Neuroreport. 15(14): 2281-2285.
- Olivier, J.D.A., Blom, T., Arentsen, T. and Homberg, J.R. 2011. The age-dependent effects of selective serotonin reuptake inhibitors in humans and rodents: A review. Prog. Neuropsychopharmacol. Biol. Psychiatry. 35: 1400-1408.
- Olsen, R.W. and DeLorey, T.M. 1999. GABA and glycine. In: Siegel, G.J., Agranoff, B.W., Albers, R.W., et. al. (eds). Basic neurochemistry: molecular, cellular and medical aspects 6th edition. pp. 335- 346. Lippincott Williams&Wilkins.
- Olsen, R.W. and Macdonald, R.L. 2002. GABA_A receptor complex structure and function. In: Egebjerg, J., Schousboe, A. and Krosgaard-Larsen, P. (eds). Glutamate and GABA receptor and transporters. pp. 202-235. Lippincott Williams&Wilkins
- Osterlund, M.K., Grandien, K., Keller, E. and Hurd, Y.L. 2000a. The human brain has distinct regional expression patterns of estrogen receptor alpha mRNA isoforms derived from alternative promoters. J. Neurochem. 75(4): 1390-1397.
- Osterlund, M.K., Keller, E. and Hurd, Y.L. 2000b. The human forebrain has discrete estrogen receptor alpha messenger RNA expression: high levels in the amygdaloid complex. Neuroscience. 95(2): 333-342.

- Pandaranandaka, J., Poonyachoti, S. and Kalandakanond-Thongsong, S. 2006. Anxiolytic property of estrogen related to the changes of the monoamine levels in various brain regions of ovariectomized rats. Physiol. Behav. 87: 828-835.
- Pandaranandaka, J., Poonyachoti, S. and Kalandakanond-Thongsong, S. 2009. Differential effects of exogenous and endogenous estrogen on anxiety as measured by elevated T-maze in relation to the serotonergic system. Behav. Brain. Res. 198: 142-148.
- Pellow, S., Chopin, P., File, S.E. and Briley, M. 1985. Validation of open: closed arm entries in an elevated plus-maze as a measure of anxiety in the rat. J. Neurosci. Methods. 14: 149-167.
- Picazo, O., Estrada-Camarena, E. and Hernandez-Aragon, A., 2006. Influence of the postovariectomy time frame on the experimental anxiety and the behavioural actions of some anxiolytic agents. Eur. J. Pharmacol. 530: 88-94.
- Pierson, R.C., Lyons, A.M. and Greenfield, L.J. Jr. 2005. Gonadal steroids regulate GABA_A receptor subunit mRNA expression in NT2-N neurons. Brain. Res. Mol. Brain. Res. 138 (2): 105-15.
- Pirker, S., Schwarzer, C., Wieselthaler, A., Sieghart, W. and Sperk, G. 2000. GABA (A) receptors: immunocytochemical distribution of 13 subunits in the adult rat brain. Neuroscience. 101: 815-850.
- Poltronieri, S.C., Zangrossi, J.H., de Barros Viana, M. 2003. Antipanic-like effect of serotonin reuptake inhibitors in the elevated T-maze. Behav. Brain. Res. 147: 185-192.
- Pratt, J.A., Jenner, P. and Marsden, C.D. 1985. Comparison of the effects of benzodiazepines and other anticonvulsant drugs on synthesis and utilization of 5-HT in mouse brain. Neuropharmacology. 24(1): 59-68.
- Primus, R.J., Jacobs, A.A. and Gallager, D.W. 1992. Developmental profile of polyadenylated and non-polyadenylated GABA_A receptor subunit mRNAs. Brain. Res. Mol. Brain. Res. 14(3): 179-185.
- Pytel, M., Wojtowicz, T., Mercik, K., Sarto-Jackson, I., Sieghart, W., Ikonomidou, C. and Mozrzymas, J.W. 2007. 17 beta-estradiol modulates GABAergic synaptic

- transmission and tonic currents during development in vitro. Neuropharmacology. 52(6): 1342-1353.
- Rago, L., Kiivet, R.A., Harro, J. and Pold, M. 1988. Behavioral differences in an elevated plus-maze: correlation between anxiety and decreased number of GABA and benzodiazepine receptors in mouse cerebral cortex. Naunyn-Schmiedeberg's Arch. Pharmacol. 337(6):675-678.
- Rastogi, R.B., Agarwal, R.A., Lapierre, Y.D. and Singhal, R.L. 1977. Effects of acute diazepam and clobazam on spontaneous locomotor activity and central amine metabolism in rats. Eur. J. Pharmacol. 43: 91-98.
- Reddy, D.S. and Kulkarni, S.K. 1999. Sex and estrous cycle-dependent changes in neurosteroid and benzodiazepine effects on food consumption and plus-maze learning behaviors in rats. Pharmacol. Biochem. Behav. 62(1): 53-60.
- Ribeiro, A.C., Pfaff, D.W. and Devidze, N. 2009. Estradiol modulates behavioral arousal and induces changes in gene expression profiles in brain regions involved in the control of vigilance. Eur. J. Neurosci. 29(4): 795-801.
- Robichaud, M. and Debonnel, G. 2005. Oestrogen and testosterone modulate the firing activity of dorsal raphe nucleus serotonergic neurones in both male and female rats. J. Neuroendocrinol. 17: 179-185.
- Rowlett, J.K., Platt, D.M., Lelas, S., Atack, J.R. and Dawson, G.R. 2005. Different GABA_A receptor subtypes mediate the anxiolytic, abuse-related, and motor effects of benzodiazepine-like drugs in primates. Proc. Natl. Acad. Sci. U. S. A. 102: 915-920.
- Roy-Byrne, P., Wingerson, D.K., Radant, A., Greenblatt, D.J. and Cowley, D.S. 1996. Reduced benzodiazepine sensitivity in patients with panic disorder: comparison with patients with obsessive-compulsive disorder and normal subjects. Am. J. Psychiatry. 153: 1444-1449.
- Rubinow, D.R., Schmidt, P.J. and Roca, C.A. 1998. Estrogen-serotonin interactions: implications for affective regulation. Biol. Psychiatry. 44: 839-850.
- Rudolph, U. and Antkowiak, B. 2004. Molecular and neuronal substrates for general anaesthetics. Nat. Rev. Neurosci. 5: 709-720.
- Safi, K., Neuhäuser-Wespy, F., Welzl, H. and Lipp, H.P. 2006. Mouse anxiety models and an example of an experimental setup using unconditioned

- avoidance in an automated system – intellicage. Cognition. Brain. Behavior. 10 (4): 475-488.
- Santollo, J., Wiley, M.D. and Eckel, L.A. 2007. Acute activation of ER α decreases food intake, meal size, and body weight in ovariectomized rats. Am. J. Physiol. Regul. Integr. Comp. Physiol. 293: R2194-R2201.
- Schenberg, L.C., Bittencourt, A.S., Sudre, E.C. and Vargas, L.C. 2001. Modeling panic attacks. Neurosci. Biobehav. Rev. 25: 647-659.
- Schmidt, P.J. 2005. Depression, the perimenopause, and estrogen therapy. Ann. N. Y. Acad. Sci. 1052: 27- 40.
- Schmidt, P.J., Nieman, L., Danaceau, M.A., Tobin, M.B., Roca, C.A., Murphy, J.H. and Rubinow, D.R. 2000. Estrogen replacement in perimenopause-related depression: a preliminary report. Am. J. Obstet. Gynecol. 183: 414-420.
- Schmitt, U., Luddens, H. and Hiemke, C. 2002. Anxiolytic-like effects of acute and chronic GABA transporter inhibition in rats. J. Neural. Transm. 109: 871-880.
- Schmittgen, T.D. and Livak, K.J. 2008. Analyzing real-time PCR data by the comparative C(T) method. Nat. Protoc. 3: 1101-1108.
- Schumacher, M., Coirini, H. and McEwen, B.S. 1989. Regulation of high-affinity GABA_A receptors in specific brain regions by ovarian hormones. Neuroendocrinology. 50(3):315-20.
- Seeman, M.V. 1997. Psychopathology in women and men: focus on female hormones. Am. J. Psychiatry. 154: 1641-1647.
- Serrats, J., Artigas, F., Mengod, G. and Cortes, R. 2003. GABA_B receptor mRNA in the raphe nuclei: co-expression with serotonin transporter and glutamic acid decarboxylase. J. Neurochem. 84(4): 743-752.
- Shekhar, A., Katner, J.S., Sajdyk, T.J. and Kohl, R.R. 2002. Role of norepinephrine in the dorsomedial hypothalamic panic response: an in vivo microdialysis study. Pharmacol. Biochem. Behav. 71: 493-500.
- Shelton, R.C. and Hunt, A. 2008. Anxiety disorder. In: Fatemi, S.H. and Clayton, P.J. (eds). The medical basis of psychiatry. Humana Press. Totowa, NJ.
- Sherwin, B.B. 1998. Estrogen and cognitive functioning in women. Proc. Soc. Exp. Biol. Med. 217: 17-22.

- Shim, H.J., Lee, L. H., Huh, Y., Lee, S.Y. and Yeo, S.G. 2012. Age-related changes in the expression of NMDA, serotonin, and GAD in the central auditory system of the rat. Acta. Otolaryngol. 132: 44-50.
- Shima, N., Yamaguchi, Y. and Yuri, K. 2003. Distribution of estrogen receptor beta mRNA-containing cells in ovariectomized and estrogen-treated female rat brain. Anat. Sci. Int. 78 (2): 85-97.
- Shughrue, P.J., Komm, B. and Merchenthaler, I. 1997. The distribution of estrogen receptor-beta mRNA in the rat hypothalamus. Steroids. 61 (12): 678-681.
- Simoncini, T. and Genazzani, A.R. 2003. Non-genomic actions of sex steroid hormones. Eur. J. Endocrinol. 148 (3): 281-292.
- Smith, S.S., Gong, Q.H., Hsu, F.C., Markowitz, R.S., French-Mullen, J.M. and Li, X. 1998a. GABA(A) receptor alpha4 subunit suppression prevents withdrawal properties of an endogenous steroid. Nature. 392: 926-930.
- Smith, S.S., Gong, Q.H., Li, X., Moran, M.H., Bitran, D., Frye, C.A. and Hsu, F.C. 1998b. Withdrawal from 3alpha-OH-5alpha-pregnan-20-One using a pseudopregnancy model alters the kinetics of hippocampal GABA_A-gated current and increases the GABA_A receptor alpha4 subunit in association with increased anxiety. J. Neurosci. 18: 5275-5284.
- Smith, S.S., Ruderman, Y., Frye, C.A., Homanics, G. and Yuan, M. 2006. Steroid withdrawal in the mouse results in anxiogenic effects of 3alpha, 5beta-THP: a possible model of premenstrual dysphoric disorder. Psychopharmacology (Berl). 186: 323-333.
- Smith, S.S., Shen, H., Gong, Q.H. and Zhou, X. 2007. Neurosteroid regulation of GABA_A receptors: Focus on the alpha4 and delta subunits. Pharmacol. Ther. 116(1): 58-76.
- Soghomonian, J.J. and Martin, D.L. 1998. Two isoforms of glutamate decarboxylase: why? Trends. Pharmacol. Sci. 19(12): 500-505.
- Steimer, T. 2011. Animal models of anxiety disorders in rats and mice: some conceptual issues. Dialogues. Clin. Neurosci. 13: 495-506.
- Stell, B.M., Brickley, S.G., Tang, C.Y. Farrant, M. and Mody, I. 2003. Neuroactive steroids reduce neuronal excitability by selectively enhancing tonic inhibition

- mediated by delta subunit-containing GABA_A receptors. Proc. Natl. Acad. Sci. U. S. A. 100: 14439-14444.
- Stork, O., Ji, F.Y., Kaneko, K., Stork, S., Yoshinobu, Y., Moriya, T., Shibata, S. and Obata, K. 2000. Postnatal development of a GABA deficit and disturbance of neural functions in mice lacking GAD65. Brain. Res. 865: 45-58.
- Stutzmann, G.E. and LeDoux, J.E. 1999. GABAergic antagonists block the inhibitory effects of serotonin in the lateral amygdala: a mechanism for modulation of sensory inputs related to fear conditioning. J. Neurosci. 19: RC8.
- Suda, S., Segi-Nishida, E., Newton, S.S. and Duman, R.S. 2008. A postpartum model in rat: behavioral and gene expression changes induced by ovarian steroid deprivation. Biol. Psychiatry. 64(4): 311-319.
- Tan, X.J., Dai, Y.B., Wu, W.F., Kim, H.J., Barros, R.P., Richardson, T.I., Yaden, B.C., Warner, M., McKinzie, D.L., Krishnan, V. and Gustafsson, J.A. 2012. Reduction of dendritic spines and elevation of GABAergic signaling in the brains of mice treated with an estrogen receptor β ligand. Proc. Natl. Acad. Sci. U. S. A. 109 (5): 1708-1712.
- Tao, R. and Auerbach, S.B. 1994. Anesthetics block morphine-induced increases in serotonin release in rat CNS. Synapse. 18(4): 307-314.
- Tao, R. and Auerbach, S.B. 2000. Regulation of serotonin release by GABA and excitatory amino acids. J. Psychopharmacol. 14(2): 100-113.
- Tao, R. and Auerbach, S.B. 2003. Influence of inhibitory and excitatory inputs on serotonin efflux differs in the dorsal and median raphe nuclei. Brain. Res. 961: 109-120.
- Tao, R., Ma, Z. and Auerbach, S.B. 1996. Differential regulation of 5-hydroxytryptamine release by GABA_A and GABA_B receptors in midbrain raphe nuclei and forebrain of rats. Br J Pharmacol. 119(7): 1375-1384.
- Teixeira, R.C., Zangrossi, H. and Graeff, F.G. 2000. Behavioral effects of acute and chronic imipramine in the elevated T-maze model of anxiety. Pharmacol. Biochem. Behav. 65: 571-576.
- Thammacharoen, S., Geary, N., Lutz, T.A., Ogawa, S. and Asarian, L. 2009. Divergent effects of estradiol and the estrogen receptor-alpha agonist PPT on

- eating and activation of PVN CRH neurons in ovariectomized rats and mice. Brain. Res. 1268: 88-96.
- Tork, I. 1990. Anatomy of the serotonergic system. Ann. N. Y. Acad. Sci. 600: 9-34.
- Tyrer, P. and Baldwin, D. 2006. Generalised anxiety disorder. Lancet. 368: 2156-2166.
- Vanin, J.R. 2008. Overview of Anxiety and the Anxiety Disorders. In: Vanin, J.R., Helsley, J.D. (eds.). Anxiety disorders a pocket guide for primary care. pp 1-18. Humana Press. New Jersey.
- Wafford, K.A., Thompson, S.A., Thomas, D., Sikela, J., Wilcox, A.S. and Whiting, P.J. 1996. Functional characterization of human gamma-aminobutyric acid receptors containing the alpha 4 subunit. Mol. Pharmacol. 50: 670-678.
- Walf, A.A. and Frye, C.A. 2007. Administration of estrogen receptor beta-specific selective estrogen receptor modulators to the hippocampus decrease anxiety and depressive behavior of ovariectomized rats. Pharmacol. Biochem. Behav. 86: 407-414.
- Walf, A.A., Koonce, C., Manley, K. and Frye, C.A. 2009. Proestrous compared to diestrous wildtype, but not estrogen receptor beta knockout, mice have better performance in the spontaneous alternation and object recognition tasks and reduced anxiety-like behavior in the elevated plus and mirror maze. Behav. Brain. Res. 196: 254-260.
- Wang, Q.P., Ochiai, H. and Nakai, Y. 1992. GABAergic innervation of serotonergic neurons in the dorsal raphe nucleus of the rat studied by electron microscopy double immunostaining. Brain. Res. Bull. 29: 943-948.
- Wegorzewska, I.N., Walters, K., Weiser, M.J., Cruthirds, D.F., Ewell, E., Larco, D.O., Handa, R.J. and Wu, T.J. 2008. Postovariectomy weight gain in female rats is reversed by estrogen receptor alpha agonist, propylpyrazoletriol. Am. J. Obstet. Gynecol. 199 (67): e61-65.
- Weinberger, D.R. 2001. Anxiety at the frontier of molecular medicine. N. Engl. J. Med. 344: 1247-1249.
- Weiser, M.J., Foradori, C.D. and Handa, R.J. 2008. Estrogen receptor beta in the brain: from form to function. Brain. Res. Rev. 57: 309-320.

- Whiting, P.J. 2003. The GABA_A receptor gene family: new opportunities for drug development. Curr. Opin. Drug. Discov. Devel. 6(5): 648-657.
- Wirtshafter, D. and Sheppard, A.C. 2001. Localization of GABA(B) receptors in midbrain monoamine containing neurons in the rat. Brain. Res. Bull. 56: 1-5.
- Wittchen, H.U., Jacobi, F., Rehm, J., Gustavsson, A., Svensson, M., Jonsson, B., Olesen, J., Allgulander, C., Alonso, J., Faravelli, C., Fratiglioni, L., Jennum, P., Lieb, R., Maercker, A., van Os, J., Preisig, M., Salvador-Carulla, L., Simon, R. and Steinhausen, H.C. 2011. The size and burden of mental disorders and other disorders of the brain in Europe 2010. Eur. Neuropsychopharmacol. 21: 655-679.
- Wu, J.C., Maguir, G., Riley, G., Lee, A., Keator, D., Tang, C., Fallon, J. and Najafi, A. 1997. Increased dopamine activity associated with stuttering. Neuroreport. 8: 767-770.
- Muller, W.E. and Wollert, U. 1975. Benzodiazepines: specific competitors for the binding of L-tryptophan to human serum albumin. Naunyn-Schmiedeberg's Arch. Pharmacol. 288: 17-27.
- Xu, Q., Hamada, T., Kiyama, R., Sakuma, Y. and Wada-Kiyama, Y. 2008. Site-specific regulation of gene expression by estrogen in the hypothalamus of adult female rats. Neurosci. Lett. 436(1): 35-39.
- Yee, B.K., Keist, R., von Boehmer, L., Studer, R., Benke, D., Hagenbuch, N., Dong, Y., Malenka, R.C., Fritschy, J.M., Bluethmann, H., Feldon, J., Möhler, H. and Rudolph, U. 2010. A schizophrenia-related sensorimotor deficit links $\alpha 3$ -containing GABA_A receptors to a dopamine hyperfunction. 102(47): 17154-17159.
- Zangrossi, J.H. and Graeff, F.G. 1997. A behavioral validation of the elevated T-maze: a new animal model of anxiety. Brain. Res. Bull. 44: 1-5.
- Zangrossi, J.H., Viana, M.B., and Graeff, F.G. 1999. Anxiolytic effect of intra-amygdala injection of midazolam and 8-hydroxy-2-(di-*n*-propylamino) tetralin in the elevated T-maze. Eur. J. Pharmacol. 369: 267-270.
- Zanoveli, J.M., Carvalho, M.C., Cunha, J.M. and Brandao, M.L. 2009. Extracellular serotonin level in the basolateral nucleus of the amygdala and dorsal

- periaqueductal gray under unconditioned and conditioned fear states: an in vivo microdialysis study. Brain. Res. 1294: 106-115.
- Zanoveli, J.M., Nogueira, R.L. and Zangrossi, J.H. 2005. Chronic imipramine treatment sensitizes 5-HT_{1A} and 5-HT_{2A} receptors in the dorsal periaqueductal gray matter: evidence from the elevated T-maze test of anxiety. Behav. Pharmacol. 16: 543-552.
- Zanoveli, J.M., Nogueira, R.L. and Zangrossi, J.H. 2003. Serotonin in the dorsal periaqueductal gray modulates inhibitory avoidance and one-way escape behaviors in the elevated T-maze. Eur. J. Pharmacol. 473: 153-161.
- Zeidan, M.A., Igoe, S.A., Linnman, C., Vitalo, A., Levine, J.B., Klibanski, A., Goldstein, J.M. and Milad, M.R. 2011. Estradiol modulates medial prefrontal cortex and amygdala activity during fear extinction in women and female rats. Biol. Psychiatry. 70: 920-927.
- Zengin, A., Nguyen, A.D., Wong, I.P., Zhang, L., Enriquez, R.F., Eisman, J.A., Herzog, H., Baldock, P.A. and Sainsbury, A. 2012. Neuropeptide Y mediates the short-term hypometabolic effect of estrogen deficiency in mice. Int. J. Obes. (Lond). 8. doi: 10.1038/ijo.2012.71.