

เอกสารอ้างอิง

- Bradbury, L. M. T., T. L. Fitzgerald, R. J. Henry, Q. Jin and D. L. E. Waters. 2005. The gene for fragrance in rice. *Plant Biotechnol. J.* 3:363-370.
- Bradbury, L. M. T., S. Gillies, D. Brushett, D. Waters and R. Henry. 2008. Inactivation of an aminoaldehyde dehydrogenase is responsible for fragrance in rice. *Plant Mol. Biol.* 68: 439-449.
- Cornell, W., P. Cieplak, C. Bayly, I. Gould, K. Merz, D. Ferguson, D. Spellmeyer, T. Fox, J. Caldwell, P. Kollman. 1995. A Second Generation Force Field for the Simulation of Proteins, Nucleic Acids, and Organic Molecules. *J. Am. Chem. Soc.* 117: 5179-5197.
- Delano, W. L. 2002. The PyMOL Molecular Graphics System, DeLano Scientific.
- Fujiwara, T., K. Hori, K. Ozaki, Y. Yokota, S. Mitsuya, T. Ichiyanagi, T. Hattori and T. Takabe. 2008. Enzymatic characterization of peroxisomal and cytosolic betaine aldehyde dehydrogenases in barley. *Physiol. Plant* 134: 22-30.
- Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S., Wilkins, M. R., Appel, R. D. and Bairoch, A. 2005. Protein identification and analysis tools on the expasy server. *Humana Press.* 571-607.
- González-Segura, L., E. Rudiño-Piñera, R.A. Muñoz-Clares and E. Horjales. 2009. The crystal structure of a ternary complex of betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa* provides new insight into the reaction mechanism and shows a novel binding mode of the 2'-Phosphate of NADP⁺ and a novel cation binding site. *J. Mol. Biol.* 385: 542-557.
- Gruez, A., V. Roig-Zamboni, S. Grisel, A. Salomoni, C. Valencia, V. Campanacci, M. Tegoni and C. Cambillau. 2004. Crystal structure and kinetics identify *Escherichia coli* YdcW gene product as a medium-chain aldehyde dehydrogenase. *J. Mol. Biol.* 343: 29-41.
- Johansson, K., M. El-Ahmad, S. Ramaswamy, L. Hjelmqvist, H. Jornvall and H. Eklund. 1998. Structure of betaine aldehyde dehydrogenase at 2.1 Å resolution. *Protein Sci.* 7: 2106-2117.

- Jorgensen, W.L., Jorgensen, J. Chandrasekhar, J.D. Madura, R.W. Impey, M.L. Klein. 1983. Comparison of simple potential functions for simulating liquid water. *J. Chem. Phys.* 79: 926-935.
- Kuaprasert, B., K. Silprasit, N. Horata, P. Khunrae, R. Wongpanya, N. Boonyalai, A. Vanavichit and K. Choowongkamon. 2011. Purification, crystallization and preliminary X-ray analysis of recombinant betaine aldehyde dehydrogenase 2 (OsBADH2), a protein involved in jasmine aroma, from Thai fragrant rice (*Oryza sativa* L.). *Acta Crystallogr. Sect. F* 67: 1221-1223.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. and Thornton, J. M. 1993. PROCHECK - a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.* 26: 283-291.
- Morris, G. M., D. S. Goodsell, R. S. Halliday, R. Huey, W. E. Hart, R. K. Belew, and A. J. Olson. 1998. Automated docking using a lamarckian genetic algorithm and an empirical binding free energy function. *J. Com. Chem.* 19: 1662-1998.
- Mitsuya, S., Y. Yokota, T. Fujiwara, N. Mori and T. Takabe. 2009. OsBADH1 is possibly involved in acetaldehyde oxidation in rice plant peroxisomes. *FEBS Lett.* 583: 3625-3629.
- Perez-Miller, J. S and T. D. Hurley. 2003. Coenzyme isomerization is integral to catalysis in aldehyde dehydrogenase. *Biochemistry* 42: 7100-7109.
- Tylichová, M., D. Kopečný, S. Moréra, P. Briozzo, R. Lenobel, J. Snégaroff and M. Šebela. 2010. Structural and functional characterization of plant aminoaldehyde dehydrogenase from *Pisum sativum* with a broad specificity for natural and synthetic aminoaldehydes. *J. Mol. Biol.* 396: 870-882.
- Wongpanya, R., N. Boonyalai, N. Thammachuchourat, N. Horata, S. Arikait, K. Myint, A. Vanavichit and K. Choowongkamon. 2011. Biochemical and enzymatic study of rice BADH wild-type and mutants: an insight into fragrance in rice. *Protein J.* 30: 529-538.
-