

REFERENCES

- Allen, G. R. 1985. FAO species catalogue. Snappers of the world. An annotated and illustrated catalogue of lutjanid species known to date. *FAO Fisheries Synopsis* 125(6): 208 p.
- Arbour, J. H., D. C. Hardie., and J. A. Hutchings. 2011. Morphometric and genetic analyses of two sympatric morphs of Arctic char (*Salvelinus alpinus*) in the Canadian High Arctic. *Canadian Journal of Zoology* 89: 19-30.
- Bagley, M. J., D. G. Lindquist., and J. B. Geller. 1999. Microsatellite variation, effective population size, and population genetic structure of vermilion snapper, *Rhomboplites aurorubens*, off the southeastern USA. *Marine Biology* 134: 609-620.
- Baker, J. A. 2000. *Molecular methods in ecology*. The United Kingdom: Blackwell Science Ltd.
- Bird, M. I., D. Taylor., and C. Hunt. 2005. Palaeoenvironments of insular Southeast Asia during the last glacial period: a savanna corridor in Sundaland?. *Quaternary Science Reviews* 24: 2228–2242.
- Bleeker, P. 1849. Bijdrage tot de kennis der Percoïden van den Malayo-Molukschen Archipel, met beschrijving van 22 nieuwe soorten. *Verhandelingen van het Bataviaasch Genootschap van Kunsten en Wetenschappen*. 22(13): 1-64.
- Bro, R., and S. K. Age. 2003. Centering and scaling in component analysis. *Journal of chemometrics* 17: 16-33.
- Cadrin, S. X. 2000. Advances in morphometric identification of fishery stocks. *Reviews in Fish Biology and Fisheries* 10: 91-112.
- Caetano-Anollés, G. and P. M. Gresshoff. 1994. Staining nucleic acid with silver: An alternative to radioisotopic and fluorescent labeling. *Progenia note magazine* 45: 13-19.

- Callen, D. F., A. D. Thompson., Y. Shen., H. A. Phillips., R. I. Richards., J. C. Mulley., and G. R. Sutherland. 1993. Incidence and Origin of "null" alleles in the (AC)_n microsatellite markers. *The American Journal of Human Genetics* 52: 922-927.
- Carpenter, K. E., and H. V. Niem, editors. 2001. FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 5. Bony fishes part 3 (Menidae to Pomacentridae). *FAO*. ROME. 2791- 3380.
- Carson, E. W., E. Saillant., M. A. Renshaw., N. J. Cummings., J. R. Gold. 2011. Population structure, long-term connectivity, and effective size of mutton snapper (*Lutjanus analis*) in the Caribbean Sea and Florida Keys. *Fishery Bulletin* 109: 416-428.
- Chapuis, M., and A. Estoup. 2007. Microsatellite null alleles and estimation of population differentiation. *Molecular Biology and Evolution* 24(3): 621-631.
- Chow, S., M. E. Clarke., and P. J. Walsh. 1993. PCR-RFLP analysis on thirteen western Atlantic snappers (subfamily Lutjaninae): a simple method for species and stock identification. *Fishery Bulletin* 91 : 619-627.
- Craig, M. T., J. A. Eble., B. W. Bowen., and D. R. Robertson. 2007. High genetic connectivity across the Indian and Pacific Oceans in the reef fish *Myripristis berndti* (Holocentridae). *Marine Ecology Progress Series* 334: 245–254.
- Creste, S., A. Tulmann Neto. A. Figueira. 2001. Detection of single sequence repeat polymorphisms in denaturing polyacrylamide sequencing gels by silver staining. *Plant molecular biology reporter* 19: 299-306.
- Dempster, A. P., N. M. Laird., and D. B. Rubin. 1977. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society. Series B (Methodological)* 39(1): 1-38.

- Department of Marine and Coastal Resources Research Center, Lower Gulf of Thailand, 2009. *Fish in songkhla lake*. Marine and coastal resources research center, lower Gulf of Thailand, Department of marine and coastal resources, Ministry of Natural resources and environment. (in Thai)
- Evanno, G., S. Regnaut., and J. Goudet. 2005. Detecting the number of clusters of individuals using the software STRUCTURE: a simulation study. *Molecular Ecology* 14: 2611-2620.
- Excoffier, L. and H.E. L. Lischer. 2010. Arlequin suite ver 3.5: A new series of programs to perform population genetics analyses under Linux and Windows. *Molecular Ecology Resources* 10: 564-567.
- Fukatsu, T. 1999. Acetone preservation: a practical technique for molecular analysis. *Molecular Ecology* 8: 1935-1945.
- Gaither, M. R., R. J. Toonen., D. R. Robertson., S. Planes., and B. W. Bowen. 2010. Genetic evaluation of marine biogeographical barriers: perspectives from two widespread Indo-Pacific snappers (*Lutjanus kasmira* and *Lutjanus fulvus*). *Journal of Biogeography* 37: 133-147.
- Goodman, S.J. 1997. RST CALC: A collection of computer programs for calculating unbiased estimates of genetic differentiation and determining their significance for microsatellite data. *Molecular Ecology* 6: 881-885.
- Google, Inc. 2011. Google Earth version 6.1.7601.1(2011). <http://www.google.com/earth/index.html>. (accessed October 17, 2011).
- Gillig, D., W. L. Griffin., and T. O. Jr. 2001. A bioeconomic assessment of Gulf of Mexico red snapper management policies. *Transactions of the American Fisheries Society* 130(1): 117-129.
- Guo,Y., Z. Wang., C. Liu., L. Liu., and Y. Liu. 2007a. Phylogenetic relationships of South China Sea snappers (Genus *Lutjanus*; Family Lutjanidae) based on mitochondrial DNA Sequences. *Marine Biotechnology* 9: 682-688.

- Guo, Y., Z. Wang., C. Liu., L. Liu., and Y. Liu. 2007b. Isolation and characterization of microsatellite DNA loci from Russell's snapper (*Lutjanus russellii*). *Molecular Ecology Notes* 7: 1219–1221.
- Goudet, J. 2001. FSTAT, a program to estimate and test gene diversities and fixation indices (version 2.9.3). <http://www2.unil.ch/popgen/softwares/fstat.htm>. (accessed September 9, 2011).
- Hardy, O. J., N. Charbonnel., H Fre'ville., and M. Heuertz. 2003. Microsatellite allele sizes- a simple test to assess their significance on genetic differentiation. *Genetics* 163: 1467-1482.
- Hammer, Ø., D. A. T. Harper., and P. D. Ryan, 2001. PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica* 4(1): 9 p.
- Hellberg, M. E. 2009. Gene flow and isolation among population of marine animal. *Annual Review of Ecology, Evolution, and Systematics* 40: 291-310.
- Hoelzel, R. A. 1992. *Molecular Genetic analysis of population; A practical approach*. New York: Oxford University Press.
- Jordan, A. D. 2007. FishBase and Fish Taxonomy training session 2007. Royal museum for central Africa (RMCA Tervuren).<http://www.africamuseum.be/research/biology/verte-brates/ichthyology/doc/morphology%20and%20id>. (accessed December 10, 2012).
- Kalinowski, S. T. 2004. Counting alleles with rarefaction: Private alleles and hierarchical sampling designs. *Conservation Genetics* 5: 539-543.
- Karlsson, S., E. Saillant., J. R. Gold. 2009. Population structure and genetic variation of lane snapper (*Lutjanus synagris*) in the northern Gulf of Mexico. *Marine Biology* 156: 1841-1855.
- Kimura, S., Satapoomin, U., and Matsuura, K. 2009. *Fishes of Andaman Sea: West coast of southern Thailand*. The National Muesum of Nature and Science, Tokyo.

- Klangnurak, W., J. Phinchongsakuldit., and J. True. 2012. Population structure and genetic connectivity of *Lutjanus russelli* (Lutjanidae) in Thailand. *Proceedings of the 12th International Coral Reef Symposium, Cairns, Australia, 9-13 July 2012*.
- Kuiter, R. H., T. Tonozuka. 2001. Pictorial guide to Indonesian reef fishes. Part 2. Fusiliers - Dragonets, Caesionidae – Callionymidae. *Zoonetics*. 304-622. <http://zoobank.org/urn:lsid:zoobank.org:pub:452E1D3D-84DA-4E56-B17B-C2491A977F59>. (accessed July 10, 2012).
- Lewis. P. O and D. Zaykin. 2001. Genetic data analysis: computer program for the analysis of allelic data. Version 1.0 (d16c). <http://hydrodictyon.eeb.uconn.edu/people/plewis/software.php>. (accessed September 23, 2011).
- McCune, B. and M. J. Mefford. 2006. PC-ORD. Multivariate Analysis of Ecological Data. Version 5.10 MjM Software, Gleneden Beach, Oregon, U.S.A.
- Miller, T. L. and T. H. Cribb. 2006. Phylogenetic relationships of some common Indo-Pacific snappers (Perciformes: Lutjanidae) based on mitochondrial DNA sequences, with comments on the taxonomic position of the Caesioninae. *Molecular Phylogenetics and Evolution* 44: 450–460.
- Mora, C. and P. F. Sale. 2002. Are populations of coral reef fish open or closed?. *Trend in Ecology & Evolution* 17(9): 422-428.
- Muths, D., G. Gouws., M. Mwale., E. Tessier., and J. Bourjea. 2012. Genetic connectivity of the reef fish *Lutjanus kasmira* at the scale of the western Indian Ocean. *Canadian Journal of Fisheries and Aquatic Sciences* 69(5): 842-853.
- Newman, S. J. 2002. Growth, age estimation and preliminary estimates of longevity and mortality in the moses perch, *Lutjanus russelli* (Indian Ocean form), from continental shelf waters off North-Western Australia. *Asian Fisheries Science* 15: 283-294.

- Ovenden, J. R. and R. Street. 2003. Genetic population structure of mangrove jack, *Lutjanus argentimaculatus* (Forsskål). *Marine and Freshwater Research* 54: 127-137.
- Phinchongsakuldit, J., P. Chaipakdee, J. F. Collins., M. Jaroensutasinee and J. F. Y. Brookfield. 2013. Population genetics of cobia (*Rachycentron canadum*) in the Gulf of Thailand and Andaman Sea: fisheries management implications. *Aquaculture International* 21: 197–217.
- Piyachokanakun, S. 2009. *DNA markers: basics to applications*. Bangkok: Kasetsart University Press. 128-144. (in thai)
- Planes, S., G. P. Jones., and S. R. Thorrold. 2009. Larval dispersal connects fish populations in a network of marine protected areas. *Proceedings of the National Academy of Sciences*: 1-5.
- Pritchard, J. K., M. Stephens., and P. Donnelly. 2000. Inference of population structure using multilocus genotype data. *Genetics* 155: 945-959.
- Pruett, C. L., E. Saillant., J. R. Gold. 2005. Historical population demography of red snapper (*Lutjanus campechanus*) from the northern Gulf of Mexico based on analysis of sequences of mitochondrial DNA. *Marine Biology* 147: 593–602.
- Randall, J. E. 1998. Zoogeography of shore fishes of the Indo-Pacific Region. *Zoological Studies* 37(4): 227-268.
- Remerie, T., T. Bourgois., and A. Vanreusel. 2005. Morphological differentiation between geographically separated populations of *Neomysis integer* and *Mesopodopsis slabberi* (Crustacea, Mysida). *Hydrobiologia* 549: 239-250.
- Renshaw, A.M., E. Saillant., S. Lem., P. Berry., and J. R. Gold. 2007. Microsatellite multiplex panels for genetic studies of gray snapper (*Lutjanus griseus*) and lane snapper (*Lutjanus synagris*). *Fishery Bulletin* 105(3): 436-439.
- Rice, W. R. 1989. Analyzing tables of statistical tests. *Evolution* 43: 223 - 225.

- Rizal, S., I. Setiawan., T. Iskandar., Y. Ilhamsyah., M. A. Wahid., and M. Musman. 2010. Current simulation in the Malacca Straits by using Three-Dimensional Numerical Model. *Sains Malaysiana* 39(4): 519-524.
- Robertson, D. R. 2000. Population maintenance among tropical reef fishes: Inferences from small-island endemics. *Proceedings of the National Academy of Sciences* 98: 5667–5670.
- Rocha-olivares, A., R. A. Leal-Navarro., C. Kimbrell., E. A. Lynn., and R. D. Vetter. 2003. Microsatellite variation in the Mexican rockfish *Sebastes macdonaldi*. *Scientia marina* 67(4): 451-460.
- Ryman, N. and S. Palm. 2006. POWSIM: a computer program for assessing statistical power when testing for genetic differentiation. *Molecular Ecology Notes* 6: 600-602.
- Salini, J. P., J. R. Ovenden., R. Street., R. Pendrey., R. Haryanti., and R. Ngurah. 2006. Genetic population structure of red snappers (*Lutjanus malabaricus* Bloch & Schneider, 1801 and *Lutjanus erythropterus* Bloch, 1790) in central and eastern Indonesia and northern Australia. *Journal of Fish Biology* 68: 217–234.
- Sambrook, J and D. W. Russell. 2001. *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbor, New York: Cold Spring Harbor Laboratory Press.
- Sarver, S. K., D. Wilson Freshwater., P. J. Walsh. 1996. Phylogenetic relationships of Western Atlantic snappers (family Lutjanidae) based on mitochondrial DNA sequences. *Copeia* 1996(3): 715-721.
- Satapoomin, U. 2002. Comparative study of reef fish fauna in Thai water: the Gulf of Thailand versus the Andaman Sea. *Phuket Marine Biological Center Technical Paper No. 1/2002*: 1- 41.
- Satapoomin, U. 2007. *A Guide to reef fishes of the Andaman Sea, Thailand*. Puket Marine Biological Center. Puket: World Offset Co.,Ltd.

- Satapoomin, U. 2011. The fishes of southwestern Thailand, the Andaman Sea - a review of research and a provisional checklist of species. *Phuket Marine Biological Center Research Bulletin* 70: 29-77.
- Sathiamurthy, E., K. H. Voris. 2006. Maps of Holocene Sea level transgression and submerged lakes on the Sunda Shelf. *The Natural History Journal of Chulalongkorn University* 2: 1-44.
- Selkoe, K. A. and R. J. Toonen. 2006. Microsatellites for ecologists: a practical guide to using and evaluating microsatellite markers. *Ecology Letters* 9: 615-629.
- Sheaves, M. 1995. Large lutjanid and serranid fishes in tropical estuaries: Are they adults or juveniles?. *Marine ecology progress series* 129: 31-40.
- Shulman, M. J. and E. Bermingham. 1995. Early life histories, ocean current, and population genetic of Caribbean reef fishes. *Evolution* 49(5): 897-910
- Shulzitski, K., M. A. McCartney., and M. L. Burton. 2009. Population connectivity among Dry Tortugas, Florida, and Caribbean populations of mutton snapper (*Lutjanus analis*), inferred from multiple microsatellite loci. *Fishery Bulletin* 107(4): 501-509.
- SPSS Inc. 2002. SPSS for Windows, Version 11.5. Chicago, SPSS Inc.
- van den Berg, R. A., H. C.J. Hoefsloot., J. A. Westerhuis., A. K. Smilde., and M. J. van der Werf. 2006. Centering, scaling, and transformations: improving the biological information content of metabolomics data. *BMC Genomics* 7: 142.
- van Oosterhout, C., W. F. Hutchinson., M. D. P. Wills. 2004. MICRO-CHECKER: software for identifying and correcting genotyping errors in microsatellite data. *Molecular Ecology Notes* 4: 535–538.
- Vasconcellos, A. V., P. Vianna., P. C. Paiva., R. Schama., and A. Solé-Cava. 2008. Genetic and morphometric differences between yellowtail snapper (*Ocyurus chrysurus*, Lutjanidae) populations of the tropical West Atlantic. *Genetics and Molecular Biology* 31(1): 308-316.

- Voris, H. K. 2000. Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *Journal of Biogeography* 27: 1153-1167.
- Wang, Z., Y. Guo., W. Tan., L. Li., E. Tang., C. Liu., and Y. Liu. 2010. DNA barcoding, phylogenetic relationships and speciation of snappers (genus *Lutjanus*). *Science China Life Sciences* 53(8): 1025–1030.
- Wiesner, K. R., H. D. Loxdalefls., G. Köhler., A. R. R. Schneider., R. Tiedemann and W. W. Weisser. 2011. Patterns of local and regional genetic structuring in the meadow grasshopper, *Chorthippus parallelus* (Orthoptera: Acrididae), in Central Germany revealed using microsatellite markers. *Biological Journal of the Linnean Society* 103: 875–890.
- Wyrski, K. 1961. Scientific results of marine investigations of the South China Sea and the Gulf of Thailand 1959-1961. p. 195. Cite in Rizal, S., I. Setiawan., T. Iskandar., Y. Ilhamsyah., M. A. Wahid., and M. Musman. 2010. Current simulation in the Malacca Straits by using Three-Dimensional Numerical Model. *Sains Malaysiana* 39(4): 519-524.
- Zhang, J., L. Huang., and H. Huo. 2004. Larval identification of *Lutjanus* Bloch in Nansha coral reefs by AFLP molecular method. *Journal of Experimental Marine Biology and Ecology* 298: 3-20.