

## TABLE OF CONTENTS

	<b>PAGE</b>
Title Page	i
Acknowledgements	ii
Abstract (in Thai)	iii
Abstract (in English)	vi
Table of Contents	v
List of Tables	vii
List of Figures	viii
<b>CHAPTER</b>	
<b>I INTRODUCTION</b>	<b>1</b>
<b>II LITERATURE REVIEW</b>	<b>3</b>
<b>III PROCEDURE</b>	<b>22</b>
<b>IV RESULTS AND DISCUSSION</b>	
4.1 Characterization of the Organomodified Bentonite (OBTN), Porous Clay Heterostructure (PCH) and Functionalized Porous Clay Heterostructure (APPCH)	28
4.2 Characterization of Chromophores Modified PCH	32
4.3 pH Indicator Film Response to Standard CO <sub>2</sub> and H <sub>2</sub> O	35
4.4 pH Indicator Film Response to Fresh Banana	38
4.5 Leaching Studies	40
4.6 Thermal Behavior of Nanocomposites	40

<b>CHAPTER</b>		<b>PAGE</b>
	4.7 Mechanical Properties of Nanocomposites	43
	4.8 Oxygen Gas Permeability of Nanocomposite Film	45
<b>V</b>	<b>CONCLUSIONS</b>	<b>46</b>
<b>VI</b>	<b>RECOMMENDATIONS</b>	<b>47</b>
<b>VII</b>	<b>REFERENCES</b>	<b>48</b>

## LIST OF TABLES

<b>TABLE</b>		<b>PAGE</b>
<b>CHAPTER II</b>		
2.1	Examples of external and internal indicators and their working principle or reacting compounds to be used in intelligent packaging for quality control of packed food	3
2.2	Rate of respiration of green bananas at different temperatures	8
2.3	The times of respiration rise from pre-ripening phase to peak value at different temperature	9
<b>CHAPTER IV</b>		
4.1	Surface area, pore diameters and pore volume from nitrogen adsorption- desorption	32
4.2	Surface area, pore diameters and pore volume from nitrogen adsorption- desorption	32
4.3	Change in hunter color (L, a, b) and total color difference (TCD) values of LDPE/PCH-BTB (10:1) nanocomposite films after indirect contact with standard carbon dioxide and excess water	36
4.4	Change in hunter color (L, a, b) and total color difference (TCD) values of LDPE/PCH-BTB (20:1) nanocomposite films after indirect contact with standard carbon dioxide and excess water	36
4.5	Change in hunter color (L, a, b) and total color difference (TCD) values of LDPE/PCH-BTB (30:1) nanocomposite films after indirect contact with standard carbon dioxide and excess water	37
4.6	Melting and crystallization behavior	41
4.7	Thermal behavior	41
4.8	Oxygen gas transmission rate of LDPE and LDPE/PCH-BTB	45

## LIST OF FIGURES

FIGURE	PAGE
<b>CHAPTER II</b>	
2.1	Change in CO <sub>2</sub> level in golden drop at 25°C with indicator level which showed color change with time
	6
2.2	Rate of production of carbon dioxide by bananas (initially unripe) at different temperatures.
	9
2.3	Heats of respiration of bananas which stored at 13, 17, 20 and 30 °C in ambient air and CAs containing 4% O <sub>2</sub> - 5% CO <sub>2</sub> and 4% O <sub>2</sub> - 10% CO <sub>2</sub>
	10
2.4	O <sub>2</sub> consumption rate of bananas which stored at 13, 17, 20 and 30 °C in ambient air and CAs containing 4% O <sub>2</sub> - 5% CO <sub>2</sub> and 4% O <sub>2</sub> - 10% CO <sub>2</sub>
	11
2.5	CO <sub>2</sub> evolution rate of bananas which stored at 13, 17, 20 and 30 °C in ambient air and CAs containing 4% O <sub>2</sub> - 5% CO <sub>2</sub> and 4% O <sub>2</sub> - 10% CO <sub>2</sub>
	11
2.6	Respiration rate of unheated mango, heat treatment at 42 and 46°C for 85 and 75 min, respectively stored at 13°C
	12
2.7	Mechanism of bromoyhymol blue indicator in yellow color (left), intermediate between yellow and blue (middle) and blue color (right)
	13
2.8	Structure of 2:1 layer silicate
	15
2.9	Schematic diagrams for the adsorption of BBF by the acidified APTES particles
	17
2.10	Structure of surlyn <sup>®</sup>
	19

<b>FIGURE</b>	<b>PAGE</b>
<b>CHAPTER IV</b>	
4.1 (a) Na-BTN, (b) OBTN, (c) PCH and (d) APPCH	28
4.2 The XRD patterns of (a) Na-BTN, (b) OBTN (CTAB) and (c) OBTN (CTAC)	29
4.3 Fourier transform infrared spectroscopy spectra of (a) Na-BTN, (b) OBTN, (c) PCH and (d) APPCH	30
4.4 Scanning Electron Microscope images of (a) Na-BTN, (b) PCH and (c) APPCH	31
4.5 Bromothymol blue modified PCH at various weight ratio of clay and pH dye; 10:1, 20:1 and 30:1	33
4.6 The XRD patterns of (a) PCH, (b) PCH-BTB 10:1, (c) PCH-BTB 20:1 and (d) PCH-BTB 30:1	33
4.7 SEM images of (a) PCH-BTB 10:1, (b) PCH-BTB 20:1 and (c) PCH-BTB 30:1	34
4.8 Changes in total color difference values ( $\Delta E$ ) of pH indicator film at various weight ratio of PCH: BTB (a) 10:1 (b) 20:1 and (c) 30:1	37
4.9 Color changes of LDPE/PCH-BTB (10:1) nanocomposite films after test with standard carbon dioxide at various concentrations (a) 0 ppm (b) 30 ppm (c) 60 ppm (d) 90 ppm (e) 120 ppm and (f) 150 ppm	38
4.10 Changes in pH of fresh banana during storage at room temperature	38
4.11 Reference bananas ripening at room temperature	39
4.12 Color change of LDPE/PCH-BTB (10:1) nanocomposite film during banana ripening	39
4.13 The leakage of bromothymol blue from LDPE/PCH-BTB nanocomposite films	40
4.14 DSC thermograms of LDPE/PCH-BTB nanocomposites (a) crystallization temperature and (b) melting temperature	42
4.15 TG curves of LDPE/PCH-BTB nanocomposites	43

<b>FIGURE</b>	<b>PAGE</b>
4.16 Young's Modulus of LDPE and LDPE/PCH-BTB nanocomposite films	44
4.17 Tensile strength of LDPE and LDPE/PCH-BTB nanocomposite films	44
4.18 % Elongation at yield of LDPE and LDPE/PCH-BTB nanocomposite films	45