

## **LIST OF CONTENT**

<b>Chapter</b>		<b>Page</b>
<b>I INTRODUCTION .....</b>		<b>1</b>
Introduction .....		1
Propose of the study .....		3
Scope of the study .....		3
Keywords.....		3
Benefic of the study.....		3
<b>II LITERATURE REVIEW.....</b>		<b>4</b>
Anaerobic digestion process.....		4
Process parameters .....		7
Operational parameters.....		43
Digester types .....		47
Solar energy collectors .....		58
Solar hot water systems.....		65
Operation of the solar hot water .....		74
The basics of design .....		75
Environmental variables of solar hot water.....		94
Related research papers .....		97

## **LIST OF CONTENT (CONT.)**

<b>Chapter</b>	<b>Page</b>
<b>III RESEARCH METHODOLOGY.....</b>	<b>102</b>
Materials.....	102
Lab scale digestion system .....	104
Sampling and analytical procedure .....	106
Economics analysis .....	109
<b>IV RESULT.....</b>	<b>112</b>
The biogas production at various temperature digestions .....	112
Develop the temperature control system for biogas production.....	115
Analysis the economic parameter.....	120
<b>V CONCLUSIONS.....</b>	<b>125</b>
Conclusion.....	125
Recommendations .....	127
<b>REFERENCES .....</b>	<b>128</b>
<b>APPENDIX .....</b>	<b>132</b>
<b>BIOGRAPHY .....</b>	<b>156</b>

## LIST OF TABLES

Table	Page
1 Environmental requirement.....	7
2 Time of regeneration of different anaerobic microorganism in comparison to aerobic MO .....	10
3 Rate of denitrification of different substrates.....	17
4 Influence of the disintegration upon the dehydratability and back load after an anaerobic fermentation .....	19
5 C/N ratio of organic wastes .....	29
6 Limits for sulfur compounds and fatty acids.....	36
7 Limit values of ammonium and ammonia.....	38
8 Inhibiting or toxic concentrations of different metals in solution in the reactor. The inhibition depends on whether the metals are there as ions or as carbonates .....	41
9 Inhibiting or toxic concentrations of different inhibitors .....	43
10 Operational parameters of biogas plants .....	45
11 Solar Energy Collectors.....	59
12 A rough comparison of solar hot water systems .....	73
13 The emittance for various materials in an IPSWH.....	78
14 Absorptance for various materials in sunlight.....	79
15 The diffuse reflectance of various surfaces in visible wavelengths .....	81
16 The reflectance for surfaces with high specular components.....	82
17 Insulations to heat flow .....	82
18 Solid waste characteristics of fresh waste .....	109

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
1      The main process steps of AD .....	4
2      Influence of the hydrogen partial pressure $pH_2$ on the energy release $\Delta G_f'$ during acetogenesis and methane formation from carbon dioxide and the hydrogen.....	9
3      Biogas yield from hay with and without being grinded in an agitated ball mill .....	11
4      Increase of the biogas yield through grinding (a: mix of apples, potatoes and carrots; b: meat; c: sunflower kernels; d: hay; e: leaves) .....	12
5      Influence of the grinding on the technical time of fermentation for different substrates (a: mix of apples, potatoes, and carrots; b: meat; c: sunflower kernels; d: hay; e: leaves) left columns: without grinding, right columns: with grinding.....	13
6      Influence of the specific surface area on the release of organic acids within 10 min (given as organic matter measured as COD) .....	14
7      Influence of the specific surface on the biogas yield $v_{g,zu}$ after 21 days of fermentation and at the beginning of the fermentation.....	14
8      Influence of disintegration on the degradability of different sewage sludges .....	16
9      Biogas produced from 1 kg organic matter .....	16
10     Percentage in the bioreactor of ascending sludge $AV_{FS}$ and biogas production depending on disintegration.....	18
11     Energy consumption during disintegration .....	20

## LIST OF FIGURES (CONT.)

<b>Figure</b>		<b>Page</b>
12	Gas production and methane content of the gas during start-up.....	22
13	Maximum load of the reactor depending on the time of fermentation at a given concentration .....	23
14	Influence of the temperature upon the time of fermentation.....	23
15	Ammonia-ammonium buffer system.....	26
16	Progression of an inhibition.....	31
17	Dissociation of hydrogen sulfide.....	33
18	Inhibition through hydrogen sulfide at 30% CO <sub>2</sub> , 38°C, 10 g/L, organic matter as COD <sub>red</sub> .....	34
19	Dissociated and not dissociated acid .....	35
20	Inhibition through acetic acid.....	36
21	Dissociated and not dissociated ammonium.....	38
22	ANASTrip-process .....	39
23	Packed Fixed Film Reactor .....	48
24	Up-flow Anaerobic Sludge Blanket Reactor.....	48
25	Baffled Reactor.....	49
26	Anaerobic Lagoons.....	50
27	Completely Mixed Reactor.....	51
28	Plug Flow Reactor .....	53
29	Contact Reactor .....	55
30	Contact Stabilization Reactor .....	56
31	Acid Phased Digester .....	57
32	Temperature Phased Digester.....	58

## LIST OF FIGURES (CONT.)

Figure		Page
33	Typical flat-plate collector. (a) Pictorial view of a flat-plate collector. (b) Photograph of a cut header and riser flat-plate collector.....	61
34	Exploded view of a flat-plate collector and absorber details .....	63
35	An evacuated tube collector .....	64
36	Schematic diagrams of: (a) typical passive and (b) typical active solar hot water system .....	65
37	The direct pumped system.....	67
38	Photovoltaic operated system .....	68
39	Integral Collector Storage (ICS) System .....	69
40	A typical thermosiphon system .....	70
41	Solar hot water indirect Pumped System .....	72
42	The drain back system.....	73
43	Thermal radiation .....	77
44	The index of refraction of the material.....	80
45	Anaerobic digestion systems .....	103
46	Solar hot water systems .....	103
47	Design of lab scale anaerobic digestion systems.....	104
48	Biogas production (L.) at various temperatures digestion.....	113
49	Biogas composition occurred at 40°C .....	113
50	Biogas composition occurred at 55°C .....	114
51	Time digestion (days) at various temperatures digestion.....	115
52	The size of flat plate ( $m^2$ ) at flow rate water (L/h).....	117
53	The heat losses rate (watt) at volume of hot water.....	118