

BIBLIOGRAPHY

Books

- Abram, S. E., & Haddox, J. D. (2000). *The pain clinical manual* (2nd ed.). Philadelphia: Lippincott Williams&Wilkins.
- Aronoff, G. M. (1999). *Evaluation and Treatment of chronic Pain* (Third Edition ed.). London: Williams&Wilkins.
- Boissonnault, W. G. (1995). *Examination in Physical Therapy Practice: Screening for Medical Disease* (2nd ed.). New York: Churchill Livingstone.
- Chaitow, L., & Delany, J. W. (2002). *Clinical application of neuromuscular techniques* (Vol. 2). China: Churchill Livingstone.
- Davis, K., Klar, H., & Coyle, J. T. (1991). *Foundatios of Psychistry*. Philadelphia: W.B. Saunders.
- Duarte, R. (1997). *Classification of Pain:Pain Management Secrets*. New York: Book Promotion & Service co., Ltd.
- Fauman, M. A. (1994). *Study Guide to DSM-IV*. Washington DC: American Psychiatric Press, Inc.
- Goodman, C. C., & Synder, T. K. (2000). *Differential Diagnosis in Physical Therapy* (3rd ed.). Philadelphia: W.B. Saunders Company.
- Gross, J., Fetto, J., & Rosen, E. (1996). *Musculoskeletal Examination*. USA: Blackwell Science,Inc.
- Hales, R. E., & Yudofsky, S. C. (1999). *Essentials of Clinical Psychiatry* (3rd ed.). London: American Psychiatry Press, Inc.
- Kandel, E. R., Schwartz, J. H., & Jessell, T. M. (2000). *Principles of Neural Science* (4th ed.). New York: McGraw-Hill.
- Kanner, R. (1997). *Pain Management Secrets*. New York: Book Promotion & Service Co; Ltd.
- Kaplan, P. E., & Tanner, E. D. (1989). *Musculoakeletal Pain and Disability*. California: Appleton & Lange.

- Lewis, M. M. (1992). *Musculoskeletal Oncology: A multidisciplinary approach*. Philadelphia: W.B. Saunders Company.
- Loth, T. S. (1996). *Orthopedic Boards Review II: A case study approach*. New York: Mosby.
- Meadows, J. T. S. (1999). *Orthopedic Differential Diagnosis in Physical Therapy: A Case Study Approach*. New York: McGraw-Hill:Health Professions Division.
- Niv, D., & Synadino, I. (2005). *European Federation of ISAP Chapter: About Pain*, March 2005
- Raj, P. P. (2000). *Practical Management of Pain* (3rd ed.). Philadelphia: Mosby.
- Sadock, B. J., & Sadock, V. A. (2000). *Kaplan & Sadock's Comprehensive Textbook of Psychiatry* (7th ed. Vol. 1). Philadelphia: Lippincott Williams&Wilkins.
- Shipton, E. A. (1999). *Pain:Acute and Chronic*. London: Arnold.
- Wall, P. D., & Melzack, R. (1989). *Textbook of Pain* (2nd ed.). New York: Churchill Livingstone.
- World Health Organization. (1992). *International Statistical Classification of Diseases and Related Health Problems. Tenth Revision*. Geneva.
- ปราโมทย์ สุคนิษฐ์ & มาโนช หล่อตระกูล (2541). เกณฑ์การวินิจฉัยโรคทางจิตเวช *DSM-IV* ฉบับภาษาไทย (ใช้รหัส *ICD-10*). กรุงเทพฯ: หจก. โรงพิมพ์ชวนพิมพ์.
- พงศ์การดี เจาตะเกษตริน & คณะ (2547). ความปวด ชุดตำราพื้นฐานความปวด (พิมพ์ครั้งที่ 1 ed.). กรุงเทพฯ: บริษัท เมดิมีเดีย (ประเทศไทย) จำกัด.
- ราตรี สุตทรวง & วีระชัย สิงหนิยม (2545). ประสาทสรีรวิทยา. (พิมพ์ครั้งที่ 4 ฉบับปรับปรุงเพิ่มเติม ed.). กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สุชีรา ภัทรายุทธวรรณ (2546) คู่มือการวัดทางจิตวิทยา. พิมพ์ครั้งที่ 2. กรุงเทพฯ: สำนักพิมพ์ เมดิคัล มีเดีย.
- ธรณินทร์ กองสุข, สุวรรณ อรุณพงศ์ไพศาล, รณชัย คงสกนธ์, อัจฉราพร สิริบุญวงศ์, จิรัฏฐ ญัฐรังสี, เกษราภรณ์ เคนบุปผา, et al. (2549) อ้างจาก นันทิกา ทวิชาชาติ และคณะ, (2544). องค์ความรู้โรคซึมเศร้า:ผลการทบทวนหลักฐานทางวิชาการ (*Knowledge of Depression: A Review Evidence-based*). กรุงเทพฯ: กรมสุขภาพจิต กระทรวงสาธารณสุข.

ธรณินทร์ กองสุข, สุวรรณ อรุณพงศ์ไพศาล, รณชัย คงสกนธ์, อัฉรวาพร สีหิรัญวงศ์, จิรัฏฐ ญัฐรังสี, เกษราภรณ์ เคนบุปผา, et al. (2549 อ้างจาก พรเทพ ศิริวนารังสรรค์ และคณะ, 2547). องค์ความรู้โรคซึมเศร้า:ผลการทบทวนหลักฐานทางวิชาการ (*Knowledge of Depression: A Review Evidence-based*) กรุงเทพฯ: กรมสุขภาพจิต กระทรวงสาธารณสุข.

Articles

Anagnostis, C., Gatchel, R. J., & Mayer, T. G. (2004). The Pain Disability Questionnaire: A New Psychometrical Sound Measure for Chronic Musculoskeletal Disorder. *Spine*, 29(20), 2290-2302.

Anseau, M., Fischler, B., Dierick, M., Albert, A., Leyman, S., & Mignon, A. (2007). Socioeconomic correlates of generalized anxiety disorder and major depression in primary care: The GADIS II study (Generalized Anxiety and Depression Impact Survey II). *Depress Anxiety*.

Bao, Y., Sturm, R., & Croghan, T. W. (May 2003). A National Study of the Effect of Chronic Pain on the Use of Health Care by Depressed Persons. *Psychiatric Services*, 54, 693-697.

Benjamin, S., Morris, S., McBeth, J., Macfarlane, G. J., & Silman, A. J. (March 2000). The Association between Chronic Widespread Pain and Mental Disorders: a population-based study. *Arthritis Rheum.* , 43 (3), 561-567.

Bergman, S. (2007). Management of musculoskeletal pain. *Best Practice & research Clinical Rheumatology*, 21(1), 153-166.

Bergman, S., Herrstrom, P., Jacobsson, L. T. H., & Petersson, I. F. (2002). Chronic widespread pain: A three year followup of pain distribution and risk factors. *J Rheumatol*, 29, 818-825.

Bergman, S., Herrstrom, P., Petersson, I. F., Svensson, B., & Jacobsson, L. T. (2001). Chronic musculoskeletal pain, prevalence rates, and sociodemographics in a Swedish population study. *J Rheumatol*, 28(6), 1369-1377.

- Blackburn-Munro, G., & Blackburn-Munro, R. E. (2001). Chronic Pain, Chronic Stress and Depression: Coincidence or Consequence?. *Journal of Neuroendocrinology* **13**, 1009-1023.
- Boersma, K., & Linton, S. J. (Nov 2005). How does persistent pain develop? An analysis of the relationship between psychological variables, pain and function across stages of chronicity. *Behav Res Ther*, **43**(11), 1495-1507.
- Brattberg, G., Parker, M. G., & Thorslund, M. (June 1997). A longitudinal Study of Pain: Reported Pain from Middle Age to Old Age. *Clin J Pain*, **13**(2), 144-149.
- Brattberg, G., Thorslund, M., & Wilkman, A. (May 1989). The prevalence of pain in general population. The results of postal survey in county of Sweden. *Pain*, **37**(2), 215-222.
- Brookoff, D. (July 2000). Chronic Pain: A New Disease? *Hosp Pract (Minneap)*, **35**(7), 45-52.
- Carroll, L. J., Cassidy, J. D., & Cote, P. (2004). Depression as a risk factor for onset of an episode of troublesome neck and low-back pain. *Pain*, **107**, 134-139.
- Chaturvedi, S. K. (May 1987). Prevalence of Chronic Pain in Psychiatric Patients. *Pain*, **29**(2), 231-237.
- Cullum, S., Tucker, S., Todd, C., & Brayne, C. (2006). Screening for depression in older medical inpatients. *Int J Geriatr Psychiatry*, **21**(5), 469-476.
- Currie, S. R., & Wang, J. (2004). Chronic Back Pain and Major Depression in the General Canadian Population. *Pain* **107**, 54-60.
- de Girolamo, G. (1991). Epidemiology and social costs of low back pain and fibromyalgia. *Clin-J-Pain*, **7**(Suppl 1), S1-7.
- Dworkin, R. H., & Gitlin, M. J. (1991). Clinical aspects of depression in chronic pain patient. *The Clin J Pain*, **7**, 79-94.
- Elliott, A. M., Smith, B. H., Penny, K. I., Smith, W. C., & Chambers, W. A. (1999). The epidemiology of chronic pain in the community. *Lancet*, **354**(October 9), 1248-1252.

- Fishbain, D. A., Culter, R., Rosomoff, H. L., & Rosomoff, R. S. (1997). Chronic Pain - Associated depression: Antecedent or Consequence of Chronic Pain? A Review. *The Clin J Pain, 13*, 116-137.
- Fouquet, B. (2003). Clinical examination as a tool for identifying the origin of regional musculoskeletal pain. *Best Practice & research Clinical Rheumatology, 17*(1), 1-15.
- France, R. D., Krishnan, K. R., Trainor, M., & Pelton, S. (Jan 1987). Chronic pain and depression. IV. DST as a discriminator between chronic pain and depression. *Pain, 28*, 39-44.
- Geffen, S. J. (2003). Rehabilitation principles for treating chronic musculoskeletal injuries. *MJA, 178*, 238-242.
- Gramling, S. E., & Elliott, T. R. (1992 Jan). Efficient pain assessment in clinical settings. *Behav Res Ther, 30*(1), 71-73.
- Gullemín, F., Bombardier, C., & Beaton, D. (1993). Cross-Cultural Adaptation of Health - Related Quality of Life Measures: Literature Review and Proposed Guidelines. *J Clin Epidemiol, 46* (12), 1417-1432.
- Harkness, E. F., Macfarlane, G. J., & Silman, A. J. (2005). Is Musculoskeletal pain more common now than 40 years ago?: two population-based cross-sectional studies. *Rheumatology, 44*, 890-895.
- Harstall, C., & Ospina, M. (June 2003). How prevalence is chronic pain? *Pain: clinical updates, XI*(2), 1-4.
- Huber, A., Suman, A. L., Rendo, C. A., Biasi, G., Marcolongo, R., & Carli, G. (2007). Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain. *Pain, 130*(3), 216-224.
- Johnson, M. L. (October 1997). The physiology of the sensory dimensions of clinical pain. *Physiotherapy, 83*(10), 526-536.
- Kasantikul, D., Karnjanathanalers, N., Limsuwan, N., Thongtang, O., Vuthiganond, S., Khuangsirikul, V., et al. (1997). Health-Related Self-Report (HRSR) Scale: The

- Diagnostic Screening Test for Depression in Thai Population. *J Med Assoc Thai*, **80** (10) 647-656.
- Lasa, L., Ayuso-mateos, J. L., Vazquez-Barquero, J. L., Diez-Manrique, F. J., & Dowrick, C. F. (2000). The use of the Beck Depression Inventory to screen for depression in the general population: a preliminary analysis. *Journal of Affective Disorders*, **57**, 261-265.
- Leino, P., & Magni, G. (1993). Depressive and deistress symptoms as predictors of low back pain, neck-shoulder pain, and other musculoskeletal morbidity: a 10-year follow-up-of metal industry employees. *Pain*, **53**, 89-94.
- Lillefjell, M., Krokstad, S., & Espnes, G. A. (2007). Prediction of function in daily life following multidisciplinary rehabilitation for individuals with chronic musculoskeletal pain; a prospective study. *BMC Musculoskelet Disord*, **8**, 65.
- Magni, G., Caldieron, C., Rigatti-Luchini, S., & Merskey, H. (1990). Chronic musculoskeletal pain and depressive symptoms in general population. An analysis of the 1st national health and nutrition examination survey data. *pain*, **43**, 299-307.
- Magni, G., Marchetti, M., Moreschi, C., Merskey, H., & Rigatti-Luchini, S. (1993). Chronic musculoskeletal pain and depressive symptoms in the National Health and Nutrition Examination: I.Epidemiologic Follow-up Study. *Pain*, **53**, 163-168.
- Magni, G., Moreschi, C., Rigatti-Luchini, S., & H., M. (1994). Prospective study on the relationship between depressive symptoms and chronic musculoskeletal pain. *Pain*, **56**(3), 289-297.
- Merskey, H., & Bogduk, N. (1994). Classification of Chronic Pain, Second Edition, IASP Task Force on Taxonomy *IASP Press* (pp. 209-214).
- Miller, D. K., Malmstrom, T. K., Joshi, S., Andresen, E. M., Morley, J. E., & Wolinsky, F. D. (2004). Clinically releaant levels of depression symptoms in community-dwelling middle-aged African Americans. *J Am Geriatr Soc*, **52**, 741-748.

- Munir, F., Yarker, J., Haslam, C., Long, H., Leka, S., Griffiths, A., et al. (2007). Work factors related to psychological and health-related distress among employees with chronic illnesses. *J Occup Rehabil*, *17*(2), 259-277.
- O'Sullivan, P. B., & Beales, D. J. (2007). Diagnosis and classification of pelvic girdle pain disorders--Part 1: a mechanism based approach within a biopsychosocial framework. *Man Ther*, *12*(2), 86-97.
- Olsen, L. R., Mortensen, E. L., & Bech, P. (2004). Prevalence of major depression and stress indicators in the Danish general population. *Acta Psychiatr Scand*, *109*, 96-103.
- Ovuga, E., Boardman, J., & Wasserman, D. (2005). The prevalence of depression in two districts of Uganda. *Soc Psychiatry Psychiatr Epidemiol*, *40*(6), 439-445.
- Patten, S. B., Williams, J. V., & Wang, J. (2006). Mental disorders in a population sample with musculoskeletal disorders. *BMC Musculoskelet Disord*, *7*, 37.
- Picavet, H. S., & Schouten, J. S. (2003 Mar). Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC(3)-study. *Pain*, *102*((1-2)), 167-178.
- Ronald, M. (2005). The McGill Pain Questionnaire: From Description to Measurement. *Anesthesiology* *103*, 199-202.
- Rush, A. J., Polatin, P., & R.J., G. (2000). Depression and chronic low back pain. *Spine*, *25*(20), 2566-2571.
- Schwenk, T. L., Gorenflo, D. W., Dopp, R. R., & Hipple, E. (2007). Depression and pain in retired professional football players. *Med Sci Sports Exerc*, *39*(4), 599-605.
- Strawbridge, W. J., Deleger, S., Roberts, R. E., & Kaplan, G. A. (2002). Physical activity reduces the risk of subsequent depression for older adults. *Am J Epidemiol*, *156*(4), 328-334.
- Sullivan, M. J., Adams, H., Tripp, D., & Stanish, W. D. (2007). Stage of chronicity and treatment response in patients with musculoskeletal injuries and concurrent symptoms of depression. *Pain*, *July 21*.

- Tesh, R. S., Denardin, O. V. P., Baptista, C. A., & Dias, F. L. (2004). Depression Levels in Chronic Orofacial Pain Patients: a Pilot Study. *Journal of Oral rehabilitation* 31, 926-932.
- Von Korff, M., Dworkin, S. F., & Resche, L. L. (1990). Graded chronic pain status: and epidemiologic evaluation. *Pain*, 40, 279-291.
- Von Korff, M., Dworkin, S. F., Resche, L. L., & Kruger, A. (1988). An epidemiology comparison of pain complaint. *Pain*, 32, 173-183.
- Von Korff, M., Jensen, M. P., & Karoly, P. (2000). Assessing Global Pain Severity by Self-Report in Clinical and Health Services Research. *Spine*, 25(24), 3140-3151.
- Von Korff, M., Ormel, J., Keefe, F. J., & Dworkin, S. F. (1992). Clinical Section: Grading the severity of chronic pain. *Pain*, 50, 133-149.

Other Materials

- American Psychiatric Association. (1994). *Diagnostic and Statistical Manual of Mental Disorders, DSM-IV*. Retrieved 2005, from http://www.pendulum.org/information/information_criteria.html
- Bureau of Public Health. *Annual Report 2003*. Ayutthaya Province 2004.
- Bureau of strategies and policy. (2004). *Health Data Report*. Ministry of Public Health, Bangkok, 206-207.
- Bureau of strategies and policy. (2007). *Out-patients from health service units, ministry of public health by 21 cause groups according*. Retrieved June 2007, from <<http://203.157.19.191/>>
- Buse, D., Loder, E., & McAlary, P. (2005). *Chronic Pain Rehabilitation*. Retrieved Jan 2005, from <<http://www.painmanagementround.org>>
- Kaiser Permanente. (2002). *Relaxation skills*. Retrieved 2006, from <<http://permanente.net/homepage/handbook/healthwisehandbook>>
- Mentalhelp. (2006). *Self-soothing technique: relaxation methods, progressive muscle relaxation, and massage*. Retrieved 2006, from <http://www.mentalhelp.net/poc/view_doc.php?type=doc&id=9759&cn=353>

Ministry of Labour. (2005). สถิติการประสบอันตรายจากการทำงาน, *Social security office*.

Retrieved Jan 2005, from

<http://www.sso.go.th/knowledge/link/link/stat47_3.html>

Ministry of Public Health. (2004, 2007). *DMH's E-Book: สถานการณ์ด้านสุขภาพจิต, Department of Mental Health*. Retrieved March 2004,

from<<http://www.dmh.go.th/report/report.asp>>

National Statistical Office. (2007). *Out-patients from health service units, ministry of public health by 21 cause groups according*. Retrieved June 2007, from

<http://service.nso.go.th/nso/nso_center/project/search_center/23project-en.htm>

Panzarino, P. J. (2004). *Depression*. Retrieved April 2004 from

<<http://www.medicinenet.com/Depression/page1.htm>>

The Royal College Of Psychiatrists Of Thailand. (2004). การรักษาพยาบาลโรคอารมณ์แปรปรวน. Retrieved Jan 2004, from<<http://www.rcpsycht.org/p001.html>>.

Treichel, J. A. (2004). *Depression symptoms vary from one episode to next*. Retrieved

2007, from <http://pn.psychiatryonline.org/cgi/content/full/39/5/38>

University of Massachusetts Medical School. (2003). *The Limbic System: Key Limbic System Structures*. Retrieved April 2005, from < <http://courses.umassmed.edu/mbb1/2003/Limbic/LimbicGray.cfm>>

University of the West of England. (2004). *Gate control theory of pain*. Retrieved Jan

2007, from <http://hsc.uwe.ac.uk/pmm/physiology/gatecontrol.asp>

Whitten, C. E., & Donovan, M. (2005). *Clinical Contributions: Treating chronic pain: new knowledge, more choices. The Permanente Journal, 9 (4)*. Retrieved 2007, from

<<http://xnet.kp.org/permanentejournal/fall05/pain3.html>>

World Health Organization. (2004). *Disease burden measured in Disability-Adjusted Life Years (DALYS)*. Retrieved 2005, from www.who.int/msa/mnh/ems/dalys/intro.html

บ.ไทยเมดิคัลเว็บ. (2548). ภาวะซึมเศร้า. Retrieved มกราคม 2548, from

<http://www.thaimental.com/article_htdocs/article_detail.asp?number=402>

- อรพวรรณ; ทองแดง, เกษม; ตันติผลาชีวะ, & สุดสบาย; จุลกัทัพพะ. (2004). เอกสารแนวทางการรักษาโรค *Bipolar Affective Disorder*. Retrieved April 2004, from <<http://www.rcpsycht.org/download/91.pdf>>
- พรเทพ ศิริวนารังสรรค์, ธรณินทร์ กองสุข, สุวรรณ อรุณพงศ์ไพศาล, พันธน์ภา กิตติรัตนไพบูลย์, & อัจฉรา จรัสสิงห์. (2547). ความชุกของโรคจิตเวชในประเทศไทย : การสำรวจระดับชาติ ปี 2546 Retrieved September 2007, from <<http://mhtech.dmh.moph.go.th/lib/news/view.asp?id=487>>
- ปรีชา อินท, นันทิกา ทวิชาชาติ, อรพวรรณ เมฆสุกะ, ธงชัย ทวิชาชาติ, สุขเจริญ ตั้งวงษ์ไชย, อรรถพล สุคนธาภิรมย์, et al. (2544). การสำรวจทางระบาดวิทยาของความผิดปกติทางจิตและความรู้ เจตคติ ทักษะการปฏิบัติงานเกี่ยวกับสุขภาพจิตของประชาชนในเขตกรุงเทพมหานคร. Retrieved September 2007, from <<http://www.jvkk.go.th/researchnew/details.asp?code=2360>>