

บรรณานุกรม

บรรณานุกรม

- [1] International Diabetes Federation. (2013). *IDF diabetes atlas*. Brussels: International Diabetes Federation.
- [2] สำนักงานสำรวจสุขภาพประชาชนไทย สถาบันวิจัยระบบสาธารณสุข. (2551). **รายงานการสำรวจสุขภาพประชาชนไทยโดยการตรวจร่างกาย ครั้งที่ 4.**
นนทบุรี: เดอะ กราฟิโก ซิสเต็มส์.
- [3] American Diabetes Association. (2005). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 28(1), s37-s42.
- [4] Moussa, S.A. (2008). Oxidative stress in diabetes mellitus. *Rom J Biophys*, 18, 225-236.
- [5] DeFronzo, R.A. (1997). Pathogenesis of type 2 diabetes mellitus and molecular implications for identifying diabetes genes. *Diabetes Rev*, 5, 177-269.
- [6] Wright, E., Scism-Bacon, J.L. and Glass, L.C. (2006). Oxidative stress in type 2 diabetes: The role of fasting and postprandial glycaemia. *Int J Clin Pract*, 60(3), 308-314.
- [7] Kahn, C.R., Vicent, D. and Doria A. (1996). Genetics of non-insulin-dependent (type-II) diabetes mellitus. *Annu Rev Med*, 47(1), 509-531.
- [8] Percival, M. (1998). *Antioxidants: clinical nutrition insights*. San Clemente, CA: Advanced Nutrition Publications.
- [9] Evans, J.L., Goldfine, I.D., Maddux, B.A. and Grodsky, G.M. (2002). Oxidative stress and stress-activated signaling pathways: a unifying hypothesis of type 2 diabetes. *Endocr Rev*, 23(5), 599-622.
- [10] Baynes, J.W. and Thorpe, S.R. (1999). Role of oxidative stress in diabetic complications: A new perspective on an old paradigm. *Diabetes*, 48(1), 1-9.
- [11] Goycheva, P., Gadjeva, V. and Popov, B. (2006). Oxidative stress and its complications in diabetes mellitus. *Trakia Journal of Sciences*, 4(1), 1-8.

- [12] Rosen, P., Nawroth, P.P., King, G., Moller, W., Tritschler, H.J. and Packer L. (2001). The role of oxidative stress in the onset and progression of diabetes and its complications: A summary of a congress series sponsored by UNESCO-MCBN, the American diabetes association and the German diabetes society. *Diabetes Metab Res Rev*, 17(3), 189-212.
- [13] Lyons, T.J. (1991). Oxidized low density lipoproteins: A role in the pathogenesis of atherosclerosis in diabetes? *Diabet Med*, 8(5), 411-419.
- [14] Reven, G.M. (2000). *Insulin resistance and its consequences: type 2 diabetes mellitus and coronary heart disease*. Philadelphia, PA: Lippincott Williams & Wilkins.
- [15] Lüscher, T.F., Creager, M.A., Beckman, J.A. and Cosentino, F. (2003). Diabetes and vascular disease: Pathophysiology, clinical consequences, and medical therapy: Part II. *Circulation*, 108(13), 1655-1661.
- [16] Johansen, J.S., Harris, A.K., Rychly, D.J. and Ergul, A. (2005). Oxidative stress and the use of antioxidants in diabetes: Linking basic science to clinical practice. *Cardiovasc Diabetol*, 4(1), 5.
- [17] Willcox, J.K., Ash, S.L. and Catignani, G.L. (2004). Antioxidants and prevention of chronic disease. *Crit Rev Food Sci Nutr*, 44(4), 275-295.
- [18] Mazloom, Z., Hejazi, N., Dabbaghmanesh, M.H., Tabatabaei, H.R., Ahmadi, A. and Ansari, H. (2011). Effect of vitamin C supplementation on postprandial oxidative stress and lipid profile in type 2 diabetic patients. *Pak J Biol Sci*, 14(19), 900-904.
- [19] Afkhami-Ardekani, M. and Shojaoddiny-Ardekani, A. (2007). Effect of vitamin C on blood glucose, serum lipids & serum insulin in type 2 diabetes patients. *Indian J Med Res*, 126(5), 471-474.
- [20] Block, G., Jensen, C.D., Dalvi, T.B., Norkus, E.P., Hudes, M., Crawford, P.B., et al. (2009). Vitamin C treatment reduces elevated C-reactive protein. *Free Radic Biol Med*, 46(1), 70-77.

- [21] Block, G., Jensen, C.D., Morrow, J.D., Holland, N., Norkus, E.P., Milne, G.L., et al. (2008). The effect of vitamins C and E on biomarkers of oxidative stress depends on baseline level. **Free Radic Biol Med**, 45(4), 377-384.
- [22] Winkler, B.S., Orselli, S.M. and Rex, T.S. (1994). The redox couple between glutathione and ascorbic acid: A chemical and physiological perspective. **Free Radic Biol Med**, 17(4), 333-349.
- [23] Verspohl, E.J., Bauer, K. and Neddermann, E. (2005). Antidiabetic effect of *Cinnamomum cassia* and *Cinnamomum zeylanicum* in vivo and in vitro. **Phytother Res**, 19(3), 203-206.
- [24] Khan, A., Safdar, M., Ali Khan, M.M., Khattak, K.N. and Anderson, R.A. (2003). Cinnamon improves glucose and lipids of people with type 2 diabetes. **Diabetes Care**, 26(12), 3215-3218.
- [25] Amin, K.A. and Abd El-Twab, T.M. (2009). Oxidative markers, nitric oxide and homocysteine alteration in hypercholesterolemic rats: Role of atorvastatine and cinnamon. **Int J Clin Exp Med**, 2(3), 254-265.
- [26] Cao, G., Alessio, H.M. and Cutler, R.G. (1993). Oxygen-radical absorbance capacity assay for antioxidants. **Free Radic Biol Med**, 14(3), 303-311.
- [27] Kirkham, S., Akilen, R., Sharma, S. and Tsiami, A. (2009). The potential of cinnamon to reduce blood glucose levels in patients with type 2 diabetes and insulin resistance. **Diabetes Obes Metab**, 11(12), 1100-1113.
- [28] Ho, S.C., Chang, K.S. and Chang, P.W. (2013). Inhibition of neuroinflammation by cinnamon and its main components. **Food Chem**, 138(4), 2275-2282.
- [29] Li R, Liang, T., Xu, L., Li, Y., Zhang, S. and Duan, X. (2013). Protective effect of cinnamon polyphenols against STZ-diabetic mice fed high-sugar, high-fat diet and its underlying mechanism. **Food Chem Toxicol**, 51, 419-425.

- [30] เทพ หิมะทองคำ, รัชตะ รัชตะนาวิณ และธิดา นิงสานนท์. (2544). **เบาหวาน**. กรุงเทพฯ: วิทยพัฒน์.
- [31] World Health Organization. (2003). Report of the expert committee on the diagnosis and classification of diabetes mellitus. **Diabetes Care**, 26(1), 5-20.
- [32] Borg, D.C. (1993). **Oxygen free radicals and tissue injury**. Boston, MA: Birkhäuser Boston.
- [33] Halliwell, B. and Aruoma, O.I. (1993). **DNA and free radicals**. London, UK: Ellis Horwood.
- [34] Orrenius, S., McConkey, D.J., Bellomo, G. and Nicotera, P. (1989). Role of Ca^{2+} in toxic cell killing. **Trends Pharmacol Sci**, 10(7), 281-285.
- [35] Maritim, A.C., Sanders, R.A. and Watkins, J.B. (2003). Diabetes, oxidative stress, and antioxidants: A review. **J Biochem Mol Toxicol**, 17(1), 24-38.
- [36] Dhindsa, S., Tripathy, D., Mohanty, P., Ghanim, H., Syed, T., Aljada, A., et al. (2004). Differential effects of glucose and alcohol on reactive oxygen species generation and intranuclear nuclear factor-kappaB in mononuclear cells. **Metabolism**, 53(3), 330-334.
- [37] Wolff, S.P. and Dean, R.T. (1987). Glucose autoxidation and protein modification: The potential role of autoxidative glycosylation in diabetes. **Biochem J**, 245(1), 243-250.
- [38] Aruoma, O.I. (1998). Free radicals, oxidative stress, and antioxidants in human health and disease. **J Am Oil Chem Soc**, 75(2), 199-212.
- [39] Taniyama, Y. and Griendling, K.K. (2003). Reactive oxygen species in the vasculature: Molecular and cellular mechanisms. **Hypertension**, 42(6), 1075-1081.
- [40] Kawamura, M., Heinecke, J.W. and Chait, A. (1994). Pathophysiological concentrations of glucose promote oxidative modification of low density lipoprotein by a superoxide-dependent pathway. **J Clin Invest**, 94(2), 771-778.

- [41] Brownlee, M. (1994). Glycation and diabetic complications. *Diabetes Care*, 43, 836-841.
- [42] McCarthy, A.D., Etcheverry, S.B. and Cortizo, A.M. (2001). Effect of advanced glycation endproducts on the secretion of insulin-like growth factor-I and its binding proteins: Role in osteoblast development. *Acta Diabetol*, 38(3), 113-122.
- [43] Jay, D., Hitomi, H. and Griendling, K.K. (2006). Oxidative stress and diabetic cardiovascular complications. *Free Radic Biol Med*, 40(2), 183-192.
- [44] King, G.L., Shiba, T., Oliver, J., Inoguchi, T. and Bursell, S.E. (1994). Cellular and molecular abnormalities in the vascular endothelium of diabetes mellitus. *Annu Rev Med*, 45, 179-188.
- [45] Stevens, M., Obrosova, I., Feldman, E. and Greene, D. (2000). *The Sorbitol-osmotic and Sorbitol-redox Hypothesis*. Philadelphia, PA: Lippincott Williams & Wilkins.
- [46] Koya, D. and King, G.L. (1998). Protein kinase C activation and the development of diabetic complications. *Diabetes*, 47(6), 859-866.
- [47] Miyata, T., Kurokawa, K. and Strihou CvYd. (2000). Advanced glycation and lipoxidation end products. *Clin J Am Soc Nephrol*, 11, 1744-1752.
- [48] Harmon, J.S., Gleason, C.E., Tanaka, Y., Poitout, V. and Robertson, R.P. (2001). Antecedent hyperglycemia, not hyperlipidemia, is associated with increased islet triacylglycerol content and decreased insulin gene mRNA level in Zucker diabetic fatty rats. *Diabetes*, 50(11), 2481-2486.
- [49] Poitout, V. and Robertson, R. P. (2002). Minireview: Secondary beta-cell failure in type 2 diabetes—A convergence of glucotoxicity and lipotoxicity. *Endocrinology*, 143(2), 339-342.
- [50] Barnes, P.J. and Karin, M. (1997). Nuclear factor-kappaB: A pivotal transcription factor in chronic inflammatory diseases. *N Engl J Med*, 336(15), 1066-1071.

- [51] Kyriakis, J.M. and Avruch, J. (1996). Sounding the alarm: Protein kinase cascades activated by stress and inflammation. *J Biol Chem*, 271(40), 24313-24316.
- [52] Marshall, S., Garvey, W.T. and Traxinger, R.R. (1991). New insights into the metabolic regulation of insulin action and insulin resistance: Role of glucose and amino acids. *Faseb j*, 5(15), 3031-3036.
- [53] Ho, F.M., Liu, S.H., Liao, C.S., Huang, P.J. and Lin-Shiau, S.Y. (2000). High glucose-induced apoptosis in human endothelial cells is mediated by sequential activations of c-Jun NH(2)-terminal kinase and caspase-3. *Circulation*, 101(22), 2618-2624.
- [54] Natarajan, R., Scott, S., Bai, W., Yerneni, K.K. and Nadler, J. (1999). Angiotensin II signaling in vascular smooth muscle cells under high glucose conditions. *Hypertension*, 33(1 Pt 2), 378-384.
- [55] Purves, T., Middlemas, A., Agthong, S., Jude, E.B., Boulton, A.J., Fernyhough, P., et al. (2001). A role for mitogen-activated protein kinases in the etiology of diabetic neuropathy. *Faseb j*, 15(13), 2508-2514.
- [56] Boden, G., Chen, X., Ruiz, J., White, J. and Rossetti, L. (1994). Mechanisms of fatty acid-induced inhibition of glucose uptake. *J Clin Invest*, 93, 2438-2246.
- [57] Schleicher, E.D. and Weigert, C. (2000). Role of the hexosamine biosynthetic pathway in diabetic nephropathy. *Kidney Int Suppl*, 77, 13-18.
- [58] Mazzone, T., Chait, A. and Plutzky, J. (2008). Cardiovascular disease risk in type 2 diabetes mellitus: Insights from mechanistic studies. *Lancet*, 371(9626), 1800-1809.
- [59] Meerwaldt, R., Links, T., zeebregts, C., Tio, R., Hillebrands, J-L. and AndriesSmit. (2008). The clinical relevance of assessing advanced glycation endproducts accumulation in diabetes. *Cardiovasc Diabetol*, 7(29), 1-8.
- [60] Pappalardo, F., Musumeci, S. and Motta, S. (2008). Modeling immune system control of atherogenesis. *Bioinformatics*, 24(15), 1715-1721.

- [61] Stoll, G. and Bendszus, M. (2006). Inflammation and atherosclerosis: Novel insights into plaque formation and destabilization. *Stroke*, 37(7), 1923-1932.
- [62] Orbay, H., Hong, H., Zhang, Y. and Cai, W. (2013). Positron emission tomography imaging of atherosclerosis. *Theranostics*, 3(11), 894-902.
- [63] Abuja, P.M. and Albertini, R. (2001). Methods for monitoring oxidative stress, lipid peroxidation and oxidation resistance of lipoproteins. *Clin Chim Acta*, 306(1-2), 1-17.
- [64] Powers, S.K. and Jackson, M.J. (2008). Exercise-induced oxidative stress: Cellular mechanisms and impact on muscle force production. *Physiol Rev*, 88(4), 1243-1276.
- [65] Hsueh, W.A. and Quinones, M.J. (2003). Role of endothelial dysfunction in insulin resistance. *Am J Cardiol*, 92(4a), 10-17.
- [66] Kirpichnikov, D. and Sowers, J.R. (2001). Diabetes mellitus and diabetes-associated vascular disease. *Trends Endocrinol Metab*, 12(5), 225-230.
- [67] Shepherd, P.R., Withers, D.J. and Siddle, K. (1998). Phosphoinositide 3-kinase: The key switch mechanism in insulin signalling. *Biochem J*, 333(Pt 3), 471-490.
- [68] Pessin, J.E. and Saltiel, AR. (2000). Signaling pathways in insulin action: Molecular targets of insulin resistance. *J Clin Invest*, 106(2), 165-169.
- [69] Sydow, K. and Munzel, T. (2003). Diabetes mellitus, oxidative stress and endothelial dysfunction. *Int Congr Ser*, 1253, 125-138.
- [70] Gordon, M.B. and Libby, P. (2003). *Pathophysiology of heart disease*. Philadelphia, PA: Lippicott Williams & Wilkins.
- [71] Libby, P., Ridker, P.M. and Hansson, G.K. (2011). Progress and challenges in translating the biology of atherosclerosis. *Nature*, 473(7347), 317-325.
- [72] Tangvarasittichai, S., Poonsub, P., Tangvarasittichai, O. and Sirigulsatien, V. (2009). Serum levels of malondialdehyde in type 2 diabetes mellitus thai subjects. *Siriraj Medical Journal*, 61, 20-23.

- [73] Halliwell, B. and Chirico, S. (1993). Lipid peroxidation: Its mechanism, measurement and significance. *Am J Clin Nutr*, 57(5), 715-725.
- [74] Rice-Evans, C. and Burdon, R. (1993). Free radical-lipid interactions and their pathological consequences. *Prog Lipid Res*, 32(1), 71-110.
- [75] Pepys, M.B. and Hirschfield, G.M. (2003). C-reactive protein: A critical update. *J Clin Invest*, 111(12), 1805-1812.
- [76] Lau, D.C., Dhillon, B., Yan, H., Szmítko, P.E. and Verma S. (2005). Adipokines: Molecular links between obesity and atherosclerosis. *Am J Physiol Heart Circ Physiol*, 288(5), 2031-2041.
- [77] Clyne, B. and Olshaker, J.S. (1999). The C-reactive protein. *J Emerg Med*, 17(6), 1019-1025.
- [78] St-Onge, M.P., Zhang, S., Darnell, B. and Allison, D.B. (2009). Baseline serum C-reactive protein is associated with lipid responses to low-fat and high-polyunsaturated fat diets. *J Nutr*, 139(4), 680-683.
- [79] Pflutzner, A. and Forst, T. (2006). High-sensitivity C-reactive protein as cardiovascular risk marker in patients with diabetes mellitus. *Diabetes Technol Ther*, 8(1), 28-36.
- [80] Kahn, C.R. (2005). *Joslin's diabetes mellitus*. Philadelphia, PA: Lippicott Williams & Wilkins.
- [81] Fang, X., Yu, S.X., Lu, Y., Bast, R.C., Jr., Woodgett, J.R. and Mills, G.B. (2000). Phosphorylation and inactivation of glycogen synthase kinase 3 by protein kinase A. *Proc Natl Acad Sci USA*, 97(22), 11960-11965.
- [82] Tietz, N.W. (1990). *Clinical guide to laboratory tests*. Philadelphia, PA: WB Saunders.
- [83] Matthews, D.R., Hosker, J.P., Rudenski, A.S., Naylor, B.A., Treacher, D.F. and Turner, R.C. (1985). Homeostasis model assessment: Insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia*, 28(7), 412-419.

- [84] Serrano, R.M. (1998). Relationship between obesity and the increased risk of major complications in non-insulin-dependent diabetes mellitus. **Eur J Clin Invest**, 28(2), 14-18.
- [85] Andres, R., Swerdloff, R., Pozefski, T. and Coleman D. (1966). **Automation in Analytical Chemistry**. New York, NY: Mediad.
- [86] DeFronzo, R.A., Tobin, J.D. and Andres, R. (1979). Glucose clamp technique: a method for quantifying insulin secretion and resistance. **Am J Physiol**, 237(3), 214-223.
- [87] Katz, A., Nambi, S.S., Mather, K., Baron, A.D., Follmann, D.A., Sullivan, G., et al. (2000). Quantitative insulin sensitivity check index: A simple, accurate method for assessing insulin sensitivity In humans. **J Clin Endocrinol Metab**, 85(7), 2402-2410.
- [88] Laws, A. and Reaven, G.M. (1992). Evidence for an independent relationship between insulin resistance and fasting plasma HDL-cholesterol, triglyceride and insulin concentrations. **J Intern Med**, 231(1), 25-30.
- [89] Sheu, W.H., Shieh, S.M., Fuh, M.M., Shen, D.D., Jeng, C.Y., Chen, Y.D., et al. (1993). Insulin resistance, glucose intolerance and hyperinsulinemia: Hypertriglyceridemia versus hypercholesterolemia. **Arterioscler Thromb**, 13(3), 367-370.
- [90] Tangvarasittichai, S., Poosub, P. and Tangvarasittichai, O. (2010). Association of serum lipoprotein ratios with insulin resistance in type 2 diabetes mellitus. **Indian J Med Res**, 131, 641-648.
- [91] Rule, A.D., Larson, T.S., Bergstralh, E.J., Slezak, J.M., Jacobsen, S.J. and Cosio, F.G. (2004). Using serum creatinine to estimate glomerular filtration rate: Accuracy in good health and in chronic kidney disease. **Ann Intern Med**, 141(12), 929-937.
- [92] Cockcroft, D.W. and Gault, M.H. (1976). Prediction of creatinine clearance from serum creatinine. **Nephron**, 16(1), 31-41.

- [93] Gault, M.H., Longerich, L.L., Harnett, J.D. and Wesolowski, C. (1992).
Predicting glomerular function from adjusted serum creatinine.
Nephron, 62(3), 249-256.
- [94] Halliwell, B. and Gutteridge, J.M.C. (1999). **Antioxidant defence**. Oxford, UK:
Oxford University.
- [95] Niki, E.H. (1997). **Food and free radicals**. New York, NY: Plenum.
- [96] Mates, J.M., Perez-Gomez, C. and Nunez de Castro I. (1999). Antioxidant enzymes
and human diseases. **Clin Biochem**, 32(8), 595-603.
- [97] Punchard, N.A. and Kelly F. (1997). **Free radicals: A practical approach**.
New York, NY: Oxford University.
- [98] Saxena, A.K., Srivastava, P., Kale, R.K. and Baquer, N.Z. (1993). Impaired
antioxidant status in diabetic rat liver: Effect of vanadate.
Biochem Pharmacol, 45(3), 539-542.
- [99] Duplus, E., Glorian, M. and Forest, C. (2000). Fatty acid regulation of gene
transcription. **J Biol Chem**, 275(40), 30749–30752.
- [100] Paolisso, G., Di Maro, G., Pizza, G., D'Amore, A., Sgambato, S., Tesauro, P., et al.
(1992). Plasma GSH/GSSG affects glucose homeostasis in healthy
subjects and non-insulin-dependent diabetics. **Am J Physiol**, 263(3 Pt 1),
435-440.
- [101] Bolaffi, J.L., Bruno, L., Heldt, A. and Grodsky, G.M. (1988). Characteristics
of desensitization of insulin secretion in fully *in vitro* systems.
Endocrinology, 122(5), 1801-1809.
- [102] Grodsky, G.M. (2000). **Kinetics of Insulin secretion: Underlying metabolic events in
diabetes mellitus**. Philadelphia, PA: Lippicott Williams & Wilkins.
- [103] Maechler, P., Jornot, L. and Wollheim, C.B. (1999). Hydrogen peroxide alters
mitochondrial activation and insulin secretion in pancreatic beta cells.
J Biol Chem, 274(39), 27905–27913.

- [104] Miwa, I., Ichimura, N., Sugiura, M., Hamada, Y. and Taniguchi, S. (2000). Inhibition of glucose- induced insulin secretion by 4-hydroxy-2-nonenal and other lipid peroxidation products. **Endocrinology**, 141, 2767-2772.
- [105] Kaneto, H., Xu, G., Song, K.H., Suzuma, K., Bonner-Weir, S., Sharma, A., et al. (2001). Activation of the hexosamine pathway leads to deterioration of pancreatic beta-cell function through the induction of oxidative stress. **J Biol Chem**, 276(33), 31099-31104.
- [106] Meister, A. (1994). Glutathione-ascorbic acid antioxidant system in animals. **J Biol Chem**, 269(13), 9397-9400.
- [107] Mayne, S.T. (2003). Antioxidant nutrients and chronic disease: Use of biomarkers of exposure and oxidative stress status in epidemiologic research. **J Nutr**, 133(3), 933-940.
- [108] Gaby, A. (2006). **A-Z guide to drug-herb-vitamin interactions: improve your health and avoid side effects when using common medications and natural supplements together**. New York, NY: Three Rivers.
- [109] Tessier, D.M., Khalil, A., Trottier, L. and Fulop, T. (2009). Effects of vitamin C supplementation on antioxidants and lipid peroxidation markers in elderly subjects with type 2 diabetes. **Arch Gerontol Geriatr**, 48(1), 67-72.
- [110] Kubota, Y., Moriyama, Y., Yamagishi, K., Tanigawa, T., Noda, H., Yokota, K., et al. (2010). Serum vitamin C concentration and hs-CRP level in middle-aged Japanese men and women. **Atherosclerosis**, 208(2), 496-500.
- [111] World Health Organization. (2004). **Vitamin and mineral requirements in human nutrition**. Geneva: World Health Organization.
- [112] Mullan, B.A., Young, I.S., Fee, H. and McCance, D.R. (2002). Ascorbic acid reduces blood pressure and arterial stiffness in type 2 diabetes. **Hypertension**, 40(6), 804-809.
- [113] United States Department of Agriculture, Natural Resources Conservation Service. (2014). **The PLANTS Database**. Washington, DC: National Plant Data Team.

- [114] Kannappan, S., Jayaraman, T., Rajasekar, P., Ravichandran, M.K. and Anuradha, C.V. (2006). Cinnamon bark extract improves glucose metabolism and lipid profile in the fructose-fed rat. **Singapore Med J**, 47(10), 858-863.
- [115] Jarvill-Taylor, K.J., Anderson, R.A. and Graves, D.J. (2001). A hydroxychalcone derived from cinnamon functions as a mimetic for insulin in 3T3-L1 adipocytes. **J Am Coll Nutr**, 20(4), 327-336.
- [116] Thomas, C. (1998). **Oxygen radicals and the disease process**. Oxford, UK: Taylor & Francis.
- [117] Hlebowicz, J., Darwiche, G., Bjorgell, O. and Almer, L.O. (2007). Effect of cinnamon on postprandial blood glucose, gastric emptying and satiety in healthy subjects. **Am J Clin Nutr**, 85(6), 1552-1556.
- [118] Roussel, A.M., Hininger, I., Benaraba, R., Ziegenfuss, T.N. and Anderson, R.A. (2009). Antioxidant effects of a cinnamon extract in people with impaired fasting glucose that are overweight or obese. **J Am Coll Nutr**, 28(1), 16-21.
- [119] Qin, B., Nagasaki, M., Ren, M., Bajotto, G., Oshida, Y. and Sato, Y. (2003). Cinnamon extract (traditional herb) potentiates *in vivo* insulin-regulated glucose utilization *via* enhancing insulin signaling in rats. **Diabetes Res Clin Pract**, 62(3), 139-148.
- [120] Wang, Y.H., Avula, B., Nanayakkara, N.P.D., Zhao, J. and Khan, I.A. (2013). Cassia cinnamon as a source of coumarin in cinnamon-flavored food and food supplements in the United States. **J Agric Food Chem**, 61(18), 4470-4476.
- [121] Hirashima, O., Kawano, H., Motoyama, T., Hirai, N., Ohgushi, M., Kugiyama, K., et al. (2000). Improvement of endothelial function and insulin sensitivity with vitamin C in patients with coronary spastic angina: possible role of reactive oxygen species. **J Am Coll Cardiol**, 35(7), 1860-1866.

- [122] Pickup, J.C. (2004). Inflammation and activated Innate Immunity in the Pathogenesis of Type 2 Diabetes. **Diabetes Care**, 27(3), 813-823.
- [123] Crawford, P. (2009). Effectiveness of cinnamon for lowering hemoglobin A1C in patients with type 2 diabetes: a randomized, controlled trial. **J Am Board Fam Med**, 22(5), 507-512.
- [124] Wang, J.G., Anderson, R.A., Graham, G.M., Chu, M.C., Sauer, M.V., Guarnaccia, M.M., et al. (2007). The effect of cinnamon extract on insulin resistance parameters in polycystic ovary syndrome: A pilot study. **Fertil Steril**, 88(1), 240-243.
- [125] Qin, B., Panickar, K.S. and Anderson, R.A. (2010). Cinnamon: Potential role in the prevention of insulin resistance, metabolic syndrome and type 2 diabetes. **J Diabetes Sci Technol**, 4(3), 685-693.
- [126] Rafehi, H., Ververis, K. and Karagiannis, T.C. (2012). Controversies surroundir the clinical potential of cinnamon for the management of diabetes. **Diabetes Obes Metab**, 14(6), 493-499.

ประวัติผู้วิจัย

