

REFERENCES

- Andersen, J. H., Haahr, J. P., & Frost, P. (2007). Risk factors for more severe regional musculoskeletal symptoms: a two-year prospective study of a general working population. *Arthritis Rheum*, 56(4): 1355-1364.
- Badlissi, F., Dunn, J. E., Link, C. L., Keysor, J. J., McKinlay, J. B., & Felson, D. T. (2005). Foot musculoskeletal disorders, pain, and foot-related functional limitation in older persons. *J Am Geriatr Soc*, 53(6): 1029-1033.
- Benvenuti, F., Ferrucci, L., Guralnik, J. M., Gangemi, S., & Baroni, A. (1995). Foot pain and disability in older persons: an epidemiologic survey. *J Am Geriatr Soc*, 43(5): 479-484.
- Birtane, M., & Tuna, H. (2004). The evaluation of plantar pressure distribution in obese and non-obese adults. *Clin Biomech (Bristol, Avon)*, 19(10): 1055-1059.
- Bland, J. M., & Altman, D. G. (1996). Measurement error. *BMJ*, 312(7047): 1654.
- Bowling, A. (2002). *Research methods in health: investigating health and health services (2nd edition)*. Buckingham; Philadelphia: Open University Press.
- Brantingham, J. W., Lee Gilbert, J., Shaik, J., & Globe, G. (2006). Sagittal plane blockage of the foot, ankle and hallux and foot alignment-prevalence and association with low back pain. *J Chiropr Med*, 5(4): 123-127.
- Buranatrevedh, S., & Sweatsriskul, P. (2005). Model development for health promotion and control of agricultural occupational health hazards and accidents in Pathumthani, Thailand. *Ind Health*, 43(4): 669-676.
- Butler, R. J., Hillstrom, H., Song, J., Richards, C. J., & Davis, I. S. (2008). Arch height index measurement system: establishment of reliability and normative values. *J Am Podiatr Med Assoc*, 98(2): 102-106.
- Chaiwanichsiri, D., Janchai, S., & Tantisiriwat, N. (2009). Foot disorders and falls in older persons. *Gerontology*, 55(3): 296-302.
- Chariyalertsak, S., Wansom, T., Kawichai, S., Ruangyuttikarna, C., Kemerer, V. F., & Wu, A. W. (2011). Reliability and validity of Thai versions of the MOS-HIV and SF-12 quality of life questionnaires in people living with HIV/AIDS. *Health Qual Life Outcomes* 9: 15.

- Chavalitsakulchai, P., & Shahnavaz, H. (1993). Musculoskeletal disorders of female workers and ergonomics problems in five different industries of a developing country. *J Hum Ergol (Tokyo)*, 22(1): 29-43.
- Chowanadisai, S., Kukiattrakoon, B., Yaping, B., Kedjarune, U., & Leggat, P. A. (2000). Occupational health problems of dentists in southern Thailand. *Int Dent J*, 50(1): 36-40.
- Chuenchoksan S and Nakornthab D (2008). *Past, present, and prospects for Thailand's growth: a labor market perspective*. Report of Bank of Thailand: Bangkok.
- Ciubotariu, A., Arendt-Nielsen, L., & Graven-Nielsen, T. (2007). Localized muscle pain causes prolonged recovery after fatiguing isometric contractions. *Exp Brain Res*, 181(1): 147-158.
- Crosbie, J., & Burns, J. (2008). Are in-shoe pressure characteristics in symptomatic idiopathic pes cavus related to the location of foot pain? *Gait Posture*, 27(1): 16-22.
- D'Arcangelo, P. R., Landorf, K. B., Munteanu, S. E., Zammit, G. V., & Menz, H. B. (2010). Radiographic correlates of hallux valgus severity in older people. *J Foot Ankle Res* 3: 20.
- Dababneh, A. J., N. Swanson, et al. (2001). Impact of added rest breaks on the productivity and well being of workers. *Ergonomics* 44(2): 164-174.
- Daniels, K., & Worthingham, C. (2002). *Muscle testing: Techniques of manual examination (5th edition)*. Philadelphia: WB Saunders.
- Dawson, J., Thorogood, M., Marks, S. A., Juszczak, E., Dodd, C., Lavis, G., et al. (2002). The prevalence of foot problems in older women: a cause for concern. *J Public Health Med*, 24(2): 77-84.
- Dufour, A. B., Broe, K. E., Nguyen, U. S., Gagnon, D. R., Hillstrom, H. J., Walker, A. H., et al. (2009). Foot pain: is current or past footwear a factor? *Arthritis Rheum*, 61(10): 1352-1358.
- Dunn, J. E., Link, C. L., Felson, D. T., Crincoli, M. G., Keysor, J. J., & McKinlay, J. B. (2004). Prevalence of foot and ankle conditions in a multiethnic community sample of older adults. *Am J Epidemiol*, 159(5): 491-498.

- Edwards, R. R., Almeida, D. M., Klick, B., Haythornthwaite, J. A., & Smith, M. T. (2008). Duration of sleep contributes to next-day pain report in the general population. *Pain*, 137(1): 202-207.
- Elbaz, A., Mirovsky, Y., Mor, A., Enosh, S., Debbi, E., Segal, G., & Debi, R. (2009). A novel biomechanical device improves gait pattern in patient with chronic nonspecific low back pain. *Spine (Phila Pa 1976)*, 34(15): 507-512.
- Finestone, A., Shlamkovitch, N., Eldad, A., Wosk, J., Laor, A., Danon, Y. L., & Milgrom, C. (1991). Risk factors for stress fractures among Israeli infantry recruits. *Mil Med*, 156(10): 528-530.
- Fjell, Y., Alexanderson, K., Karlqvist, L., & Bildt, C. (2007). Self-reported musculoskeletal pain and working conditions among employees in the Swedish public sector. *Work*, 28(1): 33-46.
- Frey, C. (2000). Foot health and footwear for women. *Clin Orthop Relat Res* 372: 32-44.
- Garrow, A. P., Papageorgiou, A. C., Silman, A. J., Thomas, E., Jayson, M. I., & Macfarlane, G. J. (2000). Development and validation of a questionnaire to assess disabling foot pain. *Pain*, 85(1-2): 107-113.
- Garrow, A. P., Papageorgiou, A., Silman, A. J., Thomas, E., Jayson, M. I., & Macfarlane, G. J. (2001). The grading of hallux valgus. The Manchester Scale. *J Am Podiatr Med Assoc*, 91(2): 74-78.
- Garrow, A. P., Silman, A. J., & Macfarlane, G. J. (2004). The Cheshire Foot Pain and Disability Survey: a population survey assessing prevalence and associations. *Pain*, 110(1-2): 378-384.
- Golightly, Y. M., Hannan, M. T., Shi, X. A., Helmick, C. G., Renner, J. B., & Jordan, J. M. (2011). Association of foot symptoms with self-reported and performance-based measures of physical function: The Johnston County osteoarthritis project. *Arthritis Care Res (Hoboken)*, 63(5): 654-659.
- Gross, K. D., Felson, D. T., Niu, J., Hunter, D. J., Guermazi, A., Roemer, F. W., & Hannan, M. T. (2011). Association of flat feet with knee pain and cartilage damage in older adults. *Arthritis Care Res (Hoboken)*, 63(7): 937-944.

- Hernandez, A. J., Kimura, L. K., Laraya, M. H. F., & Favaro, E. (2007). Calculation of staheli's plantar arch index and prevalence of flat feet: a study with 100 children aged 5-9 years. *Acta Ortop Bras*, 15(2): 68-71.
- Hetsroni, I., Finestone, A., Milgrom, C., Sira, D. B., Nyska, M., Radeva-Petrova, D., & Ayalon, M. (2006). A prospective biomechanical study of the association between foot pronation and the incidence of anterior knee pain among military recruits. *J Bone Joint Surg Br*, 88(7): 905-908.
- Hill, C. L., Gill, T. K., Menz, H. B., & Taylor, A. W. (2008). Prevalence and correlates of foot pain in a population-based study: the North West Adelaide health study. *J Foot Ankle Res*, 1(1): 2.
- Hodge, M. C., Bach, T. M., & Carter, G. M. (1999). Novel Award First Prize Paper. Orthotic management of plantar pressure and pain in rheumatoid arthritis. *Clin Biomech (Bristol, Avon)*, 14(8): 567-575.
- Hoffman, D. L., & Dukes, E. M. (2008). The health status burden of people with fibromyalgia: a review of studies that assessed health status with the SF-36 or the SF-12. *Int J Clin Pract*, 62(1): 115-126.
- Iridiastadi, H., & Nussbaum, M. A. (2006). Muscle fatigue and endurance during repetitive intermittent static efforts: development of prediction models. *Ergonomics*, 49(4): 344-360.
- Irving, D. B., Cook, J. L., Young, M. A., & Menz, H. B. (2007). Obesity and pronated foot type may increase the risk of chronic plantar heel pain: a matched case-control study. *BMC Musculoskelet Disorder* 8: 41.
- Janchai, S., Boonhong, J., & Tiamprasit, J. (2008). Comparison of removable rigid dressing and elastic bandage in reducing the residual limb volume of below knee amputees. *J Med Assoc Thai*, 91(9): 1441-1446.
- Janwantanakul, P., Pensri, P., Jiamjarasrangsri, V., & Sinsongsook, T. (2007). *Prevalence, Contributed factors, and Economic loss related with self-reported musculoskeletal symptoms among office workers*. The research and development unit, Social security office, Thailand. [Translation from Thai].

- Janwantanakul, P., Pensri, P., Jiamjarasrangsri, V., & Sinsongsook, T. (2008). Prevalence of self-reported musculoskeletal symptoms among office workers. *Occup Med (Lond)*, 58(6): 436-438.
- Janwantanakul, P., Pensri, P., Jiamjarasrangsri, W., & Sinsongsook, T. (2009). Biopsychosocial factors are associated with high prevalence of self-reported musculoskeletal symptoms in the lower extremities among office workers. *Arch Med Res*, 40(3): 216-222.
- Kanatli, U., Yetkin, H., & Cila, E. (2001). Footprint and radiographic analysis of the feet. *J Pediatr Orthop*, 21(2): 225-228.
- Kanatli, U., Gozil, R., Besli, K., Yetkin, H., & Bolukbasi, S. (2006). The relationship between the hindfoot angle and the medial longitudinal arch of the foot. *Foot Ankle Int*, 27(8): 623-627.
- Keenan, A. M., Redmond, A. C., Horton, M., Conaghan, P. G., & Tennant, A. (2007). The Foot Posture Index: Rasch analysis of a novel, foot-specific outcome measure. *Arch Phys Med Rehabil*, 88(1): 88-93.
- Keysor, J. J., Dunn, J. E., Link, C. L., Badlissi, F., & Felson, D. T. (2005). Are foot disorders associated with functional limitation and disability among community-dwelling older adults? *J Aging Health*, 17(6): 734-752.
- Korpelainen, R., Orava, S., Karpakka, J., Siira, P., & Hulkko, A. (2001). Risk factors for recurrent stress fractures in athletes. *Am J Sports Med*, 29(3): 304-310.
- Kruizinga, C. P., Boonstra, A. M., Groothoff, J. W., Elzinga, A., & Goeken, L. N. (2002). Health complaints and disabilities in patients supplied with foot orthoses for degenerative foot disorders. *Prosthet Orthot Int*, 26(3): 235-242.
- Kuorinka, I., Jonsson, B., Kilbom, A., Vinterberg, H., Biering-Sorensen, F., & Andersson, G., et al. (1987). Standardised Nordic questionnaires for the analysis of musculoskeletal symptoms. *Appl Ergon*, 18(3): 233-237.
- Landis, J. R., & Koch, G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33(1): 159-174.
- Leino, T., Tammilehto, L., Hytonen, M., Sala, E., Paakkulainen, H., & Kanerva, L. (1998). Occupational skin and respiratory diseases among hairdressers. *Scand J Work Environ Health*, 24(5): 398-406.

- Lin, Y. H., Chen, C. Y., & Cho, M. H. (2012). Effectiveness of leg movement in reducing leg swelling and discomfort in lower extremities. *Appl Ergon*, 43(6): 1033-1037.
- Machin, D. and Campbell, M.J. (2005). *Design of Studies for medical research*. England: John Wiley & Sons Ltd.
- Madeleine, P., Voigt, M., & Arendt-Nielsen, L. (1998). Subjective, physiological and biomechanical responses to prolonged manual work performed standing on hard and soft surfaces. *Eur J Appl Physiol Occup Physiol*, 77(1-2): 1-9.
- Mahdi, S.A. & Mahmood, A. (2006). Foot prints: Comparison between urban and rural young females. *Scientific studies*, 1(1): 1-6.
- Manorath, P. and Maton, T. (2009). *Health promoting behaviors of Thai elders: a case study of pre-retirement teachers in Uttaradit*. Report of Uttaradit province: Thailand.
- Marshall, J. C. & Hales, L. W. (1972). *Essentials of Testing*. Calif: Addison-Wesley.
- McCrory, J., Schwass, J., Connell, R., & Cavanagh, P. (1997). In-shoe force measurements from locomotion in simulated zero gravity during parabolic flight. *Clin Biomech (Bristol, Avon)*, 12(3): S7.
- McDaniel, G., Renner, J. B., Sloane, R., & Kraus, V. B. (2011). Association of knee and ankle osteoarthritis with physical performance. [Research Support, N.I.H., Extramural]. *Osteoarthritis Cartilage*, 19(6): 634-638.
- Meijssen, P., & Knibbe, H. J. (2007). Prolonged standing in the OR: a Dutch research study. *AORN J*, 86(3): 399-414.
- Menz, H. B., & Sherrington, C. (2000). The Footwear Assessment Form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. *Clin Rehabil*, 14(6) : 657-664.
- Menz, H. B., & Lord, S. R. (2001). The contribution of foot problems to mobility impairment and falls in community-dwelling older people. *J Am Geriatr Soc*, 49(12): 1651-1656.
- Menz, H. B., & Morris, M. E. (2005). Determinants of disabling foot pain in retirement village residents. *J Am Podiatr Med Assoc*, 95(6): 573-579.

- Menz, H. B., Morris, M. E., & Lord, S. R. (2006). Footwear characteristics and risk of indoor and outdoor falls in older people. *Gerontology*, 52(3): 174-180.
- Menz, H. B., Morris, M. E., & Lord, S. R. (2006). Foot and ankle risk factors for falls in older people: a prospective study. *J Gerontol A Biol Sci Med Sci*, 61(8): 866-870.
- Menz, H. B., Tiedemann, A., Kwan, M. M., Plumb, K., & Lord, S. R. (2006). Foot pain in community-dwelling older people: an evaluation of the Manchester Foot Pain and Disability Index. *Rheumatology (Oxford)*, 45(7): 863-867.
- Menz, H. B., Zammit, G. V., & Munteanu, S. E. (2007). Plantar pressures are higher under callused regions of the foot in older people. *Clin Exp Dermatol*, 32(4): 375-380.
- Merriman, L., Griffiths, C., & Tollafeld, D. (1987). Plantar Lesion Patterns. *Chiropodist* 42: 145-148.
- Messing, K., Tissot, F., & Stock, S. (2008). Distal lower-extremity pain and work postures in the Quebec population. *Am J Public Health*, 98(4): 705-713.
- Mickle, K. J., Munro, B. J., Lord, S. R., Menz, H. B., & Steele, J. R. (2010). Foot pain, plantar pressures, and falls in older people: a prospective study. *J Am Geriatr Soc*, 58(10): 1936-1940.
- Mickle, K. J., Munro, B. J., Lord, S. R., Menz, H. B., & Steele, J. R. (2011). Cross-sectional analysis of foot function, functional ability, and health-related quality of life in older people with disabling foot pain. *Arthritis Care Res (Hoboken)*, 63(11): 1592-1598.
- Mitty, E. (2009). Nursing care of the aging foot. *Geriatr Nurs*, 30(5): 350-354.
- Morrison, S. C., & Ferrari, J. (2009). Inter-rater reliability of the Foot Posture Index (FPI-6) in the assessment of the paediatric foot. *J Foot Ankle Res* 2: 26.
- Nguyen, U. S., Hillstrom, H. J., Li, W., Dufour, A. B., Kiel, D. P., Procter-Gray, E., & Hannan, M. T. (2010). Factors associated with hallux valgus in a population-based study of older women and men: the MOBILIZE Boston Study. *Osteoarthritis Cartilage*, 18(1): 41-46.

- Nix, S. E., Vicenzino, B. T., Collins, N. J., & Smith, M. D. (2012). Characteristics of foot structure and footwear associated with hallux valgus: a systematic review. *Osteoarthritis Cartilage*, 20(10): 1059-1074.
- Onodera, A. N., Sacco, I. C., Morioka, E. H., Souza, P. S., de Sa, M. R., & Amadio, A. C. (2008). What is the best method for child longitudinal plantar arch assessment and when does arch maturation occur? *Foot (Edinb)*, 18(3): 142-149.
- Papuga, M. O., & Burke, J. R. (2011). The reliability of the Associate Platinum digital foot scanner in measuring previously developed footprint characteristics. *J Manipulative Physiol Ther*, 34(2): 114-118.
- Pensri, P., Janwantanakul, P., & Chaikumarn, M. (2009). Prevalence of self-reported musculoskeletal symptoms in salespersons. *Occup Med (Lond)*, 59(7): 499-501.
- Pensri, P., Janwantanakul, P., & Chaikumarn, M. (2010). Biopsychosocial factors and musculoskeletal symptoms of the lower extremities of saleswomen in department stores in Thailand. *J Occup Health*, 52(2): 132-141.
- Pensri, P., & Janwantanakul, P. (2012). Effectiveness of brief education combined with a home-based exercise program on pain and disability of office workers with chronic low back pain: a pilot study. *Journal of physical therapy science*, 24(2): 217-222.
- Poosanthanasarn, N., & Lohachit, C. (2005). The health of workers in a metal autoparts factory in eastern Thailand. *Southeast Asian J Trop Med Public Health*, 36(3): 783-789.
- Rao, S., Riskowski, J. L., & Hannan, M. T. (2012). Musculoskeletal conditions of the foot and ankle: assessments and treatment options. *Best Pract Res Clin Rheumatol*, 26(3): 345-368.
- Redmond, A. C. (1998). An evaluation of the use of gait plate inlays in the short-term management of the intoeing child. *Foot Ankle Int*, 19(3): 144-148.
- Reinking, M. F., Hayes, A. M., & Austin, T. M. (2012). The effect of foot orthotic use on exercise related leg pain in cross country athletes. *Phys Ther Sport*, 13(4): 214-218.

- Rovinelli, R. J., & Hambleton, R. K. (1977). On the Use of Content Specialists in the Assessment of Criterion-Referenced Test Item Validity. *Dutch Journal of Educational Research* 2: 49-60.
- Roddy, E., Muller, S., & Thomas, E. (2009). Defining disabling foot pain in older adults: further examination of the Manchester Foot Pain and Disability Index. *Rheumatology (Oxford)*, 48(8): 992-996.
- Roddy, E., Muller, S., & Thomas, E. (2011). Onset and persistence of disabling foot pain in community-dwelling older adults over a 3-year period: a prospective cohort study. *J Gerontol A Biol Sci Med Sci*, 66(4): 474-480.
- Rogers, A. E., W. T. Hwang, et al. (2004). "The effects of work breaks on staff nurse performance." *J Nurs Adm*, 34(11): 512-519.
- Rothbart, B. A., & Estabrook, L. (1988). Excessive pronation: a major biomechanical determinant in the development of chondromalacia and pelvic lists. *J Manipulative Physiol Ther*, 11(5): 373-379.
- Rothbart, B. A. (2006). Relationship of functional leg-length discrepancy to abnormal pronation. *J Am Podiatr Med Assoc*, 96(6): 499-504.
- Sgarlato, T. E. (1971). A compendium of podiatric biomechanics. *College of Podiatric Med.*, 265-281.
- Shih, Y. F., Wen, Y. K., & Chen, W. Y. (2011). Application of wedged foot orthosis effectively reduces pain in runners with pronated foot: a randomized clinical study. [Randomized Controlled Trial]. *Clin Rehabil*, 25(10): 913-923.
- Sneyers, C. J., Lysens, R., Feys, H., & Andries, R. (1995). Influence of malalignment of feet on the plantar pressure pattern in running. *Foot Ankle Int*, 16(10): 624-632.
- Somrongthong, R., & Yamarat, K. (2011). The conclusion of implementation of health promotion situation: Aging cases. Bangkok: Chulalongkorn University [Translation from Thai].
- Spink, M. J., Menz, H. B., & Lord, S. R. (2008). Efficacy of a multifaceted podiatry intervention to improve balance and prevent falls in older people: study protocol for a randomised trial. *BMC Geriatric* 8: 30.

- Spink, M. J., Menz, H. B., & Lord, S. R. (2009). Distribution and correlates of plantar hyperkeratotic lesions in older people. *J Foot Ankle Res* 2: 8.
- Spink, M. J., Fotoohabadi, M. R., & Menz, H. B. (2010). Foot and ankle strength assessment using hand-held dynamometry: reliability and age-related differences. *Gerontology*, 56(6): 525-532.
- Spink, M. J., Menz, H. B., Fotoohabadi, M. R., Wee, E., Landorf, K. B., Hill, K. D., et al. (2011). Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. *BMJ* 342: d3411.
- Staheli, L. T., Chew, D. E., & Corbett, M. (1987). The longitudinal arch. A survey of eight hundred and eighty-two feet in normal children and adults. *J Bone Joint Surg Am*, 69(3): 426-428.
- Tencer, A. F., Koepsell, T. D., Wolf, M. E., Frankenfeld, C. L., Buchner, D. M., Kukull, W. A., et al. (2004). Biomechanical properties of shoes and risk of falls in older adults. *J Am Geriatr Soc*, 52(11): 1840-1846.
- Theobald, H. (2012). Home-based care provision within the German welfare mix. *Health Soc Care Community*, 20(3): 274-282.
- Thomas, M. J., Roddy, E., Zhang, W., Menz, H. B., Hannan, M. T., & Peat, G. M. (2011). The population prevalence of foot and ankle pain in middle and old age: a systematic review. *Pain*, 152(12): 2870-2880.
- Tuchsen, F., Hannerz, H., Burr, H., & Krause, N. (2005). Prolonged standing at work and hospitalisation due to varicose veins: a 12 year prospective study of the Danish population. *Occup Environ Med*, 62(12): 847-850.
- Tucker, P., D. Lombardi, et al. (2006). "The impact of rest breaks on temporal trends in injury risk." *Chronobiol Int* 23(6): 1423-1434.
- Udomprasertkul, V., Bunbundanchai, R., & Vimuktaya S. (2010). Health Surveillance of Personnel in Chulalongkorn University. Health Examination Report: Chulalongkorn University, Thailand. [Translate from Thai].
- Urry, S., & Wearing, S. (2005). Arch indexes from ink footprints and pressure platforms are different. *The Foot*, 15(2): 68-73.

- Ware, J., Jr., Kosinski, M., & Keller, S. D. (1996). A 12-Item Short-Form Health Survey: construction of scales and preliminary tests of reliability and validity. *Med Care*, 34(3): 220-233.
- Werner, R. A., Gell, N., Hartigan, A., Wiggermann, N., & Keyserling, W. M. (2010). Risk factors for foot and ankle disorders among assembly plant workers. *Am J Ind Med*, 53(12): 1233-1239.
- Wiktorin, C. and L. Karlqvist, et al. (1993). "Validity of self-reported exposures to work postures and manual materials handling. Stockholm MUSIC I Study Group." *Scand J Work Environ Health* 19(3): 208-214.
- Wilken, J. M., Rodriguez, K. M., Brawner, M., & Darter, B. J. (2012). Reliability and Minimal Detectable Change values for gait kinematics and kinetics in healthy adults. *Gait Posture*, 35(2): 301-307.
- Wilson A. (2002). *Effective management of musculoskeletal injury: a clinical ergonomics approach to prevention, treatment and rehabilitation*. Report of Ergonomics Edinburgh (UK): Churchill Livingstone.
- Wilson, D., Tucker, G., & Chittleborough, C. (2002). Rethinking and rescoreing the SF-12. *Soz Praventivmed*, 47(3): 172-177.
- Wilson, M. L., Rome, K., Hodgson, D., & Ball, P. (2008). Effect of textured foot orthotics on static and dynamic postural stability in middle-aged females. *Gait Posture*, 27(1): 36-42.
- Yamsri, C., Pensri P. (2011). *Effect of elastic therapeutic taping combined with stretching on heel pain and foot disability in persons with plantar fasciitis*. Master's Thesis, Department of physical therapy, Faculty of Allied Health Sciences, Chulalongkorn University.

BIOGRAPHY

Miss Pavinee Harutaichun was born on July 24, 1987 in Bangkok, Thailand. She graduated a Bachelor's degree (second class honour) in Physical Therapy from the Faculty of Allied Health Sciences, Chulalongkorn University, in 2009. Since she graduated, she had worked as an assistant researcher in Department of Physical Therapy, Faculty of Allied Health Sciences, Chulalongkorn University until 2010. Then, she has worked as a physical therapist at Health Sciences Service Unit (HSSU), Faculty of Allied Health Sciences, Chulalongkorn University. She interests in foot health and musculoskeletal disorders in elderly persons. She had experience from the training at foot care clinic of Ratprachasamasai Institute, Department of Disease control, Ministry of Public Health during October and December 2011. In June 2012, she enrolled in a Master degree of Public Health at College of Public Health Sciences, Chulalongkorn University.