

REFERENCES

1. Hannon GJ. RNA interference. *Nature*. 2002 Jul 11;418(6894):244-51.
2. Aravin A, Tuschl T. Identification and characterization of small RNAs involved in RNA silencing. *FEBS Lett*. 2005 Oct 31;579(26):5830-40.
3. Bartel DP. MicroRNAs: genomics, biogenesis, mechanism, and function. *Cell*. 2004 Jan 23;116(2):281-97.
4. Lee Y, Ahn C, Han J, Choi H, Kim J, Yim J, et al. The nuclear RNase III Drosha initiates microRNA processing. *Nature*. 2003 Sep 25;425(6956):415-9.
5. Kuehbach A, Urbich C, Zeiher AM, Dimmeler S. Role of Dicer and Drosha for endothelial microRNA expression and angiogenesis. *Circ Res*. 2007 Jul 6;101(1):59-68.
6. He L, Hannon GJ. MicroRNAs: small RNAs with a big role in gene regulation. *Nat Rev Genet*. 2004 Jul;5(7):522-31.
7. Carmell MA, Xuan Z, Zhang MQ, Hannon GJ. The Argonaute family: tentacles that reach into RNAi, developmental control, stem cell maintenance, and tumorigenesis. *Genes Dev*. 2002 Nov 1;16(21):2733-42.
8. Caudy AA, Ketting RF, Hammond SM, Denli AM, Bathorn AM, Tops BB, et al. A micrococcal nuclease homologue in RNAi effector complexes. *Nature*. 2003 Sep 25;425(6956):411-4.
9. Caudy AA, Myers M, Hannon GJ, Hammond SM. Fragile X-related protein and VIG associate with the RNA interference machinery. *Genes Dev*. 2002 Oct 1;16(19):2491-6.
10. Phetrungnapha A, Panyim S, Ongvarrasopone C. A Tudor staphylococcal nuclease from *Penaeus monodon*: cDNA cloning and its involvement in RNA interference. *Fish Shellfish Immunol*. 2011 Sep;31(3):373-80.
11. Bernstein E, Caudy AA, Hammond SM, Hannon GJ. Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature*. 2001 Jan 18;409(6818):363-6.

12. Lee YS, Nakahara K, Pham JW, Kim K, He Z, Sontheimer EJ, et al. Distinct roles for *Drosophila* Dicer-1 and Dicer-2 in the siRNA/miRNA silencing pathways. *Cell*. 2004 Apr 2;117(1):69-81.
13. Zhou R, Czech B, Brennecke J, Sachidanandam R, Wohlschlegel JA, Perrimon N, et al. Processing of *Drosophila* endo-siRNAs depends on a specific Loquacious isoform. *RNA*. 2009 Oct;15(10):1886-95.
14. Ongvarrasopone C, Chanasakulniyom M, Sritunyalucksana K, Panyim S. Suppression of PmRab7 by dsRNA inhibits WSSV or YHV infection in shrimp. *Mar Biotechnol (NY)*. 2008 Jul-Aug;10(4):374-81.
15. Ongvarrasopone C, Saejia P, Chanasakulniyom M, Panyim S. Inhibition of Taura syndrome virus replication in *Litopenaeus vannamei* through silencing the LvRab7 gene using double-stranded RNA. *Arch Virol*. 2011 Jul;156(7):1117-23.
16. Tang KF, Lightner DV. A yellow head virus gene probe: nucleotide sequence and application for in situ hybridization. *Dis Aquat Organ*. 1999 Feb 26;35(3):165-73.
17. Cowley JA, Dimmock CM, Wongteerasupaya C, Boonsaeng V, Panyim S, Walker PJ. Yellow head virus from Thailand and gill-associated virus from Australia are closely related but distinct prawn viruses. *Dis Aquat Organ*. 1999 May 12;36(2):153-7.
18. Jitrapakdee S, Unajak S, Sittidilokratna N, Hodgson RA, Cowley JA, Walker PJ, et al. Identification and analysis of gp116 and gp64 structural glycoproteins of yellow head nidovirus of *Penaeus monodon* shrimp. *J Gen Virol*. 2003 Apr;84(Pt 4):863-73.
19. Sittidilokratna N, Dangtip S, Cowley JA, Walker PJ. RNA transcription analysis and completion of the genome sequence of yellow head nidovirus. *Virus Res*. 2008 Sep;136(1-2):157-65.
20. Mohan CV, Shankar KM, Kulkarni S, Sudha PM. Histopathology of cultured shrimp showing gross signs of yellow head syndrome and white spot syndrome during 1994 Indian epizootics. *Dis Aquat Organ*. 1998 Sep 11;34(1):9-12.

21. Sittidilokratna N, Hodgson RA, Cowley JA, Jitrapakdee S, Boonsaeng V, Panyim S, et al. Complete ORF1b-gene sequence indicates yellow head virus is an invertebrate nidovirus. *Dis Aquat Organ*. 2002 Jul 8;50(2):87-93.
22. Attasart P, Kaewkhaw R, Chimwai C, Kongphom U, Namramoon O, Panyim S. Inhibition of white spot syndrome virus replication in *Penaeus monodon* by combined silencing of viral rr2 and shrimp PmRab7. *Virus Res*. 2009 Oct;145(1):127-33.
23. Kim CS, Kosuke Z, Nam YK, Kim SK, Kim KH. Protection of shrimp (*Penaeus chinensis*) against white spot syndrome virus (WSSV) challenge by double-stranded RNA. *Fish Shellfish Immunol*. 2007 Jul;23(1):242-6.
24. Jose S, Jayesh P, Sudheer NS, Poulouse G, Mohandas A, Philip R, et al. Lymphoid organ cell culture system from *Penaeus monodon* (Fabricius) as a platform for white spot syndrome virus and shrimp immune-related gene expression. *J Fish Dis*. 2012 May;35(5):321-34.
25. Yao X, Wang L, Song L, Zhang H, Dong C, Zhang Y, et al. A Dicer-1 gene from white shrimp *Litopenaeus vannamei*: expression pattern in the processes of immune response and larval development. *Fish Shellfish Immunol*. 2010 Oct;29(4):565-70.
26. Tirasophon W, Roshorm Y, Panyim S. Silencing of yellow head virus replication in penaeid shrimp cells by dsRNA. *Biochem Biophys Res Commun*. 2005 Aug 19;334(1):102-7.
27. Yodmuang S, Tirasophon W, Roshorm Y, Chinnirunvong W, Panyim S. YHV-protease dsRNA inhibits YHV replication in *Penaeus monodon* and prevents mortality. *Biochem Biophys Res Commun*. 2006 Mar 10;341(2):351-6.
28. Ongvarrasopone C, Chomchay E, Panyim S. Antiviral effect of PmRab7 knock-down on inhibition of Laem-Singh virus replication in black tiger shrimp. *Antiviral Res*. 2010 Oct;88(1):116-8.
29. Bannwarth S, Gatignol A. HIV-1 TAR RNA: the target of molecular interactions between the virus and its host. *Curr HIV Res*. 2005 Jan;3(1):61-71.

30. Daniels SM, Melendez-Pena CE, Scarborough RJ, Daher A, Christensen HS, El Far M, et al. Characterization of the TRBP domain required for dicer interaction and function in RNA interference. *BMC Mol Biol.* 2009;10:38.
31. Gagnon A, Laine S, Clerzius G. Dual role of TRBP in HIV replication and RNA interference: viral diversion of a cellular pathway or evasion from antiviral immunity? *Retrovirology.* 2005;2:65.
32. Rossi JJ. Mammalian Dicer finds a partner. *EMBO Rep.* 2005 Oct;6(10):927-9.
33. Jiang F, Ye X, Liu X, Fincher L, McKearin D, Liu Q. Dicer-1 and R3D1-L catalyze microRNA maturation in *Drosophila*. *Genes Dev.* 2005 Jul 15;19(14):1674-9.
34. Forstemann K, Tomari Y, Du T, Vagin VV, Denli AM, Bratu DP, et al. Normal microRNA maturation and germ-line stem cell maintenance requires Loquacious, a double-stranded RNA-binding domain protein. *PLoS Biol.* 2005 Jul;3(7):236.
35. Liu Q, Rand TA, Kalidas S, Du F, Kim HE, Smith DP, et al. R2D2, a bridge between the initiation and effector steps of the *Drosophila* RNAi pathway. *Science.* 2003 Sep 26;301(5641):1921-5.
36. Liu X, Jiang F, Kalidas S, Smith D, Liu Q. Dicer-2 and R2D2 coordinately bind siRNA to promote assembly of the siRISC complexes. *RNA.* 2006 Aug;12(8):1514-20.
37. Chen YH, Jia XT, Zhao L, Li CZ, Zhang S, Chen YG, et al. Identification and functional characterization of Dicer2 and five single VWC domain proteins of *Litopenaeus vannamei*. *Dev Comp Immunol.* 2011 Jun;35(6):661-71.
38. Wang S, Liu N, Chen AJ, Zhao XF, Wang JX. TRBP homolog interacts with eukaryotic initiation factor 6 (eIF6) in *Fenneropenaeus chinensis*. *J Immunol.* 2009 May 1;182(9):5250-8.
39. Wang S, Chen AJ, Shi LJ, Zhao XF, Wang JX. TRBP and eIF6 homologue in *Marsupenaeus japonicus* play crucial roles in antiviral response. *PLoS One* 2012.7(1):30057.

40. Dechklar M, Udomkit A, Panyim S. Characterization of Argonaute cDNA from *Penaeus monodon* and implication of its role in RNA interference. *Biochem Biophys Res Commun.* 2008 Mar 21;367(4):768-74.
41. Meister G, Landthaler M, Peters L, Chen PY, Urlaub H, Luhrmann R, et al. Identification of novel argonaute-associated proteins. *Curr Biol.* 2005 Dec 6;15(23):2149-55.
42. Unajak S, Boonsaeng V, Jitrapakdee S. Isolation and characterization of cDNA encoding Argonaute, a component of RNA silencing in shrimp (*Penaeus monodon*). *Comp Biochem Physiol B Biochem Mol Biol.* 2006 Oct;145(2):179-87.
43. Jackson AL, Bartz SR, Schelter J, Kobayashi SV, Burchard J, Mao M, et al. Expression profiling reveals off-target gene regulation by RNAi. *Nat Biotechnol.* 2003 Jun;21(6):635-7.
44. Lin X, Ruan X, Anderson MG, McDowell JA, Kroeger PE, Fesik SW, et al. siRNA-mediated off-target gene silencing triggered by a 7 nt complementation. *Nucleic Acids Res.* 2005;33(14):4527-35.
45. Hartig JV, Forstemann K. Loqs-PD and R2D2 define independent pathways for RISC generation in *Drosophila*. *Nucleic Acids Res.* 2011 May;39(9):3836-51.
46. Su J, Oanh DT, Lyons RE, Leeton L, van Hulten MC, Tan SH, et al. A key gene of the RNA interference pathway in the black tiger shrimp, *Penaeus monodon*: identification and functional characterisation of Dicer-1. *Fish Shellfish Immunol.* 2008 Feb;24(2):223-33.
47. Ongvarrasopone C, Roshom Y, Panyim S. A simple and cost effective method to generate dsRNA for RNAi studies in invertebrates. *ScienceAsia.* 2007;33:35-9
48. Livak KJ, Schmittgen TD. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2^{-ΔΔCT} Method. *Methods.* 2001;25(4):402-8.
49. Pratsaneeyaporn Posiri. Effectiveness of double stranded RNA targeting YHV and PmRab7 on prevention of YHV infection. M.Sc Thesis. Molecular genetics and Genetic engineering. 2009.