

REFERENCES

1. Johri N, Jacquillet G, Unwin R. Heavy metal poisoning: the effects of cadmium on the kidney. *Biometals*. 2010; 23: 783-92.
2. Gobe G, Crane D. Mitochondria, reactive oxygen species and cadmium toxicity in the kidney. *Toxicol Lett*. 2010; 198: 49-55.
3. Jarup L, Akesson A. Current status of cadmium as an environmental health problem. *Toxicol Appl Pharmacol*. 2009; 238: 201-8.
4. Fouad AA, Jresat I. Protective effect of telmisartan against cadmium-induced nephrotoxicity in mice. *Life Sci*. 2011; 89: 29-35.
5. Cuypers A, Plusquin M, Remans T, Jozefczak M, Keunen E, Gielen H, et al. Cadmium stress: an oxidative challenge. *Biometals*. 2010; 23: 927-40.
6. Thevenod F. Cadmium and cellular signaling cascades: to be or not to be? *Toxicol Appl Pharmacol*. 2009; 238: 221-39.
7. Cannino G, Ferruggia E, Luparello C, Rinaldi AM. Cadmium and mitochondria. *Mitochondrion*. 2009; 9: 377-84.
8. Nordberg GF. Historical perspectives on cadmium toxicology. *Toxicol Appl Pharmacol*. 2009; 238: 192-200.
9. Thevenod F. Nephrotoxicity and the proximal tubule. Insights from cadmium. *Nephron Physiol*. 2003; 93: 87-93.
10. Satarug S, Garrett SH, Sens MA, Sens DA. Cadmium, environmental exposure, and health outcomes. *Environ Health Perspect*. 2010; 118: 182-90.

11. Mao WP, Zhang NN, Zhou FY, Li WX, Liu HY, Feng J, et al. Cadmium directly induced mitochondrial dysfunction of human embryonic kidney cells. *Hum Exp Toxicol*. 2010; 30: 920-9.
12. Nordberg GF. Chelating agents and cadmium toxicity: problems and prospects. *Environ Health Perspect*. 1984; 54: 213-8.
13. Tang W, Shaikh ZA. Renal cortical mitochondrial dysfunction upon cadmium metallothionein administration to Sprague-Dawley rats. *J Toxicol Environ Health A*. 2001; 63: 221-35.
14. Hellstrom L, Elinder CG, Dahlberg B, Lundberg M, Jarup L, Persson B, et al. Cadmium exposure and end-stage renal disease. *Am J Kidney Dis*. 2001; 38: 1001-8.
15. Pari L, Murugavel P, Sitasawad SL, Kumar KS. Cytoprotective and antioxidant role of diallyl tetrasulfide on cadmium induced renal injury: an in vivo and in vitro study. *Life Sci*. 2007; 80: 650-8.
16. Manna P, Sinha M, Sil PC. Taurine plays a beneficial role against cadmium-induced oxidative renal dysfunction. *Amino Acids*. 2009; 36: 417-28.
17. Templeton DM, Liu Y. Multiple roles of cadmium in cell death and survival. *Chem Biol Interact*. 2010; 188: 267-75.
18. Gurel A, Armutcu F, Sahin S, Sogut S, Ozyurt H, Gulec M, et al. Protective role of alpha-tocopherol and caffeic acid phenethyl ester on ischemia-reperfusion injury via nitric oxide and myeloperoxidase in rat kidneys. *Clin Chim Acta*. 2004; 339: 33-41.

19. Ogeturk M, Kus I, Colakoglu N, Zararsiz I, Ilhan N, Sarsilmaz M. Caffeic acid phenethyl ester protects kidneys against carbon tetrachloride toxicity in rats. *J Ethnopharmacol.* 2005; 97: 273-80.
20. Celik S, Gorur S, Aslantas O, Erdogan S, Ocak S, Hakverdi S. Caffeic acid phenethyl ester suppresses oxidative stress in *Escherichia coli*-induced pyelonephritis in rats. *Mol Cell Biochem.* 2007; 297: 131-8.
21. Gokce A, Oktar S, Yonden Z, Aydin M, Ilhan S, Ozkan OV, et al. Protective effect of caffeic acid phenethyl ester on cyclosporine A-induced nephrotoxicity in rats. *Ren Fail.* 2009; 31: 843-7.
22. Renugadevi J, Prabu SM. Quercetin protects against oxidative stress-related renal dysfunction by cadmium in rats. *Exp Toxicol Pathol.* 2009; 62: 471-81.
23. Jomova K, Valko M. Advances in metal-induced oxidative stress and human disease. *Toxicology.* 2011; 283: 65-87.
24. Valko M, Morris H, Cronin MT. Metals, toxicity and oxidative stress. *Curr Med Chem.* 2005; 12: 1161-208.
25. Renugadevi J, Prabu SM. Naringenin protects against cadmium-induced oxidative renal dysfunction in rats. *Toxicology.* 2009; 256: 128-34.
26. Function of mitochondria and endoplasmic reticulum [database on the Internet]. 2011 [cited. Available from: <http://www.curebd.com/2011/04/function-of-mitochondria-and.html>].
27. Ott M, Norberg E, Walter KM, Schreiner P, Kemper C, Rapaport D, et al. The mitochondrial TOM complex is required for tBid/Bax-induced cytochrome c release. *J Biol Chem.* 2007; 282: 27633-9.

28. Ott M, Zhivotovsky B, Orrenius S. Role of cardiolipin in cytochrome c release from mitochondria. *Cell Death Differ.* 2007; 14: 1243-7.
29. Kowaltowski AJ, de Souza-Pinto NC, Castilho RF, Vercesi AE. Mitochondria and reactive oxygen species. *Free Radic Biol Med.* 2009; 47: 333-43.
30. Jassem W, Fuggle SV, Rela M, Koo DD, Heaton ND. The role of mitochondria in ischemia/reperfusion injury. *Transplantation.* 2002; 73: 493-9.
31. Wang Y, Fang J, Leonard SS, Rao KM. Cadmium inhibits the electron transfer chain and induces reactive oxygen species. *Free Radic Biol Med.* 2004; 36: 1434-43.
32. Ott M, Gogvadze V, Orrenius S, Zhivotovsky B. Mitochondria, oxidative stress and cell death. *Apoptosis.* 2007; 12: 913-22.
33. Plotnikov EY, Kazachenko AV, Vyssokikh MY, Vasileva AK, Tcvirkun DV, Isaev NK, et al. The role of mitochondria in oxidative and nitrosative stress during ischemia/reperfusion in the rat kidney. *Kidney Int.* 2007; 72: 1493-502.
34. Zhou YJ, Zhang SP, Liu CW, Cai YQ. The protection of selenium on ROS mediated-apoptosis by mitochondria dysfunction in cadmium-induced LLC-PK(1) cells. *Toxicol In Vitro.* 2009; 23: 288-94.
35. Dorta DJ, Leite S, DeMarco KC, Prado IM, Rodrigues T, Mingatto FE, et al. A proposed sequence of events for cadmium-induced mitochondrial impairment. *J Inorg Biochem.* 2003; 97: 251-7.
36. Burdock GA. Review of the biological properties and toxicity of bee propolis (propolis). *Food Chem Toxicol.* 1998; 36: 347-63.



37. Sud'ina GF, Mirzoeva OK, Pushkareva MA, Korshunova GA, Sumbatyan NV, Varfolomeev SD. Caffeic acid phenethyl ester as a lipoxygenase inhibitor with antioxidant properties. *FEBS Lett.* 1993; 329: 21-4.
38. Gocer H, Gulcin I. Caffeic acid phenethyl ester (CAPE): correlation of structure and antioxidant properties. *Int J Food Sci Nutr.* 2011. 62: 821-5.
39. Russo A, Longo R, Vanella A. Antioxidant activity of propolis: role of caffeic acid phenethyl ester and galangin. *Fitoterapia.* 2002; 73: 21-9.
40. Mollaoglu H, Gokcimen A, Ozguner F, Oktem F, Koyu A, Kocak A, et al. Caffeic acid phenethyl ester prevents cadmium-induced cardiac impairment in rat. *Toxicology.* 2006; 227: 15-20.
41. Khan M, Elango C, Ansari MA, Singh I, Singh AK. Caffeic acid phenethyl ester reduces neurovascular inflammation and protects rat brain following transient focal cerebral ischemia. *J Neurochem.* 2007; 102: 365-77.
42. Song YS, Park EH, Hur GM, Ryu YS, Lee YS, Lee JY, et al. Caffeic acid phenethyl ester inhibits nitric oxide synthase gene expression and enzyme activity. *Cancer Lett.* 2002; 175: 53-61.
43. Yagmurca M, Erdogan H, Iraz M, Songur A, Ucar M, Fadillioglu E. Caffeic acid phenethyl ester as a protective agent against doxorubicin nephrotoxicity in rats. *Clin Chim Acta.* 2004; 348: 27-34.
44. Oktem F, Ozguner F, Sulak O, Olgar S, Akturk O, Yilmaz HR, et al. Lithium-induced renal toxicity in rats: protection by a novel antioxidant caffeic acid phenethyl ester. *Mol Cell Biochem.* 2005; 277: 109-15.
45. Ozguner F, Oktem F, Armagan A, Yilmaz R, Koyu A, Demirel R, et al. Comparative analysis of the protective effects of melatonin and caffeic acid

- phenethyl ester (CAPE) on mobile phone-induced renal impairment in rat. *Mol Cell Biochem.* 2005; 276: 31-7.
46. Ozyurt B, Iraz M, Koca K, Ozyurt H, Sahin S. Protective effects of caffeic acid phenethyl ester on skeletal muscle ischemia-reperfusion injury in rats. *Mol Cell Biochem.* 2006; 292: 197-203.
47. Mohamadin AM, Hammad LN, El-Bab MF, Abdel Gawad HS. Attenuation of oxidative stress in plasma and tissues of rats with experimentally induced hyperthyroidism by caffeic acid phenylethyl ester. *Basic Clin Pharmacol Toxicol.* 2007; 100: 84-90.
48. Ozguner F, Armagan A, Koyu A, Caliskan S, Koylu H. A novel antioxidant agent caffeic acid phenethyl ester prevents shock wave-induced renal tubular oxidative stress. *Urol Res.* 2005; 33: 239-43.
49. Ozen S, Akyol O, Iraz M, Sogut S, Ozugurlu F, Ozyurt H, et al. Role of caffeic acid phenethyl ester, an active component of propolis, against cisplatin-induced nephrotoxicity in rats. *J Appl Toxicol.* 2004; 24: 27-35.
50. Oktem F, Yilmaz HR, Ozguner F, Olgar S, Ayata A, Uzare E, et al. Methotrexate-induced renal oxidative stress in rats: the role of a novel antioxidant caffeic acid phenethyl ester. *Toxicol Ind Health.* 2006; 22: 241-7.
51. Parlakpinar H, Tasdemir S, Polat A, Bay-Karabulut A, Vardi N, Ucar M, et al. Protective role of caffeic acid phenethyl ester (CAPE) on gentamicin-induced acute renal toxicity in rats. *Toxicology.* 2005; 207: 169-77.
52. Parlakpinar H, Ozer MK, Ucar M, Gaffaroglu M, Vardi N, Koc M, et al. Protective effects of caffeic acid phenethyl ester (CAPE) on amikacin-induced nephrotoxicity in rats. *Cell Biochem Funct.* 2006; 24: 363-7.

53. Ocak S, Gorur S, Hakverdi S, Celik S, Erdogan S. Protective effects of caffeic acid phenethyl ester, vitamin C, vitamin E and N-acetylcysteine on vancomycin-induced nephrotoxicity in rats. *Basic Clin Pharmacol Toxicol*. 2007; 100: 328-33.
54. Wei X, Ma Z, Fontanilla CV, Zhao L, Xu ZC, Tagliabracci V, et al. Caffeic acid phenethyl ester prevents cerebellar granule neurons (CGNs) against glutamate-induced neurotoxicity. *Neuroscience*. 2008; 155: 1098-105.
55. Feng Y, Lu YW, Xu PH, Long Y, Wu WM, Li W, et al. Caffeic acid phenethyl ester and its related compounds limit the functional alterations of the isolated mouse brain and liver mitochondria submitted to in vitro anoxia-reoxygenation: relationship to their antioxidant activities. *Biochim Biophys Acta*. 2008; 1780: 659-72.
56. Piotrkowski B, Fraga CG, de Cavanagh EM. Mitochondrial function and nitric oxide metabolism are modified by enalapril treatment in rat kidney. *Am J Physiol Regul Integr Comp Physiol*. 2007; 292: 1494-501.
57. Tucci S, Jr., Molina CA, Cologna AJ, Suaid HJ, Tirapelli LF, Celini FM, et al. Compensatory renal growth and mitochondrial function: the influence of warm ischemia and reperfusion. *Acta Cir Bras*. 2008; 23: 31-5.
58. Walker JM. The bicinchoninic acid (BCA) assay for protein quantitation. *Methods Mol Biol*. 1994; 32: 5-8.
59. Thummasorn S, Kumfu S, Chattipakorn S, Chattipakorn N. Granulocyte-colony stimulating factor attenuates mitochondrial dysfunction induced by oxidative stress in cardiac mitochondria. *Mitochondrion*. 2011; 11: 457-66.

60. Ruiz-Meana M, Garcia-Dorado D, Miro-Casas E, Abellan A, Soler-Soler J. Mitochondrial Ca²⁺ uptake during simulated ischemia does not affect permeability transition pore opening upon simulated reperfusion. *Cardiovasc Res.* 2006; 71: 715-24.
61. Novalija E, Kevin LG, Eells JT, Henry MM, Stowe DF. Anesthetic preconditioning improves adenosine triphosphate synthesis and reduces reactive oxygen species formation in mitochondria after ischemia by a redox dependent mechanism. *Anesthesiology.* 2003; 98: 1155-63.
62. Di Lisa F, Blank PS, Colonna R, Gambassi G, Silverman HS, Stern MD, et al. Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition. *J Physiol.* 1995; 486: 1-13.
63. Tong V, Teng XW, Chang TK, Abbott FS. Valproic acid II: effects on oxidative stress, mitochondrial membrane potential, and cytotoxicity in glutathione-depleted rat hepatocytes. *Toxicol Sci.* 2005; 86: 436-43.
64. Vincent AS, Lim BG, Tan J, Whiteman M, Cheung NS, Halliwell B, et al. Sulfite-mediated oxidative stress in kidney cells. *Kidney Int.* 2004; 65: 393-402.
65. Ohkawa H, Ohishi N, Yagi K. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem.* 1979; 95: 351-8.
66. Sedlak J, Lindsay RH. Estimation of total, protein-bound, and nonprotein sulfhydryl groups in tissue with Ellman's reagent. *Anal Biochem.* 1968; 25: 192-205.
67. Chelli B, Falleni A, Salvetti F, Gremigni V, Lucacchini A, Martini C. Peripheral-type benzodiazepine receptor ligands: mitochondrial permeability

- transition induction in rat cardiac tissue. *Biochem Pharmacol.* 2001; 61: 695-705.
68. Gonick HC. Nephrotoxicity of cadmium & lead. *Indian J Med Res.* 2008; 128: 335-52.
69. Wang L, Cao J, Chen D, Liu X, Lu H, Liu Z. Role of oxidative stress, apoptosis, and intracellular homeostasis in primary cultures of rat proximal tubular cells exposed to cadmium. *Biol Trace Elem Res.* 2009; 127: 53-68.
70. Wang L, Wang H, Li J, Chen D, Liu Z. Simultaneous effects of lead and cadmium on primary cultures of rat proximal tubular cells: interaction of apoptosis and oxidative stress. *Arch Environ Contam Toxicol.* 2011; 61: 500-11.
71. Chargui A, Zekri S, Jacquillet G, Rubera I, Ilie M, Belaid A, et al. Cadmium-induced autophagy in rat kidney: an early biomarker of subtoxic exposure. *Toxicol Sci.* 2011; 121: 31-42.
72. Lee WK, Bork U, Gholamrezaei F, Thevenod F. Cd(2+)-induced cytochrome c release in apoptotic proximal tubule cells: role of mitochondrial permeability transition pore and Ca(2+) uniporter. *Am J Physiol Renal Physiol.* 2005; 288: 27-39.
73. Lee WK, Abouhamed M, Thevenod F. Caspase-dependent and -independent pathways for cadmium-induced apoptosis in cultured kidney proximal tubule cells. *Am J Physiol Renal Physiol.* 2006; 291: 823-32.
74. Kroemer G, Reed JC. Mitochondrial control of cell death. *Nat Med.* 2000; 6: 513-9.

75. Yeh JH, Huang CC, Yeh MY, Wang JS, Lee JK, Jan CR. Cadmium-induced cytosolic Ca²⁺ elevation and subsequent apoptosis in renal tubular cells. *Basic Clin Pharmacol Toxicol.* 2009; 104: 345-51.
76. Mao WP, Ye JL, Guan ZB, Zhao JM, Zhang C, Zhang NN, et al. Cadmium induces apoptosis in human embryonic kidney (HEK) 293 cells by caspase-dependent and -independent pathways acting on mitochondria. *Toxicol In Vitro.* 2007; 21: 343-54.
77. Zhang Y, Li JH, Liu XR, Jiang FL, Tian FF, Liu Y. Spectroscopic and microscopic studies on the mechanisms of mitochondrial toxicity induced by different concentrations of cadmium. *J Membr Biol.* 2011; 241: 39-49.
78. Brzoska MM, Kaminski M, Supernak-Bobko D, Zwierz K, Moniuszko-Jakoniuk J. Changes in the structure and function of the kidney of rats chronically exposed to cadmium. I. Biochemical and histopathological studies. *Arch Toxicol.* 2003; 77: 344-52.
79. Fleury C, Mignotte B, Vayssiere JL. Mitochondrial reactive oxygen species in cell death signaling. *Biochimie.* 2002; 84: 131-41.
80. Lash LH. Mitochondrial glutathione transport: physiological, pathological and toxicological implications. *Chem Biol Interact.* 2006; 163: 54-67.
81. Mari M, Morales A, Colell A, Garcia-Ruiz C, Fernandez-Checa JC. Mitochondrial glutathione, a key survival antioxidant. *Antioxid Redox Signal.* 2009; 11: 2685-700.
82. Li M, Xia T, Jiang CS, Li LJ, Fu JL, Zhou ZC. Cadmium directly induced the opening of membrane permeability pore of mitochondria which possibly involved in cadmium-triggered apoptosis. *Toxicology.* 2003; 194: 19-33.

83. Sims NR, Nilsson M, Muyderman H. Mitochondrial glutathione: a modulator of brain cell death. *J Bioenerg Biomembr.* 2004; 36: 329-33.
84. Lluís JM, Morales A, Blasco C, Colell A, Mari M, Garcia-Ruiz C, et al. Critical role of mitochondrial glutathione in the survival of hepatocytes during hypoxia. *J Biol Chem.* 2005; 280: 3224-32.
85. Nemmiche S, Chabane-Sari D, Kadri M, Guiraud P. Cadmium chloride-induced oxidative stress and DNA damage in the human Jurkat T cell line is not linked to intracellular trace elements depletion. *Toxicol In Vitro.* 2011; 25: 191-8.
86. Belyaeva EA, Korotkov SM, Saris NE. In vitro modulation of heavy metal-induced rat liver mitochondria dysfunction: a comparison of copper and mercury with cadmium. *J Trace Elem Med Biol.* 2010; 25: 63-73.
87. Zoratti M, Szabo I. The mitochondrial permeability transition. *Biochim Biophys Acta.* 1995; 1241: 139-76.
88. Kaasik A, Safiulina D, Zharkovsky A, Veksler V. Regulation of mitochondrial matrix volume. *Am J Physiol Cell Physiol.* 2007; 292: 157-63.
89. Aon MA, Cortassa S, Marban E, O'Rourke B. Synchronized whole cell oscillations in mitochondrial metabolism triggered by a local release of reactive oxygen species in cardiac myocytes. *J Biol Chem.* 2003; 278: 44735-44.
90. Vanden Hoek TL, Becker LB, Shao Z, Li C, Schumacker PT. Reactive oxygen species released from mitochondria during brief hypoxia induce preconditioning in cardiomyocytes. *J Biol Chem.* 1998; 273: 18092-8.

91. Wu WM, Lu L, Long Y, Wang T, Liu L, Chen Q, et al. Free radical scavenging and antioxidative activities of caffeic acid phenethyl ester (CAPE) and its related compounds in solution and membranes: A structure–activity insight. *Food Chem.* 2007; 105: 107-15.
92. Wei X, Zhao L, Ma Z, Holtzman DM, Yan C, Dodel RC, et al. Caffeic acid phenethyl ester prevents neonatal hypoxic-ischaemic brain injury. *Brain.* 2004; 127: 2629-35.
93. Motawi TK, Darwish HA, Abd El Tawab AM. Effects of caffeic acid phenethyl ester on endotoxin-induced cardiac stress in rats: a possible mechanism of protection. *J Biochem Mol Toxicol.* 2011; 25: 84-94.
94. Lee WK, Bork U, Thevenod F. Mitochondria as a target of cadmium nephrotoxicity: induction of swelling and cytochrome C release. *Toxicol Mech Methods.* 2004; 14: 67-71.
95. Calamita G, Ferri D, Gena P, Liquori GE, Cavalier A, Thomas D, et al. The inner mitochondrial membrane has aquaporin-8 water channels and is highly permeable to water. *J Biol Chem.* 2005; 280: 17149-53.
96. Brookes PS, Yoon Y, Robotham JL, Anders MW, Sheu SS. Calcium, ATP, and ROS: a mitochondrial love-hate triangle. *Am J Physiol Cell Physiol.* 2004; 287: 817-33.



CURRICULUM VITAE

Name Miss Anongporn Kobroob

Date of Birth 3 November 1986

Education

2004 - High school from Damrongratsongkhon, Chiang Rai, Thailand

2009 - B.Sc. (Nursing and Midwifery), Chiang Mai University,
Chiang Mai, Thailand

Professional license

2009-Present Nurse, Thailand

Presentation at National and International Meetings

May 2011 21th National Graduate Research Conference (Oral Presentation)

Conference short papers and abstracts

1. Kobroob A., Chattipakorn N., Wongmekiat O. Caffeic acid phenethyl ester attenuates cadmium-induced kidney mitochondrial damage. Proceeding to the 21th National Graduate Research Conference, Bangkok, Thailand. 2011, p398-404.

