

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	v
LIST OF TABLES	viii
LIST OF FIGURES	x
CHAPTER I INTRODUCTION	1
1.1 Background	1
1.2 Objectives	2
1.3 Scopes of Studies	3
1.4 Concept Framework	4
1.5 Expected Result	4
1.6 Definitions	5
CHAPTER II LITERLATURE REVIEW	6
2.1 Hydrogen production process	6
2.2 Hydrogen production	9
2.3 Factors effect biohydrogen production by fermentation	18
2.4 Starch processing wastewater	23
2.5 Immobilization of microorganisms	23
2.6 Supporting materials for immobilization	28
2.7 Fluorescence in situ hybridization	33
2.8 Related researches	36
CHAPTER III MATERIALS AND METHODS	39
3.1 Equipment and chemicals	39
3.2 Experimental procedures	41
3.3 Monitoring and analysis	47
3.4 Data analysis	50

CONTENTS (cont.)

	Page
CHAPTER IV RESULTS AND DISCUSSIONS	52
4.1 Characteristics of starch processing wastewater and seed sludge	52
4.2 Optimal environment for biohydrogen fermentation	52
4.3 Biomaterials (BM) characterization and selection	63
4.4 Optimal concentration of BM for biohydrogen production	67
4.5 Comparison BM from plants and animals	71
4.6 Morphology and population of microorganisms on BM	73
CHAPTER V CONCLUSION AND RECOMMENDATIONS	79
5.1 Conclusion	79
5.2 Recommendations	80
REFERENCES	81
APPENDICES	99
Appendix A	100
Appendix B	110
Appendix C	115
BIOGRAPHY	118

LIST OF TABLES

Tables	Page
2.1 Properties of hydrogen	8
2.2 Main hydrogen production processes and substrate resources	9
2.3 Example of hydrogen-producing microorganisms	19
4.1 Characteristics of seed sludge and starch processing wastewater	52
4.2 Produced gas composition percentages at various temperature and initial pH	54
4.3 Hydrogen yield, hydrogen production, lag phase and final pH at various iron concentrations	55
4.4 VFA and COD removal percentage at various temperature and initial pH	57
4.5 Optimal initial pH and temperature in other studies	59
4.6 Produced gas composition percentage at various initial iron concentrations	60
4.7 Hydrogen yield and production rate, lag phase and final pH at various iron concentrations	61
4.8 VFA and COD removal percentage at various initial iron concentrations	62
4.9 Optimal initial iron concentration from various publications	63
4.10 Physical characterization, cell immobilization ability, and hydrogen production efficiency of BM	66
4.11 Hydrogen yield, hydrogen production, lag phase and final pH at various loofa sponge concentrations	68
4.12 Hydrogen yield, hydrogen production, lag phase and final pH at various cocoon concentrations	69
4.13 VFA and COD removal percentage at various loofa sponge concentrations	70
4.14 VFA and COD removal percentage at various cocoon concentrations	70
4.15 Amount and type of supporting materials and hydrogen production from various publications	71
4.16 VFA and COD removal percentage of loofa and cocoon at its optimal concentration	72

LIST OF TABLES (cont.)

Tables	Page
B1 Average peak area of hydrogen (60%) and nitrogen (10%) standard gas	110
B2 Average peak area of carbon dioxide (30%) standard gas	111
B3 Average peak area of methane (70%) standard gas	112
B4 Gas chromatography value of VFA at various concentrations	113
C1 Raw data of gas content in experimental batch reactor under mesophilic condition at various pH	114
C2 Raw data of gas content in experimental batch reactor at various iron concentrations	115
C3 Raw data of hydrogen content in experimental batch reactor at various type of biomaterials (BM)	115
C4 Raw data of gas content in experimental batch reactor at various LS concentrations	116
C5 Raw data of gas content in experimental batch reactor at various SC concentrations	116
C6 Raw data of gas content in experimental batch reactor comparing plants (LS) and animals (SC) based BM	116

LIST OF FIGURES

Figure	Page
1.1 Concept framework	4
2.1 molecular spin of Hydrogen	7
2.2 Photo-electrochemical hydrogen production	12
2.3 Direct biophotolysis process	13
2.4 Indirect biophotolysis process	14
2.5 Photo-fermentation process	15
2.6 (a) Acetate and (b) butyrate pathway for hydrogen production via dark fermentation	18
2.7 Method of cell immobilization	25
2.8 Biofilm formation	27
2.9 Mushroom-shaped microcolonies of dental plaque biofilm	28
2.10 Cellulose polymer chain	29
2.11 Schematic image of plant cell wall structure	30
2.12 SEM image of luffa sponge	30
2.13 Surface of right valve of <i>Nemocardium peramibilis</i>	31
2.14 Chitin chain polymer	32
2.15 Schematic picture of the exoskeleton structure of crab shell	32
2.16 Image of the morphology of a <i>Bombyx mori</i> cocoon	33
2.17 Ribosomal RNA (rRNA) structure	34
2.18 General procedure for FISH technique	35
3.1 Experimental diagram	45
4.1 Example of Gompertz sigmoidal curve plotted between cumulative hydrogen production versus time	53
4.2 Cumulative hydrogen production plotted versus time at various initial pH under mesophilic temperature	56

LIST OF FIGURES (cont.)

Figure	Page
4.3 Cumulative hydrogen production plotted versus time at various initial pH under thermophilic temperature	56
4.4 Cumulative hydrogen production plotted versus time at various initial iron concentrations	61
4.5 BM before and after suspended in acetic acid pH 4.0 for 7 days	65
4.6 Cumulative hydrogen production plotted versus time with addition of various BM	66
4.7 Cumulative hydrogen production plotted versus time at various BM (loofa sponge) concentration	68
4.8 Cumulative hydrogen production plotted versus time at various BM (cocoon) concentration	69
4.9 Cumulative hydrogen production plotted versus time of loofa and cocoon at its optimal concentration	73
4.10 SEM image of loofa sponge before (top left) and after the fermentation	74
4.11 SEM image of cocoon before (top left) and after the fermentation	75
4.12 Fluorescence images of (a) pure Bacillus (positive control) and (b)-(c) microorganisms from the surface of various BM	76
4.13 OTU rank curve	77
4.14 The taxonomic composition distribution in samples	78