

REFERENCES

- Abrahamyan, V., Poladyan, A. Hydrogen production by *Escherichia coli* during glucose fermentation: Effects of oxidative and reductive routes used by the strain lacking hydrogen oxidizing hydrogenases 1 (hya) and 2 (hyb). *International Journal of Hydrogen Energy*. 2015; 40 (24): 7459–7464.
- Allaby, M. A dictionary of zoology. Oxford University Press: Oxford; 2003, pp. 508.
- American Public Health Association (APHA). Standard methods for the examination of water and wastewater. 21st ed. Washington D.C.; 2005.
- Amorim, E.L.C., Barros, A.R., Damianovic, M.S.R.Z., Silva, E.L., Anaerobic Fluidized Bed Reactor with Expanded Clay as Support for Hydrogen Production through Dark Fermentation of Glucose. *International Journal of Hydrogen Energy*. 2009; 34: 783-790.
- Andreesen, J.R., Bahl, H., Gottschalk, G. Introduction to the Physiology and Biochemistry of the Genus *Clostridium*. In: Minton, N.P., Clarke, D.J., editors. *Biotechnology Handbooks*. Vol. 3. 1989; 27-62.
- Antonopoulou, G., Gavala, H.N., Skiadas, I.V., Lyberatos, G. Effect of substrate concentration on fermentative hydrogen production from sweet sorghum extract. *International journal of hydrogen energy*. 2011; 36: 4843-4851.
- Antonopoulou, G., Gavala, H.N., Skiadas, I.V., Angelopoulos, K., Lyberatos, G. Biofuels generation from sweet sorghum: Fermentative hydrogen production and anaerobic digestion of the remaining biomass. *Bioresource Technology*. 2008. 99; 110–119.
- Arnesen, L.P.S., Fagerlund, S., Granum P.E. From soil to gut: *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiology Reviews*. 2008; 32: 579–606.
- Bakonyi, P., Nemestothy, N., Lovitusz, E., Belafi-Bako, K. Application of PlacketteBurman experimental design to optimize biohydrogen fermentation by *E. coli* (XL1-BLUE). *International Journal of Hydrogen Energy*. 2011; 36: 13949-13954.

- Bala-Amutha, K., Murugesan. A.G. Biohydrogen production using corn stalk employing *Bacillus licheniformis* MSU AGM 2 strain. *Renewable Energy*. 2013; 50: 621-627.
- Barros, A.R., Amorim, E.L.C., Reis, C.M., Shida, G.M., Silva, E.L. Biohydrogen Production in Anaerobic Fluidized Bed Reactors: Effect of Support Material and Hydraulic Retention Time. *International Journal of Hydrogen Energy*. 2010; 35: 3379-3388.
- Barros, A.R., Silva, S.E. Hydrogen and Ethanol Production in Anaerobic Fluidized Bed Reactors: Performance Evaluation for Three Support materials under Different Operating Conditions. *Biochemical Engineering Journal*. 2012; 61: 59-65.
- Bauman, J.G., Wiegant, J., Borst, P, van Duijn, P. A new method for fluorescence microscopical localization of specific DNA sequences by in situ hybridization of fluorochromelabelled RNA. *Experimental Cell Research*. 1980; 128: 485-490.
- Bottone, E.J. *Bacillus cereus*, a Volatile Human Pathogen. *Clinical Microbiology Reviews*. 2010; 23: 382-398.
- Brunauer, S., Emmett, P. H., Teller, E. Adsorption of Gases in Multimolecular Layers. *Journal of the American Chemical Society*. 1938; 60 (2): 309-319.
- Chang, J.S., Lee, K.S., Lin, P.J. Biohydrogen Production with Fixed-Bed Bioreactors. *International Journal of Hydrogen Energy*. 2002; 27: 1167-1174.
- Chen, F., Porter, D., Vollrath, F. Structure and physical properties of silkworm cocoons. *Journal of the Royal Society Interface*. 2012; 9: 2299–2308.
- Chen, W.M., Tseng, Z.J., Lee, K.S., Chang, J.S. Fermentative hydrogen production with *Clostridium butyricum* CGS5 isolated from anaerobic sewage sludge. *International journal of hydrogen energy*. 2005; 30: 1063-1070.
- Chen W.H., Chen S.Y., Khanal S.K., Sung S. Kinetic study of biological hydrogen production by anaerobic fermentation. *International Journal of Hydrogen Energy* 2006; 31: 2170–2178.
- Cheng, J.S., Yin, D.M., Li, S.Y., Yuan, Y.J. Activation of ERK-like MAP Kinase Involved in Regulating the Cellular Proliferation and Differentiation of

- Immobilized *Taxus cuspidata* Cells. *Enzyme and Microbial Technology*. 2006; 39: 1250–1257.
- Chick, W.L., Perna, J.J., Lauris, V., Low, D., Galletti, P.M., Panol, G., Whittemore, A.D., Like, A.A., Colton, C.K., Lysaght, M.J. Artificial pancreas using living beta cells: effects on glucose homeostasis in diabetic rats. *Science*. 1977; 197: 780-782.
- Chin, H.L., Chen, Z.S., Chou, C.P. Fed-batch operation using *Clostridium acetobutylicum* suspension culture as biocatalyst for enhancing hydrogen production. *Biotechnology Progress*. 2003; 19: 383–238.
- Chu, C.F., Ebie, Y., Inamori, Y., Kong, H. Effect of Hydraulic Retention Time on the Hydrogen Yield and Population of *Clostridium* in Hydrogen Fermentation of Glucose. *Journal of Environmental Sciences*. 2009; 21: 424–428.
- David, B.L., Lawrence, P., Murray, L. Biohydrogen Production: Prospects and Limitations to Practical Application. *International Journal of Hydrogen Energy*. 2004; 29: 173-185.
- Das, D., Veziroğlu, T.N. Hydrogen Production by Biological Processes: A Survey of Literature. *International Journal of Hydrogen Energy*. 2001; 26: 13-28.
- Dubnau, D., Smith, I., Morell, P., Marmur, J. Gene conservation in *Bacillus* species. I. Conserved genetic and nucleic acid base sequence homologies. *Proceedings of the National Academy of Sciences USA*. 1965; 54:491–498.
- Demirbas, A. Biohydrogen for Future Engine Fuel Demands. Springer; 2009.
- DeLong, E.F., Wickham, G.S., Pace, N.R. Phylogenetic stains: ribosomal RNA-based probes for the identification of single cells. *Science*. 1989; 243:1360–1363.
- Dharmananda, S. Chantui: Use of Chitin in Chinese Herb Formulas [monograph on the internet]. <http://www.itmonline.org> [homepage on internet]. United States of America. [cited 2013 Oct 9th]. Available from: http://www.itmonline.org/_arts/chantui.htm
- Edgar, R.C. UPARSE: Highly accurate OTU sequences from microbial amplicon reads, *Nature Methods*. 2013; 10(10): 996-998.
- Fan, T.-X., Chow, S.-K., Zhang, D. Biomimetic mineralization: From biology to materials. *Progress in Materials Science*. 2009; 54: 542–659. Fang, H.H.,

- Liu, H. Effect of pH on hydrogen production from glucose by a mixed culture. *Bioresources Technology*. 2002; 82 (1): 87-93.
- John, H., Birnstiel, M., Jones, K. RNA:DNA hybrids at the cytogenetical level. *Nature*. 1969; 223: 582-587.
- Gasol, J.M., Zweifel, U.L., Peters, F., Fuhrman, J.A., Hagström, Å. Significance of Size and Nucleic Acid Content Heterogeneity as Measured by Flow Cytometry in Natural Planktonic Bacteria. *Applied and Environmental Microbiology*. 1999; 65 (10): 4475-4483.
- Ge, Z., Baguenard, S., Lim, L.Y., Wee, A., Khor, E. Hydroxyapatite–chitin materials as potential tissue engineered bone substitutes. *Biomaterials*. 2004; 25: 1049–1058.
- Ghimire, A., Frunzo, L., Pirozzi, F., Trably, E., Escudie, R., Lens, P.N.L., Esposito, G. A review on dark fermentative biohydrogen production from organic biomass: Process parameters and use of by-products. *Applied Energy*. 2015; 144: 73–95.
- Giovannoni, S.J., DeLong, E.F., Olsen, G.J., Pace, N.R. Phylogenetic group-specific oligodeoxynucleotide probes for identification of single microbial cells. *Journal of Bacteriology*. 1988; 170: 720–726.
- Goud, R.K., Veer Raghavulu, S., Mohanakrishna, G., Naresh, K., Venkata Mohan, S. Predominance of Bacilli and Clostridia in microbial community of biohydrogen producing biofilm sustained under diverse acidogenic operating conditions. *International Journal of Hydrogen Energy*. 2012; 37: 4068-4076.
- Grimes, C.A., Varghese, O.K., Ranjan, S. *Light, Water, Hydrogen the Solar Generation of Hydrogen by Water Photoelectrolysis*. Springer; 2008.
- Guo, X.M., Trably, E., Latrille, E., Carrere, H., Steyer, J.P. Hydrogen production from agricultural waste by dark fermentation: A review. *International Journal of Hydrogen Energy*. 2010; 35: 10660-10673.
- Gurtler, V., Stanisich, V. New approaches to typing and identification of bacteria using the 16s-23s rDNA spacer region. *Microbiology*. 1996; 142: 3-16.
- Hallenbeck, P.C., Abo-Hashesh, M., Ghosh, D. Strategies for improving biological hydrogen production. *Bioresource Technology*. 2010; 110: 1–9.

- Hallenbeck, P.C., Benemann, J.R. Biological hydrogen production; fundamentals and limiting processes. *International Journal of Hydrogen Energy*. 2002; 27: 1185 – 1193.
- Hasyim, R., Imai, T., O-Thong, S., Sulistyowati, L. Biohydrogen production from sago starch in wastewater using an enriched thermophilic mixed culture from hot spring. *International Journal of Hydrogen Energy*. 2011; 36: 14162-14171.
- Hawkes, F.R., Dinsdale, R., Hawkes, D.L., Hussy, I. Sustainable fermentative hydrogen production: challenges for process optimization. *International Journal of Hydrogen Energy*. 2002; 27: 1339 – 1347.
- Hawkes, F., Hussy, I., Kyazze, G., Dinsdale, R., Hawkes, D. Continuous dark fermentative hydrogen production by mesophilic microflora: principles and progress. *International Journal of Hydrogen Energy*. 2007; 32: 172–84.
- Henze, M., Harremoës, P. Anaerobic treatment of wastewater in fixed film reactors - A literature review -. *Water Science and Technology*. 1983; 15 (8-9): 1-101.
- Holzappel, W.H.N., Wood, B.J.B. *The Genera of Lactic Acid Bacteria*. Springer; 2012.
- Hommais, F., Laurent-Winter, C., Labas, V., Krin, E., Tendeng, C., Soutourina, O., Danchin, A., Bertin, P. Effect of mild acid pH on the functioning of bacterial membranes in *Vibrio cholerae*. *Proteomics*. 2002; 2(5): 571–579.
- Ifuku, S., Nakagaito, A.N., Saimoto, H., Lin, T., editors. *Nanofibers - Production, Properties and Functional Applications*. Intech; 2011.
- Inorganic Chemistry Division, Commission on Isotopic Abundances and Atomic Weights (IUPAC). *Atomic weights of the elements 2011*. *Pure Applied Chemistry*. 2013; 85 (5): 1047-4078.
- Ivanova, N., Sorokin, A., Anderson, I., Galleron, N., Candelon, B., Kapatral, V., Bhattacharyya, A., Reznik, G., Mikhailova, N., Lapidus, A., Chu, L., Mazur, M., Goltsman, E., Larsen, N., D'Souza, M., Walunas, T., Grechkin, Y., Pusch, G., Haselkorn, R., Fonstein, M., Ehrlich, S.D., Overbeek, R., Kyrpides, S. Genome sequence of *Bacillus cereus* and comparative analysis with *Bacillus anthracis*. *Nature*. 2003; 423: 87-91.

- Jang, A., Kim, I.S., Applied Method of Fluorescence in situ Hybridization (FISH) with Luminescence Spectrometer for Estimating the Activity of Nitrifying Bacteria. Journal of the Korean Society for Applied Biological Chemistry. 2011; 54(3): 409-415.
- Jansen, G.J., Mooibroek, M., Idema, J., Harmsen, H.J.M., Welling, G.W., Degener, J.E. Rapid identification of bacteria in blood cultures by using fluorescently labeled oligonucleotide probes. Journal of Clinical Microbiology. 2000; 38 (2), 814–817.
- Jensen TK, Møller K, Boye M, Leser TD, Jorsal SE. Scanning electron microscopy and fluorescent in situ hybridization of experimental *Brachyspira* (Serpulina) pilosicoli infection in growing pigs. Veterinary Pathology. 2000; 37(1): 22-32.
- Jitrwung, R., Yargeau, V. Biohydrogen and Bioethanol Production from Biodiesel-Based Glycerol by *Enterobacter aerogenes* in a Continuous Stir Tank Reactor. International Journal of Molecular Sciences. 2015; 16 (5): 10650-10664.
- Jo, J.H., Lee, D.S., Park, D., Choe, W.S., Park, J.M. Optimization of key process variables for enhanced hydrogen production by *Enterobacter aerogenes* using statistical methods. Bioresources Technology. 2008; 99: 2061–2066.
- Karthic, P., Shiny, J. Comparisons and Limitations of Biohydrogen Production Processes: A Review. International Journal of Advances in Engineering and Technology. 2012; 2 (1): 342-356.
- Kanai, T., Imanaka, H., Nakajima, A., Uwamori, K., Omori, Y., Fukui, T., Atomi, H., Imanaka, T., Continuous hydrogen production by the hyperthermophilic archaeon, *Thermococcus kodakaraensis* KOD1. Journal of Biotechnology. 2005; 116 (3): 271–282.
- Kapdan, I.K., Kargi, F., Biohydrogen production from waste materials. Enzyme Microbial Technology. 2006; 38 (5): 69-82.
- Karel, S.F., Libicki, S.B., Robertson, C.R. The Immobilization of Whole Cells: Engineering Principles. Chemical Engineer and Science. 1985; 40 (8): 1321-1354.

- Kempf, V.A., Trebesius, K., Autenrieth, I.B. Fluorescent in situ hybridization allows rapid identification of microorganisms in blood cultures. *Journal of Clinical Microbiology*. 2000; 38(2): 830–838.
- Khanna, N., Kotay, S.M., Gilbert, J.J., Das D. Improvement of biohydrogen production by *Enterobacter cloacae* IIT-BT 08 under regulated pH. *Journal of Biotechnology*. 2011; 152: 9–15.
- Kim, I.S., Ivanov, V.N., Detection of nitrifying bacteria in activated sludge by fluorescent in situ hybridization and fluorescence spectrometry. *World Journal of Microbiology and Biotechnology*. 2000; 16(5): 425-430.
- Kim, Y.J., Lee, H.S., Kim, E.S., Bae, S.S., Lim, J.K., Matsumi, R., Lebedinsky, A.V., Sokolova, T.G., Kozhevnikova, D.A., Cha, S.S., Kim, S.J., Kwon, K.K., Imanaka, T., Atomi, H., Bonch-Osmolovskaya, E.A., Lee, J.H., Kang, S.J., Formate-driven growth coupled with H₂ production. *Nature*. 2010; 467: 352-355.
- Kim, S.H., Han, S.K., Shin, S.H. Effect of substrate concentration on hydrogen production and 16S rDNA-based analysis of the microbial community in a continuous fermenter. *Process Biochemistry*. 2006; 41: 199–207.
- Klebanoff, L. *Hydrogen Storage Technology: Materials and Applications*. CRC Press: Florida; 2012, pp. 331.
- Knappe, J., Blaschkowski, H.P., Grobner, P., Schmitt, T. Pyruvate formate lyase of *Escherichia coli*: the acetyl enzyme intermediate. *European Journal of Biochemistry*. 1974; 50: 253–263.
- Kreith, F., Goswami, Y., editors. *Handbook of Energy Efficiency and Renewable Energy*. CRC Press; 2007.
- Kubota, K., Ohashi, A., Imachi, H., Harada, H. Improved In Situ Hybridization Efficiency with Locked-Nucleic-Acid-Incorporated DNA Probes. *Applied and Environmental Microbiology*. 2006; 72 (8): 5311-5317.
- Kumar, A., Jain, S.R., Sharma, C.B., Joshi, A.P., Kalia, V.C. Increased H₂ production by immobilized microorganisms. *World Journal of Microbiology and Biotechnology*. 1995; 11: 156-l 59.

- Kumar, K., Das, D. Continuous Hydrogen Production by Immobilized *Enterobacter cloacae* IIT-BT 08 using Lignocellulosic Materials as Solid Matrices. *Enzyme and Microbial Technology*. 2001; 29: 280-287.
- Kuniyoshi, T.M., Balan, A., Schenberg, A.C.G., Severinob, D., Hallenbeck, P.C. Heterologous expression of proteorhodopsin enhances H₂ production in *Escherichia coli* when endogenous Hyd-4 is overexpressed. *Journal of Biotechnology*. 2015; 206: 52–57.
- Lay, J.-J., Fan, K.-S., Chang, I.J., Ku, C.-H. Influence of chemical nature of organic wastes on their conversion to hydrogen by heat-shock digested sludge. *International Journal of Hydrogen Energy*. 2003; 28: 1361–1367.
- Lay, J.-J., Lee, Y.-J., Noike, T. Feasibility of biological hydrogen production from organic fraction of municipal solid waste. *Water Research*. 1999; 33(11): 2579–2586.
- Lebaron, P., Servais, P., Agogu  , H., Courties, C., Joux , F. Does the High Nucleic Acid Content of Individual Bacterial Cells Allow Us To Discriminate between Active Cells and Inactive Cells in Aquatic Systems?. *Applied and Environmental Microbiology*. 2001; 67 (4): 1775–1782.
- Lee, A.K., Lewis D.M., Ashman, P.J., Microbial flocculation, a potentially low-cost harvesting technique for marine microalgae for the production of biodiesel. *Journal of Applied Phycology*. 2009a; 21: 559-567.
- Lee, H.-S., Biological hydrogen production from biomass using dark fermentation and microbial electrolysis cell, ProQuest: Michigan; 2009b, pp.35.
- Lee, K.H., Hsu, Y.F., Lo, Y.-C., Lin, P.-J., Lin, C.-Y., Chang, J.-S., Exploring optimal environmental factors for fermentative hydrogen production from starch using mixed anaerobic microflora. *International Journal of Hydrogen Energy*. 2008; 33: 1565-1572.
- Lee, Y.J., Miyahara, T., Noike, T. Effect of Iron concentration on hydrogen fermentation. *Bioresource Technology*. 2001; 80: 227-231.
- Leon, A., editor. *Hydrogen Technology Mobile and Portable Applications*. Berlin: Springer; 2008.

- Li, C.L., Fang, H.H.P. Fermentative hydrogen production from wastewater and solid wastes by mixed cultures. *Critical Reviews Environmental Science Technology*. 2007; 37: 1–39.
- Li, W.W., Yu, H.Q. Biohydrogen Production with High-Rate Bioreactors. In Pandey, A., Larroche, C., Ricke, S., Dussap, C.-G., Gnansounou, E. *Biofuels: Alternative Feedstocks and Conversion Processes*. Elsevier: 2011, pp. 544-545.
- Lian, B., Chen, Y., Zhao, J., Teng, H.H., Yuan, S., Microbial flocculation by *Bacillus mucilaginosus*: Applications and mechanisms. *Bioresource Technology*. 2008; 99 (11): 4825-4831.
- Lin, C.Y., Chang, R.C. Fermentative Hydrogen Production at Ambient Temperature. *International Journal of Hydrogen Energy*. 2004; 29 (7): 715 – 720.
- Liu, G.Z., Shen, J.Q. Effects of culture and medium conditions on hydrogen production from starch using anaerobic bacteria. *Journal of Biosciences and Bioengineering*. 2004; 98: 251–256.
- Llobet-Brossa, E., Rossello-Mora, R., Amann, R., Microbial Community Composition of Wadden Sea Sediments as Revealed by Fluorescence in situ Hybridization. *Applied and Environmental Microbiology*. 1998; 64(7): 2691–2696.
- Lo, Y.C., Chen, W.M., Hung, C.H., Chen, S.D., Chang, J.S. Dark H₂ fermentation from sucrose and xylose using H₂-producing indigenous bacteria: feasibility and kinetic studies. *Water Research*. 2008; 42: 827–842.
- Logan, B.E. Extracting hydrogen and electricity from renewable resources. *Environmental Science and Technology*. 2004; 38(9): 160A – 167A.
- Lu, H., Lee, P.K.H., Effects of cellulose concentrations on the syntrophic interactions between *Clostridium cellulovorans* 743B and *Rhodopseudomonas palustris* CGA009 in coculture fermentation for biohydrogen. *International Journal of Hydrogen Energy*. 2015; 40: 11800-11808.
- Madigan, M., Martinko, J., editors. *Brock Biology of Microorganisms*. 11th edition. Prentice Hall; 2005.
- Matson, S.L., Lopez, J.L., Quinn, J.A. Separation of Gases with Synthetic Membranes. *Chemical Engineering Science*. 1985; 38 (4): 503-524.

- Maric, S., Vranes, J. Characteristics and significance of microbial biofilm formation. *Periodicum Biologorum*. 2007; 109: 1-7.
- Meier, H., Amann, R., Ludwig, W., Schleifer, K.H. Specific Oligonucleotide Probes for in situ Detection of a Major Group of Gram-positive Bacteria with low DNA G+C Content. *Systematic and Applied Microbiology*. 1999; 22 (2): 186-196.
- Meyers, M.A., Chen, P.-Y., Lin, A. Y.-M., Seki, Y. Biological materials: Structure and mechanical properties. *Progress in Materials Science*. 2008; 53: 1–206.
- Michelini, E., Roda, A., Staying alive: new perspectives on cell immobilization for biosensing purposes. *Analytical and Bioanalytical Chemistry*. 2012; 402 (5): 1785-1797.
- Ming, N., Leung, Y.C., Leung, M.K.H., Sumathy K. An overview of hydrogen production from biomass. 2006; 87: (461-472).
- Mishra, P., Das, D. Biohydrogen production from *Enterobacter cloacae* IIT-BT 08 using distillery effluent. *International Journal of Hydrogen Energy*. 2014; 39 (14): 7496-7507.
- Mizrahi-Man, O., Davenport, E.R., Gilad, Y. Taxonomic Classification of Bacterial 16S rRNA Genes Using Short Sequencing Reads: Evaluation of Effective Study Designs. *PLoS ONE*. 2013; 8(1): e53608.
- Mohan, R.R., Li, N.N., Nitrate and nitrite reduction by liquid membrane-encapsulated whole cells. *Biotechnology and Bioengineering*. 1975; 17 (3): 1137-1156.
- Moter, A., Gobel, U.B., Fluorescence in situ hybridization (FISH) for direct visualization of microorganisms. *Journal of Microbiological Methods*. 2000; 41: 85–112.
- Mounika, M., Ravindrab, Dr.K., Characterization Of Nanocomposites Reinforced With Cellulose Whiskers: A Review. *Materials Today: Proceedings* 2. 2015; 3610-3618.
- Mussatto, S. I., Teixeira, J. A., Mendez-Vilas, A., editors. Lignocellulose as raw material in fermentation processes. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology*. Formatex; 2010.

- Ni, M., Leung, D.Y.C., Leung, M.K.H., Sumathy, K. An overview of hydrogen production from biomass. *Fuel Processing Technology*. 2006; 87: 461–472.
- Nield-Gehrig, J.S. Dental Plaque Biofilms [monograph on the internet]. *Dentalcaresamford.com* [homepage on internet]. United States of America. Dental Care of Stamford. [cited 2013 Aug 26th]. Available from: <http://www.dentalcaresamford.com/pdf/Denta%20Plaque%20Biofilms.pdf>
- Ntaikou, I., Antonopoulou, G., Lyberatos, G. Biohydrogen Production from Biomass and Wastes via Dark Fermentation: A Review. *Waste Biomass Valor.* 2010; 1: 21–39.
- Ogino, H., Miura, T., Ishimi, K., Seki, M., Yoshida, H. Hydrogen production from glucose by anaerobes. *Biotechnology Progress*. 2005; 21: 1786–1788.
- Olah, G.A., Goepfert, A., Surya Prakash, G. K. Chemical Recycling of Carbon Dioxide to Methanol and Dimethyl Ether: From Greenhouse Gas to Renewable, Environmentally Carbon Neutral Fuels and Synthetic Hydrocarbons. *The Journal of Organic Chemistry*. 2009; 74 (2): 487–498.
- Ortigueira, J., Pinto, T., Gouveia, L., Moura, P. Production and storage of biohydrogen during sequential batch fermentation of *Spirogyra* hydrolyzate by *Clostridium butyricum*. *Energy*. 2015; 88: 528-536.
- O-Thong, S., Prasertsan, P., Karakashev, D., Angelidaki, I. Thermophilic fermentative hydrogen production by the newly isolated *Thermoanaerobacterium thermosaccharolyticum* PSU-2. *International Journal of Hydrogen Energy*. 2008; 33: 1204–1214.
- O-Thong, S., Hniman, A., Prasertsan, P., Tsuyoshi, I. Biohydrogen production from cassava starch processing wastewater by thermophilic mixed cultures. *International Journal of Hydrogen Energy*. 2011; 36: 3409-3416.
- Owen, W.F., Stuckey, D.C., Healy Jr., J.B., Young, L.Y., McCarty, P.L. Bioassay for monitoring biochemical methane potential and anaerobic toxicity. *Water Research*. 1979; 13 (6): 485–492.
- Pan, C.M., Fan, Y.T., Xing, Y., Hou, H.W., Zhang, M.L. Statistical optimization of process parameters on biohydrogen production from glucose by *Clostridium* sp. Fanp2. *Bioresources Technology*. 2008; 99: 3146–3154.

- Pardue, M.L., Gall, J.G., Molecular hybridization of radioactive DNA to the DNA of cytological preparations. *Proceedings of the National Academy of Sciences*. 1969; 64: 600-604.
- Patel, A.K., Debroy, a., Sharma, A., Saini, R., Mathur, A., Gupta, R., Tuli, D.K. Biohydrogen production from a novel alkalophilic isolate *Clostridium* sp. IODB-O3. *Bioresource Technology*. 2015; 175: 291–297.
- The Pennsylvania State University. Translation. [monograph on the Internet]. 2015. [cited 2015 Nov 13]. Available from: https://online.science.psu.edu/biol011_sandbox_7239/node/7395/
- Phelps, T.J., Zeikus, J.G. Influence of pH on Terminal Carbon Metabolism in Anoxic Sediments from a Mildly Acidic Lake. *Applied Environmental Microbiology*. 1984; 48(6): 1088-1095.
- Phowan, P., Danvirutai, P. Hydrogen production from cassava pulp hydrolysate by mixed seed cultures: Effects of initial pH, substrate and biomass concentrations. *Biomass and Bioenergy*. 2014; 64: 1-10.
- Pratt, L A., Kolter, R. Genetic analysis of *Escherichia coli* biofilm formation-roles of flagella, motility, chemotaxis and type I pili. *Molecular Microbiology*. 1998; 30(2): 285–293.
- Prieto, M.N., Hidalgo, A., Serra, J.L., Llama, M.J. Degradation of Phenol by *Hodococcus erythropolis* UPV-1 Immobilized on Biolite® in a Packed-Bed Reactor. *Journal of Biotechnology*. 2002; 97: 1–11.
- Reungsang., A., Sittijunda, S., O-thong, S. Bio-hydrogen production from glycerol by immobilized *Enterobacter aerogenes* ATCC 13048 on heat-treated UASB granules as affected by organic loading rate. *International Journal of Hydrogen Energy*. 2013; 38: 6970-6979.
- Rajeshwar, K., McConnell, R., Licht S., editors. *Solar Hydrogen Generation Toward a Renewable Energy Future*. Springer; 2008.
- Ravenschlag, K., Sahm, K., Pernthaler, J., Amann, R. High Bacterial Diversity in Permanently Cold Marine Sediments. *Applied and Enivironmental Microbiology*. 1999; 65(9): 3982-3989.

- Redwood, M.D., Mikheenko, I.P., Sargent, F., Macaskie, L.E. Dissecting the roles of *Escherichia coli* hydrogenases in biohydrogen production. *FEMS Microbiology Letters*. 2008; 278: 48–55.
- Sangyoka, S., Reungsang, A., Moonamart, S. Repeated-batch Fermentative for Biohydrogen Production from Cassava Starch Manufacturing Wastewater.
- Schneider, J.A. Phytogeny of the Cardiidae (Mollusca, Bivalvia): Protocardiinae, Laevicardiinae, Lahilliinae, Tulongocardiinae subfam. n. and Pleuriocardiinae subfam. n. *Zoologica Scripta*. 1995; 24(4): 321-346.
- Selembo, P.A., Merrill, M.D., Logan, B.E. The use of stainless steel and nickel alloys as low-cost cathodes in microbial electrolysis cells. *Journal of Power Sources*. 2009; 190: 271 – 278.
- Sen, B., Suttar, R.R. Mesophilic fermentative hydrogen production from sago starch-processing wastewater using enriched mixed cultures. *International Journal of Hydrogen Energy*. 2012; 37: 15588-15597.
- Shinsuke, I., Ryoki, N., Minoru, M., Hiroyuki, S. Preparation of Chitin Nanofibers from Mushrooms. *Materials*. 2011; 4(8): 1417-1425.
- Show, K.Y., Lee, D.J., Chang, J.S. Bioreactor and process design for biohydrogen production. *Bioresource Technology*. 2011; 102: 8524–8533.
- Sinha, P., Pandey, A., Biohydrogen production from various feedstocks by *Bacillus firmus* NMBL-03. *International Journal of Hydrogen Energy*. 2014; 39: 7518-7525.
- Sivaramakrishna, D., Sreekanth, D., Sivaramakrishnan, M., Kumar, B.S., Himabindu, V., Narasu, M.L. Effect of system optimizing conditions on biohydrogen production from herbal wastewater by slaughterhouse sludge. *International Journal of Hydrogen Energy*. 2014; 39: 7526-7533.
- Sridevi, K., Sivaraman, E., Mullai, P. Back propagation neural network modelling of biodegradation and fermentative biohydrogen production using distillery wastewater in a hybrid upflow anaerobic sludge blanket reactor. *Bioresource Technology*. 2014; 165: 233–240.
- Stoodley, P., Dodds, I., De Beer, D., Scott, H.L., Boyle, J.D. Influence of hydrodynamics and nutrients on biofilm structure. *Journal of Applied Microbiology*. 1999; 85(S1): 19S–28S.

- Sun, A., Parisius, W., Macmorine, H., Sefton, M., Stone, R. An Artificial Endocrine Pancreas Containing Cultured Islets of Langerhans. *Artificial Organs*. 1980; 4 (4): 275.
- Sun, L., Huang, A., Gu, W., Ma, Y., Zhu, A., Wang, G. Hydrogen production by *Enterobacter cloacae* isolated from sugar refinery sludge. *International Journal of Hydrogen Energy*. 2015; 40 (3): 1402–1407.
- Swiger, R.R., Tucker, J.D. Fluorescence In Situ Hybridization: A Brief Review. *Environmental and Molecular Mutagenesis*. 1996; 27: 245-254.
- Szentgyörgyi, E., Nemestóthy, N., Bélafi-Bakó, K. Anaerobic moving bed biofilm fermenter for biogas production. *Environment Protection Engineering*. 2010; 36(4): 117-125.
- Temudo, M., Muyzer, G., Kleerebezem, R., van Loosdrecht, M. Diversity of microbial communities in open mixed culture fermentations: impact of the pH and carbon source. *Applied Microbiology Biotechnology*. 2008; 80(6): 1121-1130.
- Tenney, M. W., Verhoff, F. H. Chemical and autoflocculation of microorganisms in biological wastewater treatment. *Biotechnology and Bioengineering*. 1973; 15 (6): 1045-1073.
- Thai Tapioca Starch Association [homepage on internet]. Thailand: Thai Tapioca Starch Association; [cited 2013 Aug 13th]. Available from: <http://www.thaitapiocastarch.org/products.asp>
- Tian, Q.-Q., Liang, L, Zhu, M.-J., Enhanced biohydrogen production from sugarcane bagasse by *Clostridium thermocellum* supplemented with CaCO₃. *Bioresource Technology*. 2014; 197: 422–428.
- Trchounian, K., Abrahamyan, V., Poladyan, A., Trchounian, A. *Escherichia coli* growth and hydrogen production in batch culture upon formate alone and with glycerol co-fermentation at different pHs. *International Journal of Hydrogen Energy*. 2015; 40 (32): 9935–9941.
- Turnbull P.C.B. *Bacillus*. In: Baron S., editor. *Medical Microbiology*. 4th edition. Galveston (TX): University of Texas Medical Branch at Galveston; 1996. [cited 2015 Nov 14th] Available from: <http://www.ncbi.nlm.nih.gov/books/NBK7699/>

- Unesco-IHE Institute for Water Education; Gerbens-Leenes, P.W., Hoekstra, A.Y., van der Meer, Th.H., Water footprint of bio-energy and other primary energy carriers. Value of Water Research Report Series No.29. 2008.
- Uyeda, K., Rabinowitz, J.R. Pyruvate-ferredoxin oxidoreductase. IV. Studies on the reaction mechanism. The Journal of Biological Chemistry. 1971; 246: 3120–3125.
- Valdez-Vazquez, I., Poggi-Varaldo, H.M. Hydrogen production by fermentative consortia. Renewable and Sustainable Energy Reviews. 2009; 13: 1000–1013.
- Valdez-Vazquez, I., Rios-Leal, E., Esparza-Garcia, F., Cecchi, F., Poggi-Varaldo, H.M. Semi-continuous solid substrate anaerobic reactors for H₂ production from organic waste: Mesophilic versus thermophilic regime. International Journal of hydrogen Energy. 2005; 1383-1391.
- Vezircjlu, T. N., Barbir, F. Hydrogen: The Wonder Fuel. International Journal of Hydrogen Energy. 1992; 17 (6): 391-394.
- Voet, D., Voet J.G. Biochemistry. 3rd ed. Wiley: Massachusetts; 2004, pp. 264.
- Wang, C.C., Chang, C.W., Chu, C.P., Lee, D.J., Chang, B.V., Liao, C.S. Producing hydrogen from wastewater sludge by *Clostridium bifermentans*. Jpurnal of Biotechnology. 2003; 102:83–92.
- Wang, J.L., Wan, W. Factors influencing fermentative hydrogen production: A review. International Journal of Hydrogen Energy. 2009; 34: 799-811.
- Wang, J.L., Wan, W. The effect of substrate concentration on biohydrogen production by using kinetic models. Science in China Series B: Chemistry. 2008a; 51 (11): 1110-1117.
- Wang, J.L., Wan, W. Effect of Fe²⁺ concentration on fermentative hydrogen production by mixed cultures. International Journal of Hydrogen Energy. 2008b; 33. 1215–1220.
- Wang, C.C., Chang, C.W., Chu, C.P., Lee, D.J., Chang, B.V., Liao, C.S. Producing hydrogen from wastewater sludge by *Clostridium bifermentans*. Journal of Biotechnology0. 2003; 102: 83–92.
- Watnick, P.I., Kolter, R. Steps in the development of a *Vibrio cholera* El Tor biofilm. Molecular Microbiology. 1999; 34(3): 586–595.

- Wei, J., Liu, Z.H., Zhang, X. Biohydrogen production from starch wastewater and application in fuel cell. *International Journal of Hydrogen Energy*. 2010; 35: 2949-2952.
- Woese, C.R., Bacterial evolution. *Microbiological Reviews*. 1987; 51:221–271.
- Woese, C.R., Stackebrandt, E., Macke, T.J., Fox, G.G. A phylogenetic definition of the major eubacterial taxa. *Systematic and Applied Microbiology*. 1987; 6:143–151.
- Wongthanate, J., Chinnacotpong, K., Khumpong, M. Impacts of pH, temperature and pretreatment method on biohydrogen production from organic wastes by sewage microflora. *International Journal of Energy and Environmental Engineering*. 2014; 5(76).
- Wu, J.H., Lin, C.Y. Biohydrogen production by mesophilic fermentation of food wastewater. *Water Science Technology*. 2004; 49: 223–8.
- Wu, S.Y., Lin, C.N., Chang, J.S. Hydrogen Production with Immobilized Sewage Sludge in Three-Phase Fluidized-Bed Bioreactors. *Biotechnology Progress*. 2003; 19: 828-832.
- Xiao, Y., Zhang, Z., Minglong Zhu, Wensong Tan. Effect of the culture media optimization, pH and temperature on the biohydrogen production and the hydrogenase activities by *Klebsiella pneumoniae* ECU-15. *Bioresource Technology*. 2013; 137: 9–17.
- Yang, H.J., Shen, J.Q. Effect of ferrous iron concentration on anaerobic bio-hydrogen production from soluble starch. *International Journal of Hydrogen Energy*. 2006; 31: 2137–2146.
- Yilmaz, L.S., Noguera, D.R. Mechanistic approach to the problem of hybridization efficiency in fluorescent in situ hybridization. *Applied and Environmental Microbiology*. 2004; 70: 7126–7139.
- Yilmaz, L.S., Okten, H.E., Noguera, D.R. Making all parts of the 16S rRNA of *Escherichia coli* accessible in situ to single DNA oligonucleotides. *Applied and Environmental Microbiology*. 2006; 72:733–744.
- Yokoi, H., Ohkawara, T., Hirose, J., Hayashi, S., Takasaki, Y.. Characteristics of hydrogen production by aciduric *Enterobacter aerogenes* strain HO-39. *Journal of Fermentation and Bioengineering*. 1995; 80: 571–574.

- Yoshida, A., Nishimura, T., Kawaguchi, H., Inui, M., Yukawa, H. Enhanced Hydrogen Production from Formic Acid by Formate Hydrogen Lyase-Overexpressing *Escherichia coli* Strains. *Applied and Environmental Microbiology*. 2005; 71 (11): 6762–6768.
- Yu, J., Takahashi, P. Biophotolysis-based Hydrogen Production by Cyanobacteria and Green Microalgae. *Communicating Current Research and Educational Topics and Trends in Applied Microbiology*. Formatex. 2007; 79-89.
- Yu, H.Q., Zhu, Z.H., Hu, W.R., Zhang, H.S. Hydrogen Production from Rice Winery Wastewater in an upflow anaerobic reactor by using mixed anaerobic cultures. *International Journal of Hydrogen Energy*. 2002; 27: 1359-1365.
- Yu, R., Sun, L., Sun, T.H., Research and Application of Microbial Flocculants in Sewage Treatment and Sludge Dewatering. *Bioinformatics and Biomedical Engineering*. 2009; 1 (4): 11-13.
- Zampieri, A., Mabande, G.T.P., Selvam, T., Schwieger, W., Rudolph, A., Hermann, R., Sieber, H., Greil, P. Biotemplating of *Luffa cylindrica* sponges to self-supporting hierarchical zeolite macrostructures for bio-inspired structured catalytic reactors. *Materials Science and Engineering C*. 2006; 26: 130-135.
- Zhang, H., Bruns, M.A., Logan, B.E. Biological Hydrogen Production by *Clostridium acetobutylicum* in an Unsaturated Flow Reactor. *Water Research*. 2006; 40: 728-734.
- Zhang, M.L., Fan, Y.T., Xing, Y., Pan, C.M., Zhang, G.S., Lay, J.J., 2007b. Enhanced biohydrogen production from cornstalk wastes with acidification pretreatment by mixed anaerobic cultures. *Biomass Bioenergy*. 2007a; 31 (4): 250–254.
- Zhang, T., Bao, M., Wang, Y., Su, H., Tan, T. Genome Sequence of *Bacillus cereus* Strain A1, an Efficient Starch-Utilizing Producer of Hydrogen. *Genome Announcements*. 2014; 2: 1-2.
- Zhang, T., Liu, H. Fang, H.H.P. Biohydrogen production from starch in wastewater under thermophilic condition. *Journal of Environmental Management*. 2003; 69: 149–156.

- Zhang, Y., Liu, G., Shen, J. Hydrogen production in batch culture of mixed bacteria with sucrose under different iron concentrations. *International Journal of Hydrogen Energy*. 2005; 30: 855–860.
- Zhang, Y., Shen, J. Effect of temperature and iron concentration on the growth and hydrogen production of mixed bacteria. *International Journal of Hydrogen Energy*. 2006; 31: 441–446.
- Zhang, Z.P., Show, K.Y., Tay, J.S., Liang, D.T., and Leed, D.J. Biohydrogen Production with Anaerobic Fluidized Bed Reactors—A Comparison of Biofilm-Based and Granule-Based Systems. *International Journal of Hydrogen Energy*. 2008; 33: 1559 – 1564.
- Zhang, Z.P., Tay, J.H., Show, K.Y., Yan, R., Liang, D.T., Lee, D.J., Jiang, W.J. Biohydrogen production in a granular activated carbon anaerobic fluidized bed reactor. *International Journal of Hydrogen Energy*. 2007b; 32: 185-191.
- Zhao, H.-P., Feng, X.-Q., Yu, S.-W., Cui, W.-Z., Zou, F.-Z. Mechanical properties of silkworm cocoons. *Polymer*. 2005; 46: 9192–9201.
- Zhao, L., Cao, G.-L., Wang, A.-J., Guo, W.-Q., Liu, B.-F., Ren, H.Y., Ren, N.-Q., Ma, F. Enhanced bio-hydrogen production by immobilized *Clostridium* sp. T2 on a new biological carrier. *International Journal of Hydrogen Energy*. 2012; 37: 162-166.
- Zheng, H., Zeng, R.J., Angelidaki, I. Biohydrogen production from glucose in upflow biofilm reactors with plastic carriers under extreme thermophilic conditions (70°C). *Biotechnology and Bioengineering*. 2008; 100: 1034–1038.
- Zhu, H., Parker, W., Basnar, R., Prorackic, A., Falletta, P., Be'land, M., Seto, P., Biohydrogen production by anaerobic co-digestion of municipal food waste and sewage sludges. *International Journal of Hydrogen Energy*. 2008; 33: 3651-3659.
- Zwietering, M.H., Jongenburger, I., Rombouts, F. M., van 't Riet, K. Modeling of the Bacterial Growth Curve. *Applied and Environmental Microbiology*. 1990; 56(6): 1875-1881.