

เอกสารอ้างอิง

เอกสารอ้างอิง

- กล้าณรงค์ ศรีรอต และ เกื้อกูล ปิยะจอมขวัญ. (2546) *เทคโนโลยีของแป้ง*. กรุงเทพฯ, สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.
- จิตรนา แจ่มเมฆ และ อรอนงค์. (2539) *เบเกอรี่เทคโนโลยีเบื้องต้น*. พิมพ์ครั้งที่ 4. กรุงเทพฯ, สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.
- ณรงค์ศักดิ์ เสนาณรงค์. (2553) *สารานุกรมไทยสำหรับเยาวชน เล่มที่ 14: ข้าวฟ่าง*. (ออนไลน์). ได้จาก: [http:// www.kanchanapisek.or.th/kp6/BOOK14/chapter7](http://www.kanchanapisek.or.th/kp6/BOOK14/chapter7) (สืบค้นเมื่อ 20 ตุลาคม 2553).
- นิธิยา รัตนพานนท์. (2549) *เคมีอาหาร*. พิมพ์ครั้งที่ 2. กรุงเทพฯ, โอเดียนสโตร์.
- ปราณี อ่านเปรื่อง. (2551) *หลักการวิเคราะห์อาหารด้วยประสาทสัมผัส*. กรุงเทพฯ, จุฬาลงกรณ์มหาวิทยาลัย.
- ณัฐกฤตา สุวรรณทิป. (2541) *การสกัดแป้งจากเมล็ดข้าวฟ่างโดยการโม่*. วิทยานิพนธ์ปริญญามหาบัณฑิต. จุฬาลงกรณ์มหาวิทยาลัย.
- (2010) *สำนักงานเศรษฐกิจการเกษตร : ข้อมูลการเพาะปลูก และผลผลิตข้าวฟ่างในประเทศไทย*. (ออนไลน์). ได้จาก: [http:// www.doa.go.th](http://www.doa.go.th) (สืบค้นเมื่อ 20 October 2010).
- อรอนงค์ นัยวิกุล. (2538) *เคมีทางธัญญาหาร*. ภาควิชาวิทยาศาสตร์และเทคโนโลยีการอาหาร. คณะอุตสาหกรรมเกษตร. มหาวิทยาลัยเกษตรศาสตร์.
- Abdel-Aal, E.S. M. and Hucl, P. (1999). A Rapid Method for Quantifying Total Anthocyanins in Blue Aleurone and Purple Pericarp Wheats. *Cereal Chemistry*. 76(3):350–354.
- Abad, A., Abu, E., Chindo, P.S., Marle, P.S. Maigida, D.N. and Ogungbile, A.O., (2005). Characterization of some released sorghum varieties and for food and industrial utilization in nigeria. *Agricultura Tropica et subtropica*. 38(2): 1-6.
- Agu, R.C. and Palmer, G.H. (1998). A REASSESSMENT OF SORGHUM FOR LAGER-BEER BREWING. *Bioresource Technology*. 66: 253-261.
- Aviara, N.A., Igbeka, J.C. and Nwokocha, L.M. (2010). Physicochemical properties of sorghum (*sorghum bicolor l. Moench*) starch as affected by drying temperature. *Journal of Agricultural Engineering International*. 12
- Awika, J. M. and Rooney, L. W. (2004). Sorghum phytochemicals and their potential impact on human health. *Phytochemistry*. 65: 1199–1221.
- Awika, J. M., Rooney, L. W., and Waniska, R. D. (2004). Anthocyanins from black sorghum and their antioxidant properties. *Food Chemistry*, 90: 293–301.
- Chanapamokkhot, H. and Thongngam, M. (2007). The Chemical and Physico-Chemical Properties of Sorghum Starch and Flour. *Journal of Natural Science*. 41: 343 – 349.

- Chung, H.J., Liu, Q., Pauls, K.P., Fan, M.Z., and Yada, R., (2008). In vitro starch digestibility, expected glycemic index and some physicochemical properties of starch and flour from common bean (*Phaseolus vulgaris* L.) varieties grown in Canada. *Food Research International*. 41: 869–875.
- Ciclitira, P.J., Julia Ellis, H.J., Lundin, K.E.A. (2005). Gluten-free diet—what is toxic. *Best Practice & Research Clinical Gastroenterology*. 19 (3): 359–371.
- Dicko, M. H., Gruppen, H. Traoré, A. S., Voragen, A. G. J. and Berkel, W. J. H. (2006). Review: Sorghum grain as human food in Africa: relevance of content of starch and amylase activities African. *Journal of Biotechnology*. 5(5): 384-395.
- Dimuzio, D.T. (2009). *Bread Baking*. New jersey, John Willey & Sons, Inc.
- Dlamini, N.D., Taylor, J.R.N. and Rooney, L.W., (2007). The effect of sorghum type and processing on the antioxidant properties of African sorghum-based. *foodsFood Chemistry*. 105: 1412–1419.
- Elemo, G.N., Elemo B.O. and Okafor, J.N.C., (2011). Preparation and nutritional composition of a weaning food formulated from germinated sorghum (*Sorghum bicolor*) and steamed cooked cowpea (*Vigna unguiculata* Walp.). *American Journal of Food Technology*. 6(5): 413-421.
- Elkhalifa, A.E.O. and Bernhardt, R., (2010). Influence of grain germination on functional properties of sorghum flour. *Food Chemistry*. 121: 387-392.
- Elmaki, H.B., Babiker, E.E., El Tinay, A.H. (1999). Changes in chemical composition, grain malting, starch and tannin contents and protein digestibility during germination of sorghum cultivars. *Food Chemistry* 64: 331-336.
- Elmaki, H.B., Babiker, E.E., and El Tinay. A.H., (1999). Changes in chemical composition, grain malting, starch and tannin contents and protein digestibility during germination of sorghum cultivars. *Food Chemistry*. 64: 331-336.
- Gallagher, E., Gormley, T.R. and Arendt, E.K. (2003). Crust and crumb characteristics of gluten free breads. *Journal of Food Engineering*. 56: 153–161.
- Henry, R.J. and Kettlewell, P.S. (1996) *Cereal grain quality*. London, Chapman & Hall.
- Hiemori, M., Koh, E., and Mitchell, AE. (2009). Influence of Cooking on Anthocyanins in Black Rice (*Oryza sativa* L. *japonica* var. SBR). *Journal of Agricultural and Food Chemistry*. 57: 1908-1914.
- Hugo, L. F., Rooney, L.W. and Taylor, J. R. N. (2003) Fermented Sorghum as a Functional Ingredient in Composite Breads. *Cereal Chemistry*. 80(5): 495–499.
- Hugo, L.F., Rooney, L.W. and Taylor, J.R.N. (2000) Malted sorghum as a functional ingredient in composite bread. *Cereal Chemistry*. 77(4): 428-432.

- Khandelwal, S., Udipi, S.A., Ghugre, P., (2010). Polyphenols and tannins in Indian pulses: Effect of soaking, germination and pressure cooking. *Food Research International*. 43: 526–530.
- Khalil, J.K., Sawaya, W.N., Safi, W.J. and Al-Mohammad, H.M. (1983). Chemical composition and nutritional quality of sorghum flour and bread. *Qualitas Plant Arum-Plant Foods for Human Nutrition*. 34: 141-150.
- Kris-Etherton, PM., Hecker, KD., Bonanome, A., Coval, SM., Binkoski, AE., Hilpert, KF., Griel, AE., and Etherton, TD. (2002) Bioactive compounds in foods: their role in the prevention of cardiovascular disease and cancer. *American Journal of Medicine*. 113(9): 71-88.
- Lasztity, R. (1995) *The Chemistry of Cereal Proteins*. CRC Press.
- Li, Jeng-Yune., Yeh, An-I. (2001). Relationship between thermal, rheological characteristics and swelling power for various starches. *Journal of food engineering*. 50(3): 141-148.
- Liu, R.H. (2007). Whole grain phytochemicals and health. *Journal of Cereal Science*. 46(3): 207–219.
- Mondal, A., Datta, A.K. (2008). Review: Bread baking – A review. *Journal of Food Engineering*. 86: 465–474.
- Mori, k., Goto-Yamamoto, N., Kitayama, M. and Hashizume, K. (2007). Loss of anthocyanins in red-wine grape under high temperature. *Journal of Experimental Botany*. 58(8): 1935-1945.
- Musa, A.S.N., Umar, I.M. and Ismail, M. (2011). Physicochemical properties of germinated brown rice (*Oryza sativa* L.) starch. *African Journal of Biotechnology*. 10(33): 6281-6291.
- Niba, L. L., Hoffman, J. (2003). Resistant starch and β -glucan levels in grain sorghum (*Sorghum bicolor* M.) are influenced by soaking and autoclaving. *Food Chemistry*. 81: 113–118.
- Onyango, C., Mutungi, C., Unbehend, G. and Lindhauer, M. G. (2010). Modification of gluten- free-sorghum batter and bread using maize, potato, cassava or rice starch. *LWT - Food Science and Technology*. 44: 681-686.
- Onyango, C., Mutungi, C., Unbehend, G. and Lindhauer, M.G. (2010). Rheological and baking characteristics of batter and bread prepared from pregelatinised cassava starch and sorghum and modified using microbial transglutaminase. *Journal of Food Engineering*. 97: 465–470.
- Osungbaro, T. O., Jimoh, D, and Osundeyi, E. (2010). Functional and pasting properties of composite cassava-sorghum flour meals. *Agriculture and Biology Journal of North America*. 1(4): 715-720.

- Palmer t, G.H., Etokakpan, O. U. and Igyor, M. A. (1989). Review : Sorghum as brewing material. *MIRCEN Journal*. 5: 265-275.
- Pasko, P., Barton, H., Zagrodzki, P., Gorinstein, S., Fota, M., Zachwieja, Z. (2009). Anthocyanins, total polyphenols and antioxidant activity in amaranth and quinoa seeds and sprouts during their growth. *Food Chemistry*. 115: 994–998.
- Pruessner, Harold T. (1998) *Detecting Celiac Disease in Your Patients*. American Family Physician. (Online). Available Source: [http:// www.aafp.org/afp/1998/0301/p1023.html](http://www.aafp.org/afp/1998/0301/p1023.html), (Cited 30 April 2012).
- Renzetti, S. and Arendt, E.K. (2009). Effect of protease treatment on the baking quality of brown rice bread: From textural and rheological properties to biochemistry and microstructure. *Journal of Cereal Science* 50: 22–28.
- Schober, T. J., Messerschmidt, M., Bean, S.R., Park, S. and Arendt, E.K. (2005). Gluten-Free Bread from Sorghum: Quality Differences Among Hybrids. *Cereal Chemistry*. 82(4): 394–404.
- Street, C.A. (1991) *Flour confectionery manufacture*. New York, VHC.
- Sutharut, J. and Sudarat, J. (2012). Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal*. 19(1): 215-221.
- Torbica, A., Hadnacev, M., and Dapcevi, T. (2010). Rheological, textural and sensory properties of gluten-free bread formulations based on rice and buckwheat flour. *Food Hydrocolloids*. 24: 626-632.
- U.S. Grains council. (2010) *Sorghum : Sorghum Usage*. (Online). Available from: <http://www.grains.org/sorghum> (Accessed 20 October 2010).
- Yan, S., Wu, X., Dahlberg, J., Bean, S.R., Macritchie, F., Wilson, J.D. and Wang, D. (2010). Properties of field-sprouted sorghum and its performance in ethanol production. *Journal of Cereal Science*. 51: 374-380.