

เอกสารอ้างอิง

1. Broadbent AS, Basic Principles of textile coloration. Society of Dyers and Colourists, 2001, p. 555.
2. Buckley AM and Greenblatt MJ. The Sol-gel preparation of silica gels 1994; 71: 599.
3. Zebib B, Mouloungui Z, and Noirot V. Stabilization of Curcumin by Complexation with Divalent Cations in Glycerol/Water System. *Bioinorg Chem Appl* 2010: 292760.
4. Schindler WD and Hauser PJ. *Chemical finishing of textiles*. Cambridge: Woodhead Publishing Ltd., 2004, p.9.
5. Li F, Xing Y, Ding X. Silica xerogel coating on the surface of natural and synthetic fabrics. *Surf Coat Technol* 2008; 202: 4721–4727.
6. Abdelmouleh M, Boufi S and Ben Salah A. Interaction of silane coupling agents with cellulose. *Langmuir* 2002; 18: 3203–3208.
7. Tan JPK and Tam KC. Responsive microgels for drug delivery applications. In: Hidalgo-Alvarez R (ed) *Structure and functional properties of colloidal systems*. Florida: CRC Press, 2010, pp.387–409.
8. Costa P, Manuel J and Sousa Lobo JM. Modeling and comparison of dissolution profiles. *Eur J Pharm Sci* 2001; 13: 123–133.
9. Mishra GP, Tamboli V and Mitra AK. Effect of hydrophobic and hydrophilic additives on sol–gel transition and release behavior of timolol maleate from polycaprolactone-based. *Colloid Polym Sci* 2011; 289: 1553–1562.

- |0. Aughenbaugh W, Radin S and Ducheyne P. Silica sol-gel for the controlled release of antibiotics. II. The effect of synthesis parameters on the in vitro release kinetics of vancomycin. *J Biomed Mater Res* 2001; 57: 321–326.
- |1. Roveri N, Morpurgo M, Palazzo B, et al. Silica xerogels as a delivery system for the controlled release of different molecular weight heparins. *Anal Bioanal Chem* 2005; 391: 601–606.
- 12 Radin S, Chen T and Ducheyne P. The controlled release of drugs from emulsified, sol gel processed silica microspheres. *Biomaterials* 2009; 30: 850–858.
13. Morpurgo M, Teoli D, Palazzo B, et al. Influence of synthesis and processing conditions on the release behavior and stability of sol-gel derived silica xerogels embedded with bioactive compounds. *Farmaco* 2005; 60: 675–683.
14. López Goerne TM, López García MG, Rodríguez Grada G, et al. Obtaining of Sol-Gel Ketorolac-Silica Nanoparticles: Characterization and Drug Release Kinetics. *Journal of Nanomaterials* 2013; Article ID 450483.
15. Po AL, Wong LP and Gilligan CA. Characterisation of commercially available theophylline sustained-or controlled-release systems: in-vitro drug release profiles. *Int J Pharm* 1990; 66: 111–130.
16. Kockish S, Rees GD, Tsibouklis J et al. Mucoadhesive, triclosan-loaded polymer microspheres for application to the oral cavity: preparation and controlled release characteristics. *Eur J Pharm Biopharm* 2005; 59: 207–216.
17. Siepmann J and Siepmann F. Mathematical modeling of drug delivery. *Int J Pharm* 2008; 364: 328–343.

8. Boltz DF and Mellon MG. Determination of phosphorus, germanium, silicon, and arsenic. *Anal Chem* 1947; 19: 873–877.
9. Finnie KS, Waller DJ, Perret FL, et al. Biodegradability of sol-gel silica microparticles for drug delivery. *J Sol-Gel Sci Technol* 2009; 49: 12–18.
20. Sing KSW, Everett DH, Haul RAW, et al. Reporting physisorption data for gas/solid systems with special reference to the determination of surface area and porosity. *Pure Appl Chem* 1985; 57: 603–619.
22. Burleigh EG Jr, Wakeham H and Honold E. Pore-Size Distribution in Textiles. *Text Res J* 1949; 19: 547–555.
23. Li F, Xing Y, Ding X. Silica xerogel coating on the surface of natural and synthetic fabrics. *Surf Coat Technol* 2008; 202: 4721–4727.
24. Li Y and Cai Z. Effect of acid-catalyzed sol-gel silica coating on the properties of cotton fabric. *J Text Inst* 2012; 103: 1099–1107.
25. Mahltig B and Textor T. *Nanosols and textiles*. Singapore: World Scientific Publishing Co., 2008, p.41.
26. Reddy N, Han S, Zhao Y, et al. Antimicrobial activity of cotton fabrics treated with curcumin. *J Appl Polym Sci* 2013; 127: 2698–2702.