

LITERATURE CITED

- Ammor, S., C. Rachman, S. Chaillou, H. Prévost X. Dousset, M. Zagored, E. Dufour and I. Chevallier, 2005. Phenotypic and genotypic identification of lactic acid bacteria isolated from a small-scale facility producing traditional dry sausages. **Food Microbiol.** 22: 373-382.
- Ammor, M.S. and B. Mayo. 2007. Selection criteria for lactic acid bacteria to be used as functional starter cultures in dry sausage production: An update. **Meat Sci.** 76: 138-146
- Andrighetto, C., P. DeDea, A. Lombardi, E. Neviani, L. Rossetti and G. Giraffa. 1998. Molecular identification and cluster analysis of homofermentative thermophilic lactobacillus isolated from dairy products. **Res. Microbiol.** 149: 631-643.
- Antara, N.S., I.N. Sujaya, A. Yokota, K. Asano, W.R. Aryanta and F. Tomita. 2002. Identification and succession of lactic acid bacteria during fermentation of urutan, a Balinese indigenous fermented sausage. **World J. Microbiol. Biotechnol.** 18. 255–262.
- _____, _____, _____, _____ and F. Tomita. 2004. Effects of Indigenous Starter Cultures on the Microbial and Physicochemical Characteristics of Urutan, a Balinese Fermented Sausage. **J. Biosci. Bioengineering.** 98: 92–98.
- Barrangou, R., S. Yoon, H.F. Breidt and T. Klaenhammer. 2002. Identification and characterization of *Leuconostoc fallax* strains isolated from industrial sauerkraut fermentation. **Appl. Environ. Microbiol.** 68: 2877-2884.
- Baruzzi, F., A. Matarante, L. Caputo and M. Morea. 2006. Molecular and physiological characterization of natural microbial communities isolated from a traditional Southern Italian processed sausage. **Meat Sci.** 72: 261–269

- Breidt, F. and H.P. Fleming. 1996. Identification of lactic acid bacteria by ribotyping. **J. Rap. Meth. Auto. Microbiol.** 4: 219-233.
- Brookes, R.M. and A.E. Buckle. 1992. Lactic acid bacteria in plant silage, pp 364-366. *In* Brian J.B. Wood, ed. **The Lactic Acid Bacteria vol. 1: The Lactic Acid Bacteria in Health and Disease**, Elsevier Applied Science, London.
- Brook, L. **Glycolysis** [online], Available [www. sp. uconn.edu/.../lectures/catabolism.html](http://www.sp.uconn.edu/.../lectures/catabolism.html). [May, 2005]
- Champomier, M.C., M.C. Montel, F. Grimont and P.A.D. Grimont. 1987. Genomic identification of meat lactobacilli as *Lactobacillus sake*. **Microbiol.** 138, 751–758.
- Chiwprasertphol, R. 2002. **Bacteriocin of *Lactococcus lactis* supsp. *Lactis* From Nham**. M. S. Thesis. Mahidol University, Bangkok.
- Cho, J.C. and J.M. Tiedje. 2001. Bacterial species determination from DNA-DNA hybridization by using genome fragments and DNA microarrays. **Appl. Environ. Microbiol.** 67. 3677–3682.
- Christensen, H., K. Jørgensen and J.E. Olsen. 1999. Differentiation of *Campylobacter coli* and *C. jejuni* by length and DNA sequence of the 16S–23S rRNA internal spacer region. **Microbiol.** 145: 99–105.
- Codex Alimentarius Commission. 1994. Codex standard for cooked cured ham *In* Codex Alimentarius. Vol. 10: Meat and Meat Products including Soups and broths. Joint FAO/WHO Food Standards Programme.
- Coppola, R., B. Giagnacovo, M. Iorizzo and L. Grazia, L. 1998. Characterization of lactobacilli involved in the ripening of soppressata molisana, a typical southern Italy fermented sausage. **Food Microbiol.** 15: 347–353

- Cocolin, L., K. Rantsiou, L. Iacumin, R. Urso, C. Cantoni and G. Comi. 2004. Study of the ecology of fresh sausages and characterization of populations of lactic acid bacteria by molecular methods. **Appl. Environ. Microbiol.** 70: 1883–1894.
- Dandamrongrak, R. 1991. **Effect of Glucono-delta-Lactone Sodium Ascorbate and Sodium Erythrobate on the Quality of Canadian Bacon**. M.S. Thesis, Kasetsart University.
- De Vries, M.C., R.J. Siezen, J.G.E. Wijman, Y. Zhao, M. Killeerebezem, W.M. de Vos and E.E. Vaughn. 2006. Comparative and functional analysis of the rRNA-operons and their tRNA gene complement in different lactic acid bacteria. **Syst. Appl. Microbiol.** 29: 358-367.
- du Toit, M., C.M.A.P. Franz, L.M.T. Dicks, U. Schillinger, P. Haberer, B. Warlies, F. Ahrens and W.H. Holzapfel. 1998. Characterisation and selection of probiotic lactobacilli for a preliminary minipig feeding trial and their effect on serum cholesterol levels, faeces pH and faeces moisture content. **Int. J. Food Microbiol.** 40: 93–104.
- Drosinos, E.H., M. Mataragas, N. Xiraphi, G. Moschonas, F. Gaitis and J. Metaxopulos. 2005. Characterization of the microbial flora from traditional Greek fermented sausage. **Meat Sci.** 69: 307-317
- Fani, R., Damiani, G., Di Serio, C., Gallori, E., Grifoni, A. and Bazzicalupo, M. 1993. Use of random amplified polymorphic DNA (RAPD) for generation specific DNA probes for microorganisms. **Mol. Ecol.** 2: 243-250.
- García-Fontaín, M.C., J.M. Lorenzo, S. Martínez, I. Franco and J. Carballo. 2007. Microbiological characteristics of Botillo, a Spanish traditional pork sausage. **LWT.** 40: 1610-1622.

- García-Martínez, J., S.G. Acinas, A.I. Anton and F. Rodríguez-Valera. 1999. Use of the 16S–23S ribosomal genes spacer region in studies of prokaryotic diversity. **J. Microbiol. Methods.** 36: 55–64.
- Gevers, D., G. Huys and J. Swings. 2001. Applicability of rep-PCR fingerprinting for identification of *Lactobacillus* species. **FEMS Microbiol. Lett.** 205: 31-36.
- Gonzalez, C. J., J.P. Encinas, M.L. Garcia-Lopez and A. Otero. 2000. Characterization and identification of lactic acid bacteria from freshwater fishes. **Food Microbiol.** 17: 383–391.
- Gürtler, V. and V.A. Stanisich. 1996. New approaches to typing and identification of bacteria using the 16S-23S rDNA spacer region. **Microbiol.** 142: 3-16.
- Holzappel, W.H., Haberer, P., Geisen, R., Bjorkroth J. and U. Schillinger. 2001. Taxonomy and important features of probiotic microorganisms in food and nutrition. **Am. J. Clin. Nutr.** 73: 365S-373S
- Holzappel, W.H. 2002. Appropriate starter culture technologies for small-scale fermentation in developing countries. **Int. J. Food Microbiol.** 75: 197– 212.
- Kandler, O. and N. Weiss. 1986. Genus lactobacillus, pp. 1208-1234. *In* P. H. A. Sneath, N.S. Mair, M.E. Sharpe, and J.G. Holt, eds. **Bergey's manual of systematic bacteriology.** Williams and Wilkins, Baltimore.
- Khieokhachee, T., W. Praphailong, C. Chowvalitnitithum, S. Kunawasen, S. Kumphati, V. Chavasith, S. Bhumiratana and R. Valyasevi. 1997. Microbial interaction in the fermentation of Thai pork sausage, pp. 312– 318. *In* **Proceeding of the 6th ASEAN Food Conference. November, Singapore.**
- Kostinek, M., I. Specht, V.A. Edward, C. Pinto, M. Egounlety, C. Sossa, S. Mbugua,

- C. Dortu, P. Thonart, L. Taljaard, M. Mengu, C.M.A.P. Franz and W.H. Holzapfel. 2007. Characterisation and biochemical properties of predominant lactic acid bacteria from fermenting cassava for selection as starter cultures. **Int. J. Food Microbiol.** 114: 342–351
- Krairojananan, P., S. Tanasupawat, W. Noonpakdee and R. Valyasevi. 1997. Catalases of bacteria isolated from Thai fermented foods. **Food Biotechnol.** 12(3): 221-238.
- Kunawasen, S. 2000. **Molecular Typing of Lactic Acid Bacteria Isolated during Nham Fermentation.** M. S. Thesis, Mahidol University.
- Kwanmuang, P. 2003. **Isolation of Lactic Acid Bacteria from Nham Samples in Thailand for Use as Starter Culture.** Ph.D. Thesis. Kasetsart University.
- Kwon, H.S., E.H. Yang, S.W. Yeon, B.H. Kang and T.Y. Kim. 2004. Rapid identification of probiotic Lactobacillus species by multiplex PCR using species-specific primers based on the region extending from 16S rRNA through 23S rRNA. **FEMS Microbiol. Lett.** 239: 267-275.
- Laganowska, M. and A. Kaznowski. 2004. Restriction fragment length polymorphism of 16S-23S rDNA intergenic spacer of *Aeromonas* spp. **Sys. Appl. Microbiol.** 27: 549-557.
- Leroy, F. and L. De Vuyst. 2004. Lactic acid bacteria as functional starter cultures for the food industry. **Trends Food Sci. Tech.** 15: 67– 78.
- _____, J. Verluyten and L. De Vuyst. 2006. Functional meat starter cultures for improved sausage fermentation. **Int. J. Food Microbiol.** 106: 270-285
- Limsuwan, S. 2004. **Effect of Starter Cultures and Temperatures on Evolution**

of Biogenic amines in Nham during Fermentation and Storage. M.S.

Thesis, King Mongkuts University of Technology Thonburi

Lupski, J.R. and G.M. Weinstock. 1992. Short, interspersed repetitive DNA sequence in prokaryotic genomes. **J. Bacteriol.** 174: 4525-4529.

Lyhs, U., H. Korkeala and J. Bjorkroth. 2002. Identification of lactic acid bacteria from spoiled, vacuum-packaged 'gravad' rainbow trout using ribotyping. **Int. J. Food Microbiol.** 72: 147-153.

McDonald L. C., H.P. Fleming and H.M. Hassan. 1990. Acid tolerance of *Leuconostoc mesenteroides* and *Lactobacillus plantarum*. **Appl. Environ. Microbiol.** 56: 2120-2124

Mendoza, M., H. Meugnier, M. Bes, J. Etienne and J. Franey. 1998. Identification of *Staphylococcus* species by 16S-23S rDNA intergenic spacer analysis. **Int. J. Syst. Bacteriol.** 48: 1049-1055.

Munikanonth, A. 2004. **Roles of Phosphate and Modified Starch on Quality of Low Fat Sausage from Frozen Storage Pork.** M. S. Thesis, Kasetsart University.

Ngeamdaung, S. 2002. **Study on Bacteriocin-Producing Lactic Acid Bacteria from Fermented Foods.** M.S. Thesis, Kasetsart University.

Noonpakdee, W., C. Santivarangkna, P. Jumriangrit, K. Sonomoto, S. and S. Panyim. 2003. Isolation of nisin-producing *Lactococcus lactis* WNC 20 strain from nham, a traditional Thai fermented sausage. **Int. J. Food Microbiol.** 81: 137-145.

Nour, M. 1998. 16S-23S and 23S-5S intergenic spacer regions of lactobacilli:

- nucleotide sequence, secondary structure and comparative analysis. **Res. Microbiol.** 149, 433–448.
- Olive D.M. and P. Bean. 1999. Principles and applications of methods for DNA-based typing of microbial organisms. **J. Clin. Microbiol.** 37: 1661-1669.
- Opaswatcharanon, U. 2004. **Development of Simulated Nham Broth to Study Growth and Lactic Acid Production of *Lactobacillus sakei* in Culture Nham Fermentation.** M. S. Thesis, Mahidol University.
- Ouadghiri, M., M. Amar, M. Vancanneyt and J. Swings. 2005. Biodiversity of lactic acid bacteria in Moroccan soft white cheese (Jben). **FEMS Microbiol. Lett.** 251: 267-271.
- Paukatong K., T. Smitinont, W. Prapailong and S. Kunawasen. 2000. Development of quality control system, quality assurance and standard for Nham industry and Nham product. **Final Report** submitted to National Center for the Genetic Engineering and Biotechnology.
- Papamanoli, E., N. Tzanetakis, E. Lipopoulou-Tzanetaki and P. Kotzekidou. 2003. Characterization of lactic acid bacteria isolated from a Greek dryfermented sausage in respect of their technological and probiotic properties. **Meat Sci.** 65: 859–867.
- Pérez-Luz, S., J. Fernandez, F. Rodríguez-Valera, L. Pascual, C. Moreno, A. Amo, D. Apraiz, V. Catalán. 2002. Sequencing diversity of the internal transcribed spacer (ITS) region of the rRNA operon among different serogroups of *Legionella pneumoniae* isolates **Sys. Appl. Microbiol.** 25: 212-219
- Petchsing, U. and M.J. Woodburn. 1990. *Staphylococcus aureus* and *Escherichia*

coli in Nham (Thai-style fermented pork sausage). **Int. J. Food Microbiol.** 10: 183-192

Phithakpol, B., W. Varanyanond, S. Reunmaneevaitoon and H. Wood. 1995. The Traditional Fermented Foods of Thailand. Institute of Food Research and Product Development, Kasetsart University, Bangkok, Thailand.

Phoonsawat, W. 2005. **Chemical and Microbiological Changes during Overfermentation of Nham.** Special project. Assumption University.

Plengvidhya, V., F. Breidt, Z. Lu and H.P. Fleming. 2004 Use of RAPD-PCR as a method to follow the progress of starter cultures in sauerkraut fermentation. **Int. J. Food Microbiol.** 93. 287-296.

_____, N. Chokesajjavatee and M. Rattanaprasert. 2005. Studying the effect of starter culture on microbiological and chemical changes during Nham fermentation, p. 6. **Progress Report 1** submitted to National Center for Genetic Engineering and Biotechnology National Science and Technology Development Agency (BIOTEC)

Rakphoa, S. 1996. **Effect of Mixed Starter Cultures in Nham Fermentation on the Reduction of *Staphylococcus aureus*.** M. S. Thesis, Mahidol University.

Rees, T.J. **The Development of a Novel Antifungal Silage Inoculant** [online], Available <http://www.brighton73.freemove.co.uk/tomsplace/scientific/phd/phdfram.htm> [May, 2005]

Riffard, S., F.L. Presti, P. Normand, F. Forey, M. Reyrolle, J. Etienne and F. Vendenesch. 1998. Species identification of *Legionella* via intergenic 16S–23S ribosomal spacer PCR analysis. **Int. J. Syst. Bacteriol.** 48: 723-730.

Rotsachakul, P. 2002. **Effects of Sodium Nitrite Content and *Lactobacillus***

***curvatus* Starter Culture on the Formation of Volatile Compounds in Nham.** M. S. Thesis, Kasetsart University.

Ross, R.P., S. Morgan and C. Hill. 2002. Preservation and fermentation: past, present and future. **Int. J. Food Microbiol.** 79: 3-16

Sambrook, J, E.F., Fritsch and T. Maniatis. 1989 Molecular Cloning: A Laboratory Manual. 2nd ed. Cold Spring Harbor Laboratory Press, U.S.A.:

Santos, E.M., I. Jaime, J. Rovira, U. Lyhs, H. Korkeala and J. Bjorkroth. 2005. Characterization and identification of lactic acid bacteria in “*morcilla de Burgos*”. **Int. J. Food Microbiol.** 97. 285–296

Shaw, B.G. and C.D. Harding. 1984. A numerical taxonomic study of lactic acid bacteria from vacuum-packed beef, pork, lamb and bacon. **J. Appl. Bacteriol.** 56: 25 – 40.

Smitinont T., W. Praphailong, S. Khumphati, K. Kiatpathomchai, P. Rojsajakul and S. Chaiseri. 1999. Study of Organic Acids and Volatile Compounds in Nham. **Final Report** submitted to National Center for Genetic Engineering and Biotechnology.

Somathiti, S. 1982. **A Survey of Some Enteropathogenic Bacteria in Thai Fermented Pork.** M. S. Thesis, Kasetsart University.

Song, Y.L., N. Kato, C.L. Liu., Y. Matsumiya, H. Kato and K. Watanabe. 2000. Rapid identification of 11 human group- and species-specific primers derived from the 16S-23S rRNA intergenic spacer region and its flanking 23S rRNA. **FEMS Microbiol. Lett.** 187: 167-173.

Stiles, M.E. and W. H. Holzapfel W.H. 1997. Lactic acid bacteria of foods and their current taxonomy. **Int. J. Food Microbiol.** 36: 1-29

Svetvivadhana, A. 1990. **Inhibitory Effect of Lactic Acid Bacteria on Salmonellae during Nham Fermentation.** M. S. Thesis, Kasetsart University.

Swetwivatthana, A., U. Leutz and A. Fischer. 1999. Role of garlic on growth and lactic acid production of starter cultures. **FLEISCHWIRTSCHAFT International.** 1: 26-29

Talon, R., D. Walter, S. Chartier, C. Barrière and M.C. Montel. 1999. Effect of nitrate and incubation conditions on the production of catalase and nitrate reductase by staphylococci. **Int. J. Food Microbiol.** 52: 47-56.

Tamang, J.P., B. Tamang, U. Schillinger, C.M.A.P. Franz, M. Gores and W.H. Holzapfel. 2005. Identification of predominant lactic acid bacteria isolated from traditionally fermented vegetable products of the Eastern Himalayas. **Int. J. Food Microbiol.** 105: 347-356.

_____, T. Ezaki, K. Suzuki, S. Okada, K. Komagata and M. Kozaki. 1992
Characterization and Identification of *Lactobacillus pentosus* and *Lactobacillus plantarum* strains from fermented foods in Thailand. **J. Gen. Appl. Microbiol.** 38: 121-134.

Tamine, A.Y. 2002. Fermented Milks: A historical food with modern application- a review. **European J. clin. Nutrit.** 56 (Suppl.). S2-S15.

- Tannock, G.W., Tilsala-Timisjarvi, A., Rodtong, S., NG, J., Munro, K and Alatosava, T. 1999. Identificaiton of *Labtobacillus* Isolates from the Gastrointestinal Tract, Silage, and Yogurt by 16S-23S rRNA Gene Intergenic Spacer Region Sequence Comparisons. **Appl. Environ. Microbiol.** 65: 42-64.
- _____. 2004. A special fondness for Lactobacilli. **Appl. Environ. Microbiol.** 70: 3189 – 3194
- Tanasupawat, S. and W. Daengsubha. 1983. *Pediococcus* species and related bacteria found in fermented foods ad related materials in Thailand. **J. Gen. Appl. Microbiol.** 29: 487-506
- Techapinyawat, S. 1975. **Microbial Study during Fermentation of Thai Fermented Pork.** M.S. Thesis, Kasetsart University.
- Temmerman, R., G. Huys and J. Swings. 2004. Identification of Lactic Acid Bacteria: Culture-Dependent and Culture-Independent Methods. **Trends Food Sci. Tech.** 15: 348-353
- Thungtakul, C. 1988. **Effects of Sodium Nitrite, Potassium Nitrate, Prague Powder and L-Ascorbic Acid on Quality of Thai Fermented Sausages.** M.S. Thesis, Kasetsart University.
- Tjener, K., L. H. Stahnke, L. Andersen and J. Martinussen. 2003. A fermented meat model system for studies of microbial aroma formation. **Meat Sci.** 66: 211–218
- Twichatwiatyakul, R. 1996. **Effect of Mixed Starter Cultures on Reducton of *Salmonella typhimurium* and *Salmonella anatum* in Nham Fermentation.** M. S. Thesis, Kasetsart University.

- Työppönen, S., E. Petäjä and T. Mattila-Sandholm. 2003. Bioprotectives and probiotics for dry sausages. **Int. J. Food Microbiol.** 83: 233–244.
- Valyasevi, R., P. Jungsiriwat, T. Smitinont, W. Praphailong and C. Chowalitnitithum. 2001. Improvement of Starter Culture for Nham Fermentation. **Final report** submitted to National Center for the Genetic Engineering and Biotechnology.
- _____ and R.S Rolle. 2002. An Overview of Small-Scale Food Fermentation Technologies in Developing Countries with Special Reference to Thailand: Scope for Their Improvement. **Int. J. Food Microbiol.** 75: 231-239
- _____, T. Smitinont, W. Visessanguan, S. Lertsiri, A. Tongta, M. Nopharatana, P. Thepkasikul, C. Kittikun and M. Rattanaprasert. 2006. The Fermentation Rate and Production of Metabolite Compounds during the Fermentation of Cultured Nham. **Progress Report** submitted to National Center for Genetic Engineering and Biotechnology.
- Ventura, M. and R. Zink. 2002. Specific identification and molecular typing analysis of *Lactobacillus johnsonii* by using PCR-based methods and pulsed-field gel electrophoresis. **FEMS Microbiol. Lett.** 217: 141-154
- Versalovic, J., T. Koeuth and J.R. Lupski. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. **Nucleic Acids Res.** 19: 6823-6831.
- _____, Schneider, M., F.J. De Bruijn and J.R. Lupski. 1994. Genomic fingerprinting of bacteria using repetitive sequence-based polymerase chain reaction. **Methods Mol. Cell Biol.** 5: 25-40.
- Visessanguan, W., S. Benjakul, S. Riebroy and P. Thepkasikul. 2004. Changes in composition and functional properties of proteins and their contributions to Nham characteristics. **Meat Sci.** 66: 579–588.

- _____, _____, C. Kittikun, P. Thepkasikul, A. Panya and A. Apinya. 2005. Influence of minced pork and rind ratios on physico-chemical and sensory quality of Nham-a Thai fermented pork sausage. **Meat Sci.** 69: 355-362.
- _____, _____, S. Riebroy, M. Yarchai and W. Tapingkae. 2006a. Changes in lipid composition and fatty acid profile of Nham, a Thai fermented pork sausage, during fermentation. **Food Chem.** 94: 580–588
- _____, _____, T. Smitionont, C. Kittikun, P. Thepkasikul and A. Panya. 2006b. Changes in microbiological, biochemical and physico-chemical properties of Nham inoculated with different inoculum levels of *Lactobacillus curvatus*. **LWT.** 39: 814–826.
- Wiriyacharee, P., L. Rujanakraikarn, P. Vibulseth, S. Sitthipojna, A. Hunpongkittikul and S. Chusangjan. 1990. The development of Nham formulation and controlled process made with mixed bacterial starter cultures. **Final report** submitted to National Center for the Genetic Engineering and Biotechnology.
- _____, _____ and P. Chavalee. 1994. Nham product development using mixed bacterial starter cultures: Effect of non-glutinous and glutinous on lactic acid production. **J. Agric.** 61-74
- _____, _____ and O. Sumang. 1995a. Nham product development using mixed bacterial starter cultures: Effect of sodium nitrate and sodium nitrite on Nham production. **J. Agric.** 11(1): 56-68
- _____, _____ and S. Boonthanom. 1995b. Nham product development using mixed bacterial starter cultures: Effect of sugar on Nham production. **J. Agric** 11(1): 82-101