

References

Books

- Barceloux, D.G. 2008. *Medical Toxicology of Natural Substances: Foods, Fungi, Medicinal Herbs, Toxic Plants, and Venomous Animals* (pp. 39-43). Hoboken, NJ: John Wiley & Sons.
- Cheng, Y., Xia, N. and Gilbert, M.G. (1999). Piperaceae. Pp 110-129 in *Flora of China* vol.4. Edited by Z. Wu & P.H. Raven. Missouri Botanical Garden, St.Louis, Missouri.
- Foundation of resuscitate and encourage Thai Traditional Medicine. (2005). *Thai Pharmaceutical Book* (pp. 225-226). Bangkok: Pikanate Printing Center Cooperation.
- Heywood, V.H. 1993. *Flowering Plants of the World*. Oxford University Press, New York, New York, USA.
- Judd, W.S., Campbell, C.S., Kellogg, E.A., Stevens, P.F., and M.J. Donoghue. 2008. *Plant Systematics: A Phylogenetic Approach* 3rd ed. Sinauer Associates, Inc., Sunderland, Massachusetts, USA.
- Mabberley, D.J. 1997. *The Plant Book: A portable dictionary of the vascular plants*. Cambridge University Press, Cambridge, UK.
- Makchuchit, S., 2010. *Anti-inflammatory and Anti-allergic Activities of Thai Traditional Medicine Preparation Called Prasaprohyai*, M. Sc. thesis, Thammasat University.
- Picheansoonthon, C., Chavalit, M. and Jeerawongs, V. 2005. *Traditional Pharmacy Pra Narai*, Ammarin publisher, Bangkok.
- Plant taxonomy/Systematic botany, Alphabet Koh Khai, 2004. The Royal Institue, Bangkok.
- Sakpakdeejaroen, I., 2009. *Study on Biological and Chemical Fingerprint of Ethanolic Extracts of Benjakul Preparation*, M. Sc. thesis, Thammasat University.

- Saralamp, P., Chuakul, W., Tamsiririrrkul, R. and Clayton, T. 1996. Medicinal Plant in Thailand Volume I. Department of Pharmaceutical Botany, Faculty of Pharmacy, Mahidol University, Thailand.
- Smitinand, T. (2001). In The forest herbarium royal forest department (Ed.). *Thai plant names*. Bangkok: Prachachon Co., Ltd.

Articles

- Al-Ghamdi, M. S. (2001). The anti-inflammatory, analgesic and antipyretic activity of *Nigella sativa*. *Journal of Ethnopharmacology*, 76, 45-48.
- Al-Saleh, I. A., Billedo, G., & El-Doush, I. I. (2006). Levels of selenium, DL- α -tocopherol, DL- γ -tocopherol, all-*trans*-retinol, thymoquinone and thymol in different brands of *Nigella sativa* seeds. *Journal of Food Composition and Analysis*, 19, 167-175.
- Atal, C.K., Dubey, R.K. & Singh, J. (1985). Biochemical basis of enhanced drug bioavailability by piperine: evidence that piperine is a potent inhibitor of drug metabolism. *Journal of Pharmacology and Experimental Therapeutics*, 232 (1), 258-62
- Bae, G.S., Kim, M.S., Jung, W.S., Seo, S.W., Yun, S.W., Kim, S.G., Park, R.K., Kim, E.C., Song, H.J., Park, S.J. (2010). Inhibition of lipopolysaccharide-induced inflammatory responses by piperine. *European Journal of Pharmacology*, 642, 154-162.
- Bakkali, F., Averbeck, S., Averbeck, D., Idaomar, M. (2008). Biological effects of essential oils – A review. *Food and Chemical Toxicology*, 46, 446-475.
- Breemen, R.B., Tao, Y., Wenkui Li. (2011). Cyclooxygenase-2 inhibitors in ginger (*Zingiber officinale*). *Fitoterapia*, 82, 38-43.
- Charles, D. J., Morales, M. R., & Simon, J. E. (1993). In J. Janick, & J. E. Simon (Eds.), *Essential oil content and chemical composition of finocchio fennel* (pp. 570-573). Wiley, New York: New crops.
- Chiang, Y.M., Liu, H.K., Lo, J.M., Chien, S.C., Chan, Y.F., Lee, T.H., Su, J.K., Kuo, Y.H. (2003). Cytotoxic constituents of the leaves of *Calocedrus formosana*. *J. Chin. Chem. Soc. (Taipei)*, 50, 161-166.

- Chirathaworn, C., Kongcharoensuntorn, W., Dechdounchan, T., Lowanichapat, A., Sa-nguanmoo, P., & Poovorawan, Y. (2007). *Myristica fragrans* Houtt. methanolic extract induces apoptosis in a human leukemia cell line through SIRT1 mRNA downregulation. *Journal of The Medical Association of Thailand*, 90(11), 2422-2428.
- Chung, J. Y., Choo, J. H., Lee, M. H., & Hwang, J. K. (2006). Anticariogenic activity of macelignan isolated from *Myristica fragrans* (nutmeg) against *Streptococcus mutans*. *Phytomedicine*, 13, 261-266.
- Crombie, L. (1954). Isolation and Structure of an N-isoButyldienediynamide from Pellitory (Anacyclus pyrethrum DC.). *Nature*, 174, 832 – 833.
- El-Gazzar, M., El Mezayen, R., Marecki, J. C., Nicolls, M. R., Canastar, A., & Dreskin, S. C. (2006). Anti-inflammatory effect of thymoquinone in a mouse model of allergic lung inflammation. *International Immunopharmacology*, 6, 1135-1142.
- El-Mahmoudy, A., Matsuyama, H., Borgan, M. A., Shimizu, Y., El-Sayed, M. G., Minamoto, N., et al. (2002). Thymoquinone suppresses expression of inducible nitric oxide synthase in rat macrophages. *International Immunopharmacology*, 2(11), 1603-1611.
- El-Mezayen, R., El-Gazzar, M., Nicolls, M. R., Marecki, J. C., Dreskin, S. C., & Nomiyama, H. (2006). Effect of thymoquinone on cyclooxygenase expression and prostaglandin production in a mouse model of allergic airway inflammation. *Immunology Letters*, 106, 72-81.
- Franco. 1949. *Portugaliae Acta Biol., ser. B, Sist. Vol. "J'lio Henriques"*: 33.
- Guptau, S.K., Bansal, P., Bhardwaj, R.K. and Velpandian, T. (2000). Comparative anti-nociceptive, anti-inflammatory and toxicity profile of nimesulide vs nimesulide and piperine combination. *Pharmacological Research*, 41(6), 657-662.
- Hajlaoui, H., Mighri, H., Noumi, E., Snoussi, M., Trabelsi, N., Ksouri, R. and Bakhrouf, A. (2010). Chemical composition and biological activities of Tunisian *Cuminum cyminum* L. essential oil: A high effectiveness against *Vibrio* spp. Strains. *Food and Chemical Toxicology*, 48, 2186–2192.

- Harley, M.M., Song, U. and H.I. Banks. 2005. Pollen morphology and systematics of Burseraceae. *Grana*, 44: 282-299.
- Hong, C.H., Hur, S.K., Oh, O.J., Kim, S.S., Nam, K.A., Lee, S.K. (2002). Evaluation of natural products on inhibition of inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) in cultured mouse macrophage cells. *Journal of Ethnopharmacology*, 83, 153-159.
- Iyer, R. I. (2007). *In vitro* propagation of nutmeg, *Myristica fragrans* Houtt. In S. M. Jain, & H. Haggman (Eds.), *Protocols for Micropropagation of Woody Trees and Fruits* (pp. 335-344). Springer Netherlands.
- Jia, Q., Hong, M.F., Minter, D. (1999). Pikuroside: A Novel Iridoid from *Picrorhiza kurroa*. *J. Nat. Prod.*, 62, 901-903.
- Jin, D.-Q., Lim, C. S., Hwang, J. K., Ha, I., & Han, J.-S. (2005). Anti-oxidant and anti-inflammatory activities of macelignan in murine hippocampal cell line and primary culture of rat microglial cells. *Biochemical and Biophysical Research Communications*, 331, 1264-1269.
- Jolad, S.D., Lantz, R.C., Chen, G.J., Bates, R.B. and Timmermann, B.N. 2005. Commercially processed dry ginger (*Zingiber officinale*): Composition and effects on LPS-stimulated PGE2 production. *Phytochemistry*. 66: 1614–1635.
- Jukic, M., Politeo, O., & Milos, M. (2006). Chemical composition and antioxidant effect of free volatile aglycons from nutmeg (*Myristica fragrans* Houtt.) compared to its essential oil. *Croatica Chemica Acta*, 79(2), 209-214.
- Kim, J.S., Lee, S.I., Park, H.W., Yang, J.H., Shin, T.Y., Kim, Y.C., Baek, N., Kim, S.H., Choi, S.U., Kwon, B.M., Leem, K., Jung, M.Y. and Kim D.K. 2008. Cytotoxic Components from the Dried Rhizomes of *Zingiber officinale* Roscoe. *Arch Pharm Res.*31(4): 415-418.
- Kima, J.Y., Kima, H.J., Kima, S.M., Parka, K.R., Jangb, H.J., Lee, E.H., Jungc, S.H., Ahn, K.S. (2011). Methylene chloride fraction of the leaves of *Thuja orientalis* inhibits in vitro inflammatory biomarkers by blocking NF- κ B and p38 MAPK signaling and protects mice from lethal endotoxemia. *Journal of Ethnopharmacology*, 133, 687–695.

- Kitajima, J., Komori, T., Kawasaki, T. (1982). Studies on the constituents of the crude drug ‘‘Fritillariae bulbus’’ III. On the diterpenoid constituents of fresh bulbs of *Fritillaria thunbergii* Miq. *Chem. Pharm.Bull.*, 30, 3912–3921.
- Kumar, S., Singhal, V., Roshan, R., Sharma, A., Rembhotkar, G.W. and Ghosh, B. 2007. Piperine inhibits TNF- α induced adhesion of neutrophils to endothelial monolayer through suppression of NF- κ B and I κ B kinase activation. *European Journal of Pharmacology* 575: 177–186.
- Kummalue, T., O-charoenrat, P., Jiratchariyakul, W., Chanchai, M. (2005). Antiproliferative Activities of Three Thai Medicinal Plants on Human Cancer Cells. *Siriraj Med J*, 57, 491-495.
- Kuo, Y.H., Chen, W.C., Lee, C.K. (2000). Four new terpenes from the pericarp of *Platycladus orientalis*. *Chem. Pharm. Bull.*, 48, 766–768.
- Kuo, Y.H., Chen, W.C. (1999). Chemical constituents of the pericarp of *Platycladus orientalis*. *J. Chin. Chem. Soc. (Taipei)*, 46, 819–824.
- Landa, P., Marsik, P., Vanek, T., & Kokoska, L. (2007). *In vitro* anti-inflammatory activity of extracts from seeds of some *Nigella* species. *Planta Medica*, 73(9).
- Lee, C.S., Han, E.S. & Kim, Y.K. (2006). Piperine inhibition of 1-methyl-4-phenylpyridinium-induced mitochondrial dysfunction and cell death in PC12 cells. *European Journal of Pharmacology*, 537, 37–44.
- Lee, E. & Surh, Y.J. 1998. Induction of apoptosis in HL-60 cells by pungent vanilloids, [6]-gingerol and [6]-paradol. *Cancer Letters*. 134: 163-168.
- Lee, R., & Balick, M. J. (2005). Sweet wood-Cinnamon and its importance a spice and medicine. *Explore*, 1, 61-64.
- Lee, S.W., Kim, Y.K., Kim, K., Lee, H.S., Choi, J.H., Lee, W.S., Jun, C.D., Park, J.H., Lee, J.M., Rho, M.C. (2008). Alkamides from the fruits of *Piper longum* and *Piper nigrum* displaying potent cell adhesion inhibition. *Bioorganic & Medicinal Chemistry Letters*, 18, 4544–4546.
- Lei, H., Wang, Y., Liang, F., Su, W., Feng, Y., Guo, X., Wang, N. (2010). Composition and variability of essential oils of *Platycladus orientalis* growing in China. *Biochemical Systematics and Ecology*, 38, 1000–1006.

- Lisiewska, Z., Kmiecik, W., Slupski, J. (2004). Contents of chlorophylls and carotenoids in frozen dill: effect of usable part and pre-treatment on the content of chlorophylls and carotenoids in frozen dill (*Anethum graveolens* L.), depending on the time and temperature of storage. *Food Chemistry*, 84, 511–518.
- Lisiewska, Z., Kmiecik, W., Korus, A. (2006). Content of vitamin C, carotenoids, chlorophylls and polyphenols in green parts of dill (*Anethum graveolens* L.) depending on plant height. *Journal of Food Composition and Analysis*, 19, 134–140.
- Mahmood, M. S., Gilani, A. H., Khwaja, A., Rashid, A., & Ashfaq, M. K. (2003). The *in vitro* effect of aqueous extract of *Nigella sativa* seeds on nitric oxide production. *Phytotherapy Research*, 17(8), 921-924.
- Marsik, P., Kokoska, L., Landa, P., Nepovim, A., Soudek, P., & Vanek, T. (2005). *In vitro* inhibitory effects of thymol and quinones of *Nigella sativa* seeds on cyclooxygenase-1- and -2- catalyzed prostaglandin E₂ biosyntheses. *Planta Medica*, 71, 739-742.
- Miyazawa, M., Hashimoto, Y., Taniguchi, Y. (2001). Headspace constituents of the tree remain of *Cinnamomum camphora*. *Nat Prod Lett*, 15, 63-69.
- Morita, T., Jinno, K., Kawagishi, H., Arimoto, Y., Suganuma, H., Inakuma, T., et al. (2003). Hepatoprotective effect of myristicin from nutmeg (*Myristica fragrans*) on lipopolysaccharide/D-galactosamine-induced liver injury. *Journal of Agricultural and Food Chemistry*, 51, 1560-1565.
- Murphy, E.M., Nahar, L., Byres, M., Shoeb, M., Siakalima, M., Rahman, M.M., Gray, A.I., Sarker, S.D. (2004). Coumarins from the seeds of *Angelica sylvestris* (Apiaceae) and their distribution within the genus *Angelica*. *Biochemical Systematics and Ecology*, 32, 203–207.
- Naeini, A., Khosravi, A. R., Chitsaz, M., Shokri, H., & Kamlnejad, M. (2009). Anti-*Candida albicans* activity of some Iranian plants used in traditional medicine. *Journal de Mycologie Medicale*, 19, 168-172.
- Nair, M. K. M., Vasudevan, P., & Venkitanarayanan, K. (2005). Antibacterial effect of black seed oil on *Listeria monocytogenes*. *Food Control*, 16, 395-398.

- Oussalah, M., Caillet, S., Saucier, L., & Lacroix, M. (2006). Antimicrobial effects of selected plant essential oils on the growth of *Pseudomonas putida* strain isolated from meat. *Meat Science*, 73, 236-244.
- Ozaki, Y., Soedigdo, S., Wattimena, Y. R., & Suganda, A. G. (1989). Antiinflammatory effect of mace, aril of *Myristica fragrans* Houtt., and its active principles. *The Japanese Journal of Pharmacology*, 49, 155-163.
- Parekh, J., & Chanda, S. V. (2008). Antibacterial activity of aqueous and alcoholic extracts of 34 Indian medicinal plants against some *Staphylococcus* species. *Turkish Journal of Biology*, 32, 63-71.
- Rho, M.C., Lee, S.W., Park, H.R., Choi, J.H., Kang, J.Y., Kim, K., Lee, H.S., Kim, Y.K. (2007). ACAT inhibition of alkamides identified in the fruits of *Piper nigrum*. *Phytochemistry*, 68, 899–903.
- Salem, M. L. (2005). Immunomodulatory and therapeutic properties of the *Nigella sativa* L. seed. *International Immunopharmacology*, 5, 1749-1770.
- Saralamp, P., Chuakul, W., Temsiririrklul, R. and Clayton, T. 1996. Medicinal Plant in Thailand Volume I. Department of Pharmaceutical Botany, Faculty of Pharmacy, Mahidol University, Thailand.
- Silba, John. 1996. Noteworthy conifers in the Xian Shan region of Beijing, China. *American Conifer Society Bulletin* 13(1):8-12.
- Singh, G., Maurya, S., de Lampasona, M. P., & Catalan, C. (2005). Chemical constituents, antimicrobial investigations, and antioxidative potentials of *Anethum graveolens* L. essential oil and acetone extract: Part 52. *Journal of Food Science*, 70(4), M208-M215.
- Spach, Rhoeadium. 1841. *Histoire Naturelle des Végétaux. Phanérogames* 11: 333.
- Sunila, E.S., Kuttan, G., (2004). Immunomodulatory and antitumor activity of *Piper longum* Linn. and piperine. *Journal of Ethnopharmacology*, 90, 339–346.
- Surveswaran, S., Cai, Y. Z., Corke, H., & Sun, M. (2007). Systematic evaluation of natural phenolic antioxidants from 133 Indian medicinal plants. *Food Chemistry*, 102, 938-953.
- Tekeoglu, I., Dogan, A., Ediz, L., Budancamanak, M., & Demirel, A. (2007). Effects of thymoquinone (volatile oil of black cumin) on rheumatoid arthritis in rat models. *Phytotherapy Research*, 21, 895-897.

- Telci, I., Demirtas, I., & Sahin, A. (2009). Variation in plant properties and essential oil composition of sweet fennel (*Foeniculum vulgare* Mill.) fruits during stages of maturity. *Industrial Crops and Products*, 30, 126-130.
- Tewtrakul, S. & Subhadhirasakul, S. (2008) Effects of compounds from *Kaempferia parviflora* on nitric oxide, prostaglandin E2 and tumor necrosis factor-alpha productions in RAW264.7 macrophage cells. *Journal of Ethnopharmacology*, 120, 81–84.
- Thippeswamy, N. B., & Naidu, K. A. (2005). Antioxidant potency of cumin varieties—cumin, black cumin and bitter cumin—on antioxidant systems. *European Food Research and Technology*, 220, 472-476.
- Tomaino, A., Cimino, F., Zimbalatti, V., Venuti, V., Sulfaro, V., De Pasquale, A., et al. (2005). Influence of heating on antioxidant activity and the chemical composition of some spice essential oils. *Food Chemistry*, 89, 549-554.
- Wang, C.C., Chen, L.G., Lee, L.T. and Yang, L.L. (2003). Effects of 6-gingerol, an antioxidant from ginger, on inducing apoptosis in human leukemic HL-60 cells. *In Vivo*. 17(6): 641-645.
- Wang, Y.Z., Tang, C.P., Ke, C.Q., Weiss, H.C., Gesing, E.R., Ye, Y. (2008). Diterpenoids from the pericarp of *Platycladus orientalis*. *Phytochemistry*, 69, 518–526.
- Wei, Q.Y., Ma, J.P., Cai, Y.J., Yang, L. and Liu, Z.L. 2005. Cytotoxic and apoptotic activities of diarylheptanoids and gingerol-related compounds from the rhizome of Chinese ginger. *Journal of Ethnopharmacology*. 102: 177–184.
- WHO. 1999. *Rhizoma Zingiberis* In: WHO monographs on selected medicinal plants. Geneva, World Health Organization.1: 277-287.
- Yin, Y., Gong, F.Y., Wu, X.X., Sun, Y., Li, Y.H., Chen, T., Xu, Q. (2008). Anti-inflammatory and immunosuppressive effect of flavones isolated from *Artemisia vestita*. *Journal of Ethnopharmacology*, 120, 1–6.
- Yunbao, L. Vivek, Y. Bharat A., Muraleedharan, N. (2010). Inhibitory effects of black pepper (*Piper nigrum*) extracts and compounds on human tumor cell proliferation, cyclooxygenase enzymes, lipid peroxidation and nuclear transcription factor-kappa-B. *Natural product communications*, 5(8), 1253-1257.

Zheng, G.Q., Kenney, P.M., Lam, L.K. (1992). Anethofuran, carvone, and limonene: potential cancer chemopreventive agents from dill weed oil and caraway oil. *Planta Med.* 58(4):338-41.

Electronic Media

- Brotonegoro, S., & Wiharti, W. (2001). *Lepidium sativum* L. Retrieved December 18, 2010, from
http://www.proseanet.org/prosea/e-prosea_detail.php?frt=&id=1160
- Charters, M. L. (2009). *Foeniculum vulgare* Miller. Retrieved December 16, 2010, from <http://www.calflora.net/bloomingplants/sweetfennel.html>
- Flora of China. (2007). *Terminalia chebula* Retzius, Observ. Bot. Retrieved January 4, 2011, from
http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200014747
- Flora of China. (2008). *Cinnamomum bejolghota* (Buchanan-Hamilton) Sweet, Hort. Brit. Retrieved January 4, 2011, from
http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200008693
- Flora of China. (2009a). *Angelica dahurica* (Fischer ex Hoffmann) Benth. & J. D. Hooker ex Franchet & Savatier. Retrieved November 17, 2010, from
http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015358
- Flora of Pakistan. *Pouzolzia pentandra* (Roxb.) Benn., Pl. Jav. Rar. Retrieved January 5, 2011, from
http://www.efloras.org/florataxon.aspx?flora_id=5&taxon_id=242424685
- Floridata.com LC. (1996). *Anethum graveolens*. Retrieved November 14, 2010, from
http://www.floridata.com/ref/A/anet_gra.cfm
- Franco (1949). *Platycladus orientalis*. Retrieved December 26, 2010, from
<http://www.conifers.org/cu/Platycladus.php>
- Grieve, M. *Artemisia vulgaris* (LINN.) Retrieved December 28, 2010, from
<http://www.botanical.com/botanical/mgmh/m/mugwor61.html>
- National Germplasm Resources Laboratory, Beltsville, Maryland. Retrieved December 23, 2011, from
<http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?28589>

- Ketzel Levine. *Pistacia chinensis*. Retrieved January 6, 2011, from
<http://www.npr.org/programs/talkingplants/profiles/pistaciachinensis.html>
- Natural resource conservation services. *Artemisia vulgaris* L. Retrieved December 27, 2010, from
<http://plants.usda.gov/java/profile?symbol=ARVU>
- "*Pistacia chinensis* Bunge, Enum. Pl. China Bor. 15. 1833.". *eFloras* FOC Vol. 11: 335, 345. 2009, from
http://efloras.org/florataxon.aspx?flora_id=2&taxon_id=200012703.
 Retrieved 2009-11-11.
- Stevens, P. F. (2001 onwards). Angiosperm Phylogeny Website. Version 8, June 2007. Retrieved December 25, 2010 , from
<http://www.mobot.org/MOBOT/research/APweb/>
- Thai Biodiversity. *Terminalia chebula* Retz. Retrieved January 6, 2011, from
<http://www.thaibiodiversity.org/Life/LifeDetail.aspx?LifeID=31181>
- Wikipedia, the free encyclopedia. (2009). *Artemisia vulgaris*. Retrieved December 9, 2010, from http://en.wikipedia.org/wiki/Artemisia_vulgaris
- Wikipedia, the free encyclopedia. (2009). *Black pepper*. Retrieved December 9, 2010, from http://en.wikipedia.org/wiki/Black_pepper
- Wikipedia, the free encyclopedia. (2009). *Cumin*. Retrieved December 9, 2010, from <http://en.wikipedia.org/wiki/Cumin>
- Wikipedia, the free encyclopedia. (2009). *Platycladus*. Retrieved December 9, 2010, from <http://en.wikipedia.org/wiki/Platycladus>