

บรรณานุกรม

บรรณานุกรม

- E. R. H. Jones, G.H. Whitham, M.C. Whiting. (1957). A general synthesis of allenic acids. **J. Chem. Soc.**, 4628.
- Franco, C.F. (2004). Polyynes; A new class of carbon allotropes; about the formation of dicyanopolyynes from an electric arc between graphite electrodes in liquid nitrogen. **Polyhedron**, 23, 1889–1896.
- F. Sondheimer, R. Wolovsky. (1962). Olefinic and acetylenic compounds I. Improved simple synthesis of [18]annulene; new stereospecific synthesis of 1,5-hexadiyne-3-ene. **J. Am. Chem. Soc.**, 84, 260.
- F. Sondheimer, R. Wolovsky. (1959). Carbon-rich acetylenic scaffolding: rods, rings and switches. **J. Am. Chem. Soc.**, 81, 1771.
- J. Thiele. (1899). Nature of the Chemical Bond. **Liebigs Ann. Chem.**, 306, 87.
- K. G. Untch, D. C. Wysocki. (1966). Cyclododecatrienetriyne. **J. Am. Chem. Soc.**, 88, 2608.
- Haley, M. M. (2008). Synthesis and properties of annulenic subunits of graphyne and graphdiyne nanoarchitectures. **Pure Appl. Chem**, 80(3), 519–532.
- Hirsch, A. (2010). The world of synthetic carbon allotropes. **Nature Materials**, 9, 868-871.
- Iyoda, M. and Vorasingha, A. (1998). A One-Step Synthesis of Dehydro[12]annulenes Using Palladium-Catalyzed Reaction of o-Diiodoarenes with Acetylene Gas. **Tet. Lett.**, 39, 4701-4704.
- Kepert, C.J. (2006). Neutron Powder Diffraction Study of D₂ Sorption in Cu₃(1,3,5-benzenetricarboxylate)₂. **J. Am. Chem. Soc.**, 128, 15578.
- Li, C.J., Slaven, W.T. and Banerjee, S. (1997). Palladium catalysed polymerization of aryl diiodides with acetylene gas in aqueous medium: a novel synthesis of areneethynylene polymers and oligomers. **J. Chem. Soc., Chem. Commun.**, 16, 1569–1570.
- Linda, C., Cutler, B.J. and Cutler, C.J. (1996). Selective Production of Diiodobenzene and Iodobenzene from Benzene. **J. Org. Chem.**, 61, 9621-9622.

- Masamune, S., Hojo, K., Hojo, K., Bigam, G. and Rabenstein, D. L. (1971). Geometry of [10]annulenes. *J. Am. Chem. Soc.*, 93, 4966-4968.
- Murata, Y., Murata, M. and Komatsu, K. (2003). 100% Encapsulation of a Hydrogen Molecule into an Open-Cage Fullerene Derivative and Gas-Phase Generation of H₂@C₆₀. *J. Am. Chem. Soc.*, 125, 7152-7153.
- Nakagawa, M., Fukui, K. and Okamoto, T., Aromatic Compound, (1971). *Tet. Lett.*, 101, 3132-3138.
- Pal, M. and Kundu, N.G. (1996). An improved procedure for the synthesis of substituted acetylenes from the reaction of acetylene gas with aryl iodides under palladium–copper catalysis. *J. Chem. Soc., Perkin Trans*, 1, 449-451.
- Ritter, S. (2007). Hydrogen Storage Gets a Boost; Direct H₂ binding to metal atoms beefs up capacity. *Latest News*, 11, 85-89.
- Shirakawa, H., Chiang, C. K., Druy, M. A., Gau, S. C., Heeger, A. J., Louis, E. J., et al. (1978). Synthesis of Highly Conducting Films of Derivatives of Polyacetylene. (CH)_x. *J. Am. Chem. Soc.*, 100, 1013-1015.
- Sondheimer, F., Wolovsky, R. and Amiel, Y. (1962). Unsaturated Macrocyclic Compounds XXIII. The Synthesis of the Fully Conjugated Macrocyclic Polyenes Cyclooctadecanonaene ([18]Annulene), Cyclotetracosadodecaene ([24]Annulene), and Cyclotriacontapentadecaene ([30]Annulene). *J. Am. Chem. Soc.*, 68(2), 274–284.
- Sonogashira, K., Tohda, Y. and Hagihara, N. (1975). A convenient synthesis of acetylenes: catalytic substitutions of acetylenic hydrogen with bromoalkenes, iodoarenes and bromopyridines. *Tet. Lett.*, 4460.

ประวัติผู้วิจัย

ประวัติผู้วิจัย

ชื่อ – ชื่อสกุล	ชลดา เชียงทอง
วัน เดือน ปี เกิด	16 พฤศจิกายน 2530
ที่อยู่ปัจจุบัน	177 หมู่ 2 ตำบลบ้านร้อง อำเภองาว จังหวัดลำปาง 52110
ประวัติการศึกษา	วท.บ. (เคมี) มหาวิทยาลัยนเรศวร พิษณุโลก
พ.ศ.2553	