

**Table of contents**

	Page
<b>Acknowledgement</b>	<b>I</b>
<b>Abstract (English)</b>	<b>II</b>
<b>Abstract (Thai)</b>	<b>III</b>
<b>Executive summary</b>	<b>IV</b>
<b>List of figures</b>	<b>VI</b>
<b>List of abbreviations</b>	<b>VII</b>
<b>Chapter I: Introduction</b>	<b>1</b>
<b>Chapter II :</b>	
A. Objectives	6
B. Material and methods	7
C. Results	11
D. Discussion	21
<b>Chapter III: Conclusion</b>	<b>23</b>
<b>Chapter IV: Output</b>	<b>24</b>
<b>References</b>	<b>25</b>
<b>Appendix</b>	<b>28</b>
<b>Manuscript</b>	<b>30</b>

## VII

### List of abbreviations

%	Percent
°C	Degree celsius
µg	Microgram
µl	Microliter
µm	Micrometer
AIDs	Acquired immunodeficiency syndrome
ATCC	American Type Culture Collection
BHI	Brain heart infusion
CFU	Colony forming unit
FITC	Fluorescein isothiocyanate
h	Hour(s)
M	Molar
MEA	Malt Extract Agar
min	Minute(s)
ml	Millimeter
MOI	Multiplicity of Infection
nm	nanometer
PBS	Phosphate buffer saline
PYG	Peptone yeast extract glucose
SDA	Sabouraud dextrose agar
TEM	Transmission Electron Microscope

## VI

### List of figures

Figure	Page
1 Corresponding Immunofluorescent (a) and light microscopic pictures (b) of 2 h post-incubation of <i>A. castellanii</i> with FITC-labeled <i>P. marneffei</i> conidia	11
2 Corresponding Immunofluorescent (a) and light microscopic pictures (b) of 2 h post-incubation of <i>A. castellanii</i> with FITC-labeled <i>A. fumigates</i> conidia	12
3 Corresponding Immunofluorescent (a) and light microscopic pictures (b) of 24 h post-incubation of <i>A. castellanii</i> with FITC-labeled <i>P. marneffei</i> conidia	12
4 Phagocytosis of <i>P. marneffei</i> , <i>A. fumigatus</i> and <i>C. albicans</i> cells by <i>A. castellanii</i> ATCC 30324 at different temperature	13
5 The percentage of dead amoebae ( <i>A. castellanii</i> ) after incubation with three different fungi	14
6 Fungal cell counts after incubation with or without amoebae in PBS at room temperature (28°C)	15
7 Comparison the percentage of germ tube formation of <i>C. albicans</i> within <i>A. castellanii</i> after incubation at 37 °C and 28 °C for 2 hours	16
8 Transmission electron micrographs of <i>P. marneffei</i> interacted with <i>A. castellanii</i> after incubation at room temperature (28°C) for 30 min (A) and 2 h (B).	17
9 Transmission electron micrographs of <i>C. albicans</i> within <i>A. castellanii</i> at 2 h after incubation at 37°C	17
10 Transformation of <i>C. albicans</i> from yeast forms to hyphal or filament forms at 37°C	18
11 Interaction of <i>C. albicans</i> with amoebae at room temperature (28°C) in different time points	19
12 Interaction of <i>C. albicans</i> with <i>A. castellanii</i> at room temperature (28 °C) after 48 h of incubation in PBS and with <i>A. castellanii</i>	20