

บรรณานุกรม

- กนกรัตน์ ศิริพานิชกร. (2541). โรคติดเชื้อ. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : โฮลิสติก แพทย์หญิง.
- จूरียรัตน์ ลิสมิทธิ. (2548). ปฏิบัติการจุลชีววิทยาทั่วไป. กรุงเทพมหานคร: สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์
- นงลักษณ์ สุวรรณพินิจ. (2544). แบคทีเรียที่เกี่ยวข้องกับโรค. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : NOBLE PRINT.
- นงลักษณ์ สุวรรณพินิจ และ ปรีชา สุวรรณพินิจ. (2547). จุลชีววิทยาทั่วไป. สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย
- วิกิพีเดีย สารานุกรมเสรี. โซเดียม ซาลิไซเลต. สืบค้นเมื่อวันที่ 20 กรกฎาคม 2554, จาก <http://th.wikipedia.org/wiki>.
- วิกิพีเดีย สารานุกรมเสรี. กรด 3,5-ไดไนโตรซาลิไซเลต. สืบค้นเมื่อวันที่ 20 กรกฎาคม 2554, จาก <http://th.wikipedia.org/wiki>.
- วิลาวัดย์ เจริญจิระตระกูล. (2536). ผลิตภัณฑ์อาหารหมักจากจุลินทรีย์. คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์
- หิรัญญา เพชรมั่ง. (2556). เคมีอินทรีย์ 2. พิมพ์ครั้งที่ 5. เคมการพิมพ์, สงขลา 435 หน้า
- A.H. Manikshete, S.K. Sarsamkar, S.A. Deodware, V.N. Kamble and M.R. Asabe, (2011). Synthesis, characterization and antimicrobial activity of new cobalt (II), nickel (II) and copper (II) complexes with 2-(2-hydroxy-1, 2-diphenylethylideneamino) benzoic acid. Inorg. Chem. Commun. 14 : 618–621.
- A.K. Brisdon. (1998). **Inorganic Spectroscopic Methods**. Oxford Chemistry Press, Oxford.
- A. Parkin, C.S. Colin, N. Blagden and C.W. Chick. (2007). **Designing Hydrogen Bonds with Temperature-Dependent Proton Disorder: The Effect of Crystal Environment**. Cryst.growth des.7 : 531-534.
- A. Gustafsson and B. Mannervik. (1999). **Benzoic Acid Derivatives Induce Recovery of Catalytic Activity in the Partially Inactive Met208Lys Mutant of Human Glutathione Transferase A1-1**. J. Mol. Biol. 288 : 787-800.
- A. Mudhoo and S. Kumar. (2013). **Effects of heavy metals as stress factors on anaerobic digestion processes and biogas production from biomass**. Int. J. Environ. Sci. Technol. 10:1383–1398
- A. Ranganathan and V. R. Pedireddi. (1998). **A Novel 2:1 Supramolecular Assembly of 3,5-Dinitrobenzoic acid and 1,4 Diiodobenzene**. Tetrahedron Lett. 39 : 1803-1806.

- A. Tovar-Tovar, L. Ruiz-Ramirez, A. Campero, A. Romerosa, R. Moreno-Esparza and J. Rosales-Hoz Maria. (2004). **Structural and reactivity studies on 4,40-dimethyl-2,20-bipyridine acetylacetonate copper(II) nitrate (CASIOPEINA III-ia) with methionine, by UV-visible and EPR techniques.** *J. Inorg. Biochem.* 98 : 1045-1053.
- B.G. Katzung, ed. **Basic and clinical pharmacology**, 8th ed. New York: Lange medical books/McGraw-Hill; 2001.
- B.-E. Amborabé, P. Fleurat-Lessard, J.-F. Chollet and G.Roblin. (2002). **Antifungal effects of salicylic acid and other benzoic acid derivatives towards *Eutypa lata*: structure-activity relationship.** *Plant Physiol Biochem.* 40 : 1051-1060.
- C.-X. Zhang, Y.-Y. Zhang and Y.-Q. Sun. (2010). **Synthesis, structures and magnetic properties of copper (II) and cobalt (II) complexes containing pyridyl substituted nitronyl nitroxide and 3,5-dinitrobenzoate.** *Polyhedron.* 29 : 1387-1392.
- D.B.W. Yawney, R.J. Doerdens. (1970). **Crystal and molecular structure of copper(II) formate monourea.** *Inorg. Chem.* 9 (7) : 1626-1632.
- D. Kumar, K. Tomar, J.Mor and P. Jalwal Neha. (2011). **Evaluation of preservative effectiveness of 3, 5 dinitrobenzoic acid derivatives in Aluminium hydroxide gel- usp.** *Trop .J. Pharm. Res.* 5 : 161-167.
- E. B. Miminoshvili, K. E. Miminoshvili, and G. P. Adeishvili. (2006). **Synthesis and structure of *trans*-diaquabis(Dimethylsulfoxide)bis (3,5 dinitrobenzoato) copper(ii).** *J. Struct Chem.* 47 : 91-96.
- E. Larkö. (2011). **Development of an in vitro model for testing novel antimicrobial substances Effects of established wound bacterial biofilm on cultured human macrophages.** Sweden : Department of Chemical and Biological Engineering, Chalmers University of Technology.
- H. A. Dabbagha, A. Teimouri, A. N. Chermahini and M. Shahraki. (2008). **DFT and ab initio study of structure of dyes derived from 2-hydroxy and 2,4-dihydroxy benzoic acids.** *Spectrochim. Acta. A.*, 69 : 449-459.
- G.A. Sim, J. M. Robertson and T. H. Goodwin. (1955). **The crystal and molecular structure of benzoic acid.** *Acta Cryst.* 8 : 157-164.
- G. Bhosekar and C. Nather. (2006). **Two Polymorphic Modifications of Dibromo-bis(acetonitrile-N) zinc(II),** *Z. Naturforsch.* 61b: 721 – 726.

- G. Cheng, H. Xue, G. Li and S. Jiang. (2010). **Integrated Antimicrobial and Nonfouling Hydrogels to Inhibit the Growth of Planktonic Bacterial Cells and Keep the Surface Clean.** *Langmuir*. 26 : 10425–10428.
- J.E. Weder, C.T. Dillon, T.W. Hambley, B.J. Kennedy, P.A. Lay, J.R. Biffin, H.L. Regtop and N.M. Davies. (2002). **Copper complexes of non-steroidal anti-inflammatory drugs: an opportunity yet to be realized.** *Coord. Chem. Rev.* 232 : 95-126.
- J.R.J. Sorenson and L.W. Oberley. (1990). **Copper complexes for treating cancer.** U.S. Patent US4952607.
- K.K. Arora and V. R. Pedireddi. (2004). **Host–guest complexes of 3,5 dinitro benzonitrile: channels and sandwich supramolecular architectures.** *Tetrahedron*. 60 : 919–925.
- K. Hazra Dipak, R. Sen, S. Koner, M. Helliwell and M. Mukherjee. (2011). **Self-assembly of 1D coordination polymers of two rare-earth complexes with carboxylate linkages: Synthesis, crystal structure and DFT studies.** *Polyhedron*. 30 : 2195–2202.
- L.-G. Zhu and S. Kitagawa. (2003). **The dimeric and two-dimensional copper(II) complexes constructed from salicylic acid and 4,4'-bipyridine.** *Inorg. Chem. Commun.* 6 : 1051–1055.
- L. Yao and W. Li. (2009). **(Benzoato-kO)(benzoic acid-kO)(4,4'-dimethyl-2,2'-bipyridine-k²N,N')** **hydroxidocopper(II) monohydrate.** *Acta Cryst. Section E*. 65 : m1532.
- M. Karabacak and M. Kurt. (2009). **The spectroscopic (FT-IR and FT-Raman) and theoretical studies of 5-bromo-salicylic acid.** *J. Mol. Struct.* 919 : 215–222.
- M. Connor, A. Kellett, M. McCann, G. Rosair, M. McNamara, O. Howe, B. S. Creaven, S. McClean, A. F.-A. Kia, D. Shea and M. Devereux. (2012). **Copper(II) Complexes of Salicylic Acid Combining Superoxide Dismutase Mimetic Properties with DNA Binding and Cleaving Capabilities Display Promising Chemotherapeutic Potential with Fast Acting in Vitro Cytotoxicity against Cisplatin Sensitive and Resistant Cancer Cell Lines.** *J. Med. Chem.* 55 : 1957-1968.
- M. Boczar, L. Boda and M. J. W'ojcik. (2006). **Theoretical modeling of infrared spectra of hydrogen bonded crystals of salicylic acid.** *Spectrochim. Acta. A.*, 64 : 757–760.
- M. Grazul, A. Kufelnicki, M. Wozniczka, I.-P. Lorenz, P. Mayer, A. Jozwiak, M. Czyz and E. Budzisz. (2012). **Synthesis, structure, electrochemical properties, cytotoxic effects and antioxidant activity of 5-amino-8-methyl-4H-benzopyran-4-one and its copper(II) complexes.** *Polyhedron*. 31 : 150–158.

- M. Devereux, D. O'Shea, M. O'Connor, H. Grehan, G. Connor, M. McCann, G. Rosair, F. Lyng, A. Kellett, M. Walsh, D. Egan and B. Thati. (2007). **Synthesis, catalase, super oxide dismutase and antitumour activities of copper(II)carboxylate complexes incorporating benzimidazole, 1,10-phenanthroline and bipyridine ligands : X-ray crystal structures of [Cu(BZA)₂(bipy)(H₂O)], [Cu(SalH)₂(BZDH)₂] and [Cu(CH₃COO)₂(5,6-DMBZDH)₂] (SalH₂ = salicylic acid; BZAH = benzoic acid; BZDH = benzimidazole and 5,6-DMBZDH = 5,6-dimethyl benzimidazole).** Polyhedron. 26 : 4073–4084.
- M. Khan Ishaat, A. Ahmad and S. Kumar. (2013). **Synthesis, spectroscopic characterization and structural investigations of a new charge transfer complex of 2,6-diaminopyridine with 3,5-dinitrobenzoic acid: DNA binding and antimicrobial studies.** Journal of Molecular Structure. 1035 : 38–45.
- M. I. Mohamadin and N. Abdullah. (2011) **Spectroscopic, thermal, magnetic and electrochemical studies of Tetrakis-*p*-fluorobenzoatodicopper (II),** Int. J. Phys. Sci., 6(10) : 2526-2535.
- M. S. Nair, D. Arish and R. S. Joseyphus. (2012). **Synthesis, characterization, antifungal, antibacterial and DNA cleavage studies of some heterocyclic Schiff base metal complexes.** J. Saudi Chem. Soc. 16 : 83–88.
- N. Palanisami, P. Rajakannu and R. Murugavel. (2013). **Non-covalently aggregated zinc and cadmium complexes derived from substituted aromatic carboxylic acids : Synthesis, spectroscopy, and structural studies.** Inorg. Chim. Acta. 405 : 522–531.
- P. Lemoine, B. Viosat, G. Morgant, T.G. Frederick, A. Toma, N.-H. Dunge and R.J. Sorensonf John. (2002). **Synthesis, crystal structure, EPR properties and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes.** J. Inorg. Biochem. 89 : 18–28.
- P. Munshi and T.N.G. Row. (2006). **Intra- and intermolecular interactions in small bioactive molecules: cooperative features from experimental and theoretical charge-density analysis.** Acta Cryst. B62 : 612–626.
- P. Stachova', M. Korabik, M. Koman, M. Melník, J. Mrozinski, T. Glowiak, M. Mazúr and D.Valigura. (2005). **Synthesis, spectral and magnetical character Ization of mono-meric [Cu(2-NO₂bz)₂(3-pyme)₂(H₂O)₂] and polymeric [Cu{3,5-(NO₂)₂bz}₂(3-pyme)₂]_n.** Inorg. Chim. Acta. 359 : 1275–1281.

- R. Joshi, T. K. Ghanty and T. Mukherjee, (2010). **Substituent effect on ionization potential, O–H bond dissociation energy and intra-molecular hydrogen bonding in salicylic acid derivatives** J. Mol. Struct.-THEOCHEM, 948 : 47–54.
- S. Shahrokhian, A. Hamzehloei, and M. Bagherzadeh. (2002). **Chromium(III) Porphyrin as a Selective Ionophore in a Salicylate-Selective Membrane Electrode.** Analytical Chemistry. 74 : 3312-3320.
- S. Chantrapromma, H.-K. Fun and A. Usman. (2006). **Orthorhombic-to-monoclinic temperature-dependent phase transition of hexamethylenetetraminium-3,5-dinitrobenzoate-3,5-dinitrobenzoic acid monohydrate crystal.** J. Mol. Struct. 789 : 30–36.
- S.J. Bashir, F. Dreher, A.L. Chew, H. Zhai, C. Levin, R. Stern and H.I. Maibach. (2005). **Cutaneous bioassay of salicylic acid as a keratolytic.** Inter. J. Pharm. 292 : 187–194.
- R.M. Silverstein, G.C. Bassler, and T.C. Morrill. (1981). **Spectrometric Identification of Organic Compounds.** J. Chem. Education. 39 : 546-553
- R. Q. Brewster, B. Williams and R. Phillips. (2003). **3,5-Dinitrobenzoic Acid** . Organic Syntheses. 48. John Wiley & Sons, Inc.
- T. Kawata, H. Uekusa, S. Ohba, T. Furukawa, T. Tokii, Y. Muto and M. Kato. (1992). **Magneto-structural correlation in dimeric copper(II) benzoates.** Acta Cryst. B48 : 253-261.
- V. Arjunan, M. Kalaivani, P. Ravindran and S. Mohan. (2011). **Structural, vibrational and quantum chemical investigations on 5-chloro-2-hydroxybenzamide and 5-chloro-2-hydroxybenzoic acid.** Spectrochim. Acta. A.,79 : 1886–1895.
- W.H. Brown. (2003). **salicylic acid** in Encyclopedia Britannica Inc. 15.
- W. Koevil. (2001). **Antibacterial properties of copper and brass demonstrate potential to combat toxic E Coli 0157 outbreaks in the food processing industry”** in Symposium on copper and health, hold in CEPAL, Santiago, Chile.
- X.-L. Wang, W. Zhao, J.-W. Zhang and Q.-L. Lu. (2013). **Three tetranuclear copper(II) cluster-based complexes constructed from 4-amino-1,2,4-triazole and different aromatic carboxylates : Assembly, structures, electrochemical and magnetic properties.** J. Solid State Chem. 198 162–168.
- X.-L. Wang, S. Yang, G.-C. Liu, J.-X. Zhang, H.-Y. Lin and A.-X. Tian. (2011). **Assembly of anion-controlled cadmium(II) coordination polymers based on flexible bis(imidazole) derivative.** Inorg. Chim. Acta. 375 : 70–76.

- Y. Qi, F. Luo, S.R. Batten, Y.-X. Che and J.-M. Zheng. (2008). **Syntheses and Crystal Structures of a Series of Novel Helical Coordination Polymers Constructed from Flexible Bis(imidazole) Ligands and Metal Salts**. *Cryst. Growth des.* 8 : 2806–2813.
- Y. Jin, Y. X. Che and J.M. Zheng. (2008). **Unusual supramolecularly assembled hexadecameric water cluster in complex of Co(II)**. *Inorg. Chim. Acta.* 361 : 2799–2802.
- Z. Vaskova, J. Moncol, M. Korabik, D. Valigura, J. Švorec, T. Lis, M. Valko and M. Melnik. (2010). **Supramolecular dimer formation through hydrogen bond extensions of carboxylate ligands –Path for magnetic exchange**. *Polyhedron.* 29 : 154-163.
- S. Rossi (Ed.). (2008). **Australian Medicines Handbook 2008**. Adelaide: Australian Medicines Handbook. ISBN 0-9757919-6-6
- R. P. Sharma, A. Singh,, P. Brandao, P. Felix and P. Venugopalan. (2009). **Cationic metal complex, carbonatobis(1,10-phenanthroline)cobalt(III) as anion receptor: Synthesis, characterization, single crystal X-ray structure and packing analysis of [Co(phen)₂CO₃](3,5-dinitrobenzoate) ·5H₂O**. *J. Mol. Struct.* 921 : 227–232.
- P. Prince, F. R. Fronczek and R. D. Gandour. (1991). **Two Polymorphs of 3,5-Dinitrobenzoic Acid**. *Acta Cryst.* 47 : 895-898.
- http://www.chemistry.sc.chula.ac.th/course_info/2302275/chapter4.pdf สืบค้นเมื่อ 10 มกราคม 2556
- M. Sundaralingam and L.H. Jensen. (1965). **Refinement of Structure of Salicylic Acid**. *Acta Cryst.* 18 : 1053-1057.
- M. Negoiu, T. Rosu, I. Saramet and C.A. Matei, (2005). **Complexes of cu(ii) and mn(ii) with acylated Aminoacids derived from glycine and α -alanine**. *analele universitatii dinbucuresti – chimie, anul xiv (serie noua)*. I-II : 129-133.