

บทที่ 6

รายการอ้างอิง

- Aegerter, M. A., Jafelicci, M. Jr., Souza, D. F., and Zanotto, E. D. Sol-Gel Science and Technology: Proceedings of the Winter School on Glasses and Ceramics from Gels. World Scientific: Singapore, (1989) 63-156.
- Al-Muhtaseb, S., and Ritter, J. Preparation and Properties of Resorcinol-Formaldehyde Organic and Carbon Gels. Advanced Materials 15, 2 (2003):101-114.
- Alonso, B. and others. Morphological and textural control of spray-dried mesoporous silica-based spheres. Journal of Materials Chemistry 14 (2004): 2006-2016.
- Andersson, N., Alberius, P.C.A., Pedersen, J.S., and Bergstrom, L. Structural features and adsorption behaviour of mesoporous silica particles formed from droplets generated in a spraying chamber. Microporous and Mesoporous Materials. 72 (2004): 175-183.
- Babic, B., Kaluderovic, B., Vracar, Lj. and Krstajic, N. Characterization of carbon cryogel synthesized by sol-gel polycondensation and freeze-drying. Carbon. 42, 12 (2004): 2617-2624.
- Baccile, N., Grosso, D., and Sanchez, C. Aerosol generated mesoporous silica particles. Journal of Materials Chemistry. 13 (2003): 3011-3016.
- Barbosa-C´anovas, G.V. Food powder-Physical properties, Processing and Functionality. New York: Kluwer Academic/Plenum Publishers, 2005.
- Bloor, J.R., Morrisson, J.C., and Rhodes, C.T. Effect of pH on the Micellar Properties of a Nonionic Surfactant. Journal of Pharmaceutical Sciences. 59 (1970): 387-391.
- Brinker, C.J. Evaporation-induced self-assembly: Functional nanostructures made easy. Mrs Bulletin. 29, 9 (1999): 631-640.
- BÜCHI Labortechnik AG. Training Papers Spray Drying. (1997-2002).

- Caballero, F.P., and Koel, M. Preparation of nanostructured carbon materials. Proceedings of the Estonian Academy of Sciences 57 (2008): 48-53.
- Elsayed, M.A., and Heslop, M.J. Preparation and structure characterization of carbons prepared from resorcinol-formaldehyde resin by CO₂ activation. Adsorption 13 (2007): 299-306.
- Jin, J. and others. Pore structure and pore size controls of ordered mesoporous carbons prepared from resorcinol/formaldehyde/triblock polymers. Microporous and Mesoporous Materials. 118, 1-3 (2009): 218-223.
- Job, N. and others. Synthesis of transition metal-doped carbon xerogels by solubilization of metal salts in resorcinol-formaldehyde aqueous solution. Carbon. 42, 15 (2004): 3217-3227.
- Masters, Keith. Spray drying handbook. New York: Longman Scientific & Technical, 1991.
- Moreno-Castilla, C., and Maldonado-Hodar, F.J. Carbon aerogels for catalysis applications: An overview. Carbon. 43, 3 (2005): 455-465.
- Letchford, K., and Burt, H. A Review of the Formation and Classification of Amphiphilic Block Copolymer Nanoparticulate Structures: Micelles, Nanospheres, Nanocapsules and Polymersomes. Eur. J. Pharm. Biopharm. 65 (2007): 259-269.
- Li, W.C., and Guo, S.C. Characterization of the microstructures of organic and carbon aerogels based upon mixed cresol-formaldehyde. Carbon, 39 (2001): 1989-1994.
- Nakashima, K., and Bahadur, P. Aggregation of Water-Soluble Block Copolymers in Aqueous Solutions: Recent Trends. Adv. Colloid Interface Sci. 123-126 (2006): 75-96.
- Pekala, R.W. Organic aerogels from the polycondensation of resorcinol with formaldehyde. Materials Science 24 (1989): 3221-3227.
- Rahaman, M. N., Ceramic Processing and Sintering. 2nd edition. New York: Marcel Dekker, Inc.

- Ritter, J.R.,and Al-Muhtaseb, S.A. Preparation and Properties of Resorcinal-Formaldehyde Organic and Carbon Gels. Adv.Matter 15 (2003): 101-114.
- Sing, K.S.W.,and Gregg, S.J. Adsorption Surface Area and Porosity. 2nd edition.Newyork: Academic Press, 1982.
- Soler-Illia, G. J. d. A. A.,and Sanchez, C. Interactions between Poly(ethylene oxide)-Based Surfactants and Transition Metal Alkoxides: their Role in the Templated Construction of Mesostructured Hybrid Organic-Inorganic Composites. New J. Chem. 24 (2000): 493-499.
- Tamon, H.,and Ishisak, H. SAXS Study on Gelation Process in Preparation of Resorcinal-Formaldehyde Aerogel. J. of Coll. and Interface Sci 206 (1998): 577-582.
- Werawatganone, P. Chemical Reactions in Micellar Solutions. Thai J Health Res 19(2) (2005): 165-184.
- Yamamoto, T., Yoshida, T., Suzuki, T., Mukai, S.R.,and Tamon, S. Dynamic and Static Light Scattering on the Sol-gel Transition of Resorcinol-Formaldehyde Aqueous Solution.J. of Colloids Interface Sci 245 (2002): 391-396.