

เอกสารอ้างอิง

1. Desir J, Abramowicz M. Congenital hereditary endothelial dystrophy with progressive sensorineural deafness (Harboyan syndrome). *Orphanet J Rare Dis.* 2008;3:28
2. Maumenee AE. Congenital hereditary corneal dystrophy. *Am J Ophthalmol.* 1960;50:1114-24
3. Ehlers N, Modis L, Moller-Pedersen T. A morphological and functional study of Congenital Hereditary Endothelial Dystrophy. *Acta Ophthalmol Scand.* 1998;76:314-8
4. Callaghan M, Hand CK, Kennedy SM, FitzSimon JS, Collum LM, Parfrey NA. Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct. *Br J Ophthalmol.* 1999;83:115-9
5. Hand CK, Harmon DL, Kennedy SM, FitzSimon JS, Collum LM, Parfrey NA. Localization of the gene for autosomal recessive congenital hereditary endothelial dystrophy (CHED2) to chromosome 20 by homozygosity mapping. *Genomics.* 1999;61:1-4
6. Toma NM, Ebenezer ND, Inglehearn CF, Plant C, Ficker LA, Bhattacharya SS. Linkage of congenital hereditary endothelial dystrophy to chromosome 20. *Hum Mol Genet.* 1995;4:2395-8
7. Vithana EN, Morgan P, Sundaresan P, et al. Mutations in sodium-borate cotransporter SLC4A11 cause recessive congenital hereditary endothelial dystrophy (CHED2). *Nat Genet.* 2006;38:755-7
8. Park M, Li Q, Shcheynikov N, Muallem S, Zeng W. Borate transport and cell growth and proliferation. Not only in plants. *Cell Cycle.* 2005;4:24-6
9. Chai SM, Vithana EN, Venkataraman D, et al. Novel human pathological mutations. Gene symbol: SLC4A11. Disease: Corneal endothelial dystrophy 2. *Hum Genet.* 2010;127:110
10. Aldahmesh MA, Khan AO, Meyer BF, Alkuraya FS. Mutational spectrum of SLC4A11 in autosomal recessive CHED in Saudi Arabia. *Invest Ophthalmol Vis Sci.* 2009;50:4142-5
11. Shah SS, Al-Rajhi A, Brandt JD, et al. Mutation in the SLC4A11 gene associated with autosomal recessive congenital hereditary endothelial dystrophy in a large Saudi family. *Ophthalmic Genet.* 2008;29:41-5
12. Hemadevi B, Veitia RA, Srinivasan M, et al. Identification of mutations in the SLC4A11 gene in patients with recessive congenital hereditary endothelial dystrophy. *Arch Ophthalmol.* 2008;126:700-8

13. Sultana A, Garg P, Ramamurthy B, Vemuganti GK, Kannabiran C. Mutational spectrum of the SLC4A11 gene in autosomal recessive congenital hereditary endothelial dystrophy. *Mol Vis.* 2007;13:1327-32
14. Ramprasad VL, Ebenezer ND, Aung T, et al. Novel SLC4A11 mutations in patients with recessive congenital hereditary endothelial dystrophy (CHED2). Mutation in brief #958. Online. *Hum Mutat.* 2007;28:522-3
15. Kumar A, Bhattacharjee S, Prakash DR, Sadanand CS. Genetic analysis of two Indian families affected with congenital hereditary endothelial dystrophy: two novel mutations in SLC4A11. *Mol Vis.* 2007;13:39-46
16. Jiao X, Sultana A, Garg P, et al. Autosomal recessive corneal endothelial dystrophy (CHED2) is associated with mutations in SLC4A11. *J Med Genet.* 2007;44:64-8
17. Aldave AJ, Yellore VS, Bourla N, et al. Autosomal recessive CHED associated with novel compound heterozygous mutations in SLC4A11. *Cornea.* 2007;26:896-900
18. Neufeld EF M, J. The mucopolysaccharidoses. 8 ed. Scriver CR BA, Sly WS, Valle D editor. New York: McGraw-Hill; 2001.
19. Scott HS, Anson DS, Orsborn AM, et al. Human alpha-L-iduronidase: cDNA isolation and expression. *Proc Natl Acad Sci U S A.* 1991;88:9695-9
20. Scott HS, Guo XH, Hopwood JJ, Morris CP. Structure and sequence of the human alpha-L-iduronidase gene. *Genomics.* 1992;13:1311-3
21. Scott HS, Nelson PV, Litjens T, Hopwood JJ, Morris CP. Multiple polymorphisms within the alpha-L-iduronidase gene (IDUA): implications for a role in modification of MPS-I disease phenotype. *Hum Mol Genet.* 1993;2:1471-3
22. Gahl WA, Thoene JG, Schneider JA. Cystinosis. *N Engl J Med.* 2002;347:111-21
23. Town M, Jean G, Cherqui S, et al. A novel gene encoding an integral membrane protein is mutated in nephropathic cystinosis. *Nat Genet.* 1998;18:319-24
24. Ketudat Cairns JR, Keeratichamroen S, Sukcharoen S, et al. The molecular basis of mucopolysaccharidosis type I in two Thai patients. *Southeast Asian J Trop Med Public Health.* 2005;36:1308-12
25. Paliwal P, Sharma A, Tandon R, et al. Congenital hereditary endothelial dystrophy - mutation analysis of SLC4A11 and genotype-phenotype correlation in a North Indian patient cohort. *Mol Vis.* 2010;16:2955-63

26. Iafrate AJ, Feuk L, Rivera MN, et al. Detection of large-scale variation in the human genome. *Nat Genet*. 2004;36:949-51
27. Sebat J, Lakshmi B, Troge J, et al. Large-scale copy number polymorphism in the human genome. *Science*. 2004;305:525-8
28. Olson MV. When less is more: gene loss as an engine of evolutionary change. *Am J Hum Genet*. 1999;64:18-23
29. Yu CE, Dawson G, Munson J, et al. Presence of large deletions in kindreds with autism. *Am J Hum Genet*. 2002;71:100-15
30. Sebat J, Lakshmi B, Malhotra D, et al. Strong association of de novo copy number mutations with autism. *Science*. 2007;316:445-9
31. Walsh T, McClellan JM, McCarthy SE, et al. Rare structural variants disrupt multiple genes in neurodevelopmental pathways in schizophrenia. *Science*. 2008;320:539-43
32. Tuzun E, Sharp AJ, Bailey JA, et al. Fine-scale structural variation of the human genome. *Nat Genet*. 2005;37:727-32
33. Conrad DF, Andrews TD, Carter NP, Hurles ME, Pritchard JK. A high-resolution survey of deletion polymorphism in the human genome. *Nat Genet*. 2006;38:75-81
34. Borck G, Kakar N, Hoch J, et al. An Alu repeat-mediated genomic GCNT2 deletion underlies congenital cataracts and adult i blood group. *Hum Genet*. 2012;131:209-16
35. Kiiski K, Laari L, Lehtokari VL, et al. Targeted array comparative genomic hybridization--a new diagnostic tool for the detection of large copy number variations in nemaline myopathy-causing genes. *Neuromuscul Disord*. 2013;23:56-65