

References

- Ajariyakhajorn, K., Samngamnim, S., Boonserm, T., Inchaisri, C., Thirapatsakun, T., Farnsworth, R.J., 2003. Mastitis in small dairy holders of Nakhonpathom province, Thailand. The 11th International Symposium of the World Association of Veterinary Laboratory Diagnosticians and OIE Seminar on Biotechnology, November 9-13, 2003.
- Almeida, R.A., Luther, D.A., Park, H.M., Oliver, S.P., 2006. Identification, isolation, and partial characterization of a novel *Streptococcus uberis* adhesion molecule (SUAM). *Veterinary Microbiology* 115, 183-191.
- Almeida, R.A., Oliver, S.P., 1993a. Growth curve, capsule expression and characterization of the capsular material of selected strains of *Streptococcus uberis*. *Zentbl Veterinaarmed* 40, 697-706.
- Almeida, R.A., Oliver, S.P., 1993b. Antiphagocytic effect of the capsule of *Streptococcus uberis*. *Zentbl Veterinaarmed*. 40, 707-714.
- Aston, J.W., 1975. Amino acids in milk. Their determination by gas-liquid chromatography and their variation due to mastitic infection. *Australian Journal of Dairy Technology* 30, 55-59.
- Barkema, H.W., Schukken, Y.H., Lam, T.J., Beiboer, M.L., 1999. Benedictus G, Brand A. Management practices associated with the incidence rate of clinical mastitis. *Journal of Dairy Science* 82, 1643-1644.
- Baseggio, N., Mansell, P.D., Browning, J.W., Browning, G.F., 1997. Strain differentiation of isolates of streptococci from bovine mastitis by pulsed-field gel electrophoresis. *Molecular and Cellular Probes* 11, 349-354.
- Boonyayatra, S., Chaisri, W., 2004. Incidence and prevalence of subclinical mastitis in small holder dairy farms of Chiang Mai province, Thailand. *Chiang Mai Veterinary Journal* 2, 25-30.
- Boonyayatra, S., Thaboonpeng, J., Kreausukon, K., Suriyasathaporn, W., 2007. Antimicrobial resistance of mastitis-associated bacteria in lactating dairy cows in Chiang Mai province. *Chiang Mai Veterinary Journal* 5, 135-145.
- Bradley, A.J., 2002. Bovine mastitis: An evolving disease. *Veterinary Journal* 164, 116-128.
- Bramley, A.J., 1980. *Streptococcus uberis* udder infection-a major barrier to reducing mastitis incidence. *Beecham Mastitis Series*, Shinfield, Reading RG., 29AT, 328-335.

- Bramley, A.J., 1982. Sources of *Streptococcus uberis* in the dairy herd. I. Isolation from bovine faeces and from straw bedding of cattle. The Journal of Dairy Research 49, 369-373.
- Bramley, A.J., Dodd, F.H.. 1984. Reviews of the progress of dairy science: Mastitis control progress and prospects. Journal of Dairy Research 51, 481-512.
- Buddle, B.M., Tagg, J.R., Ralston, M.J., 1988. Use of an inhibitor typing scheme to study the epidemiology of *Streptococcus uberis* mastitis. NewZealand Veterinary Journal 36, 115-119.
- Chaisri, W., Okonogi, S., Kreausukon, K., Pinyopummintr, R., Suriyasathaporn, W., 2010. Effects of medium and high discomfort periods during dry environment on either pathogens causing subclinical mastitis or antimicrobial resistance of environmental Streptococci and coagulase-negative Staphylococci. Chiang Mai University Journal of Natural Sciences 9, 217-230.
- Compton, C.W., Heuer, C., Parker, K., McDougall, S., 2007. Epidemiology of mastitis in pasturegrazed peripartum dairy heifers and its effects on productivity. Journal of Dairy Science 90, 4157-4170.
- Costa, E.O., Ribeiro, A.R., Watanabe, E.T., Melville, P.A., 1998. Infectious bovine mastitis caused by environmental organisms. Journal of Veterinary Medicine Series B-Infectious Diseases and Veterinary Public Health 45, 65-71.
- Cullen, G.A., Little, T.W., 1969. Isolation of *Streptococcus uberis* from the rumen of cows and from soil. Veterinary Record 85, 115-118.
- De Jong, M.C.M., 1995. Mathematical modelling in veterinary epidemiology: why model building is important. Preventive Veterinary Medicine 25, 183-193.
- Douglas, V.L., Fenwick, S.G., Pfeiffer, D.U., Williamson, N.B., Holmes, C.W., 2000. Genomic typing of *Streptococcus uberis* isolates from cases of mastitis, in New Zealand dairy cows, using pulsed-field gel electrophoresis. Veterinary Microbiology 75, 27-41.
- Field, T.R., Ward, P.N., Pedersen, L.H., Leigh, J.A., 2003. The hyaluronic acid capsule of *Streptococcus uberis* is not required for the development of infection and clinical mastitis. Infection and Immunity 71, 132-139.
- Fontaine, M.C., Perez-Casal, J., Song, X.M., Shelford, J., Willson, P.J., Potter, A.A., 2002. Immunisation of dairy cattle with recombinant *Streptococcus uberis* GapC or a chimeric CAMP antigen confers protection against heterologous bacterial challenge. Vaccine 20, 2278-2286.

- Gilbert, F.B., Fromageau, A., Lamoureux, J., Poutrel, B., 2006. Evaluation of tandem repeats for MLVA typing of *Streptococcus uberis* isolated from bovine mastitis. BMC Veterinary Research 2, 1-9.
- Goji, N., Potter, A.A., Perez-Casal, J., 2004. Characterization of two proteins of *Staphylococcus aureus* isolated from bovine clinical mastitis with homology to glyceraldehyde-3-phosphate dehydrogenase. Veterinary Microbiology 99, 269-279.
- Grundmann, H., Hori, S., Tanner, G., 2001. Determining confidence intervals when measuring genetic diversity and the discriminatory abilities of typing methods for microorganisms. Journal of Clinical Microbiology 39, 4190-4192.
- Hagiwara, S., Kawai, K., Anri, A., Nagahata, H., 2003. Lactoferrin concentrations in milk from Latent and subclinical mastitic cows. Journal of Veterinary Medical Science 65, 319-323.
- Harmon, R.J., Clark, T., Ramesh, T., Crist, W.L., Langlois, B.E., Akers, K., Smith, B., 1992. Environmental pathogen numbers in pastures and bedding of dairy cattle. Journal of Dairy Science 75, S256.
- Hassan, A.A., Khan, I.U., Abdulmawjood, A., Lammler, C., 2001. Evaluation of PCR methods for rapid identification and differentiation of *Streptococcus uberis* and *Streptococcus parauberis*. Journal of Clinical Microbiology 39, 1618-1621.
- Hill, A.W., 1988. Pathogenicity of two strains of *Streptococcus uberis* infused into lactating and nonlactating bovine mammary glands. Research in Veterinary Science 45, 400-404.
- Hogan, J.S., Smith, K.L., Hoblet, K.H., Todhunter, D.A., Schoenberger, P.S., Hueston, W.D., Pritchard, D.E., Bowman, G.L., Heider, L.E., Brockett, B.L., Conrad, H.R., 1989. Bacterial counts in bedding materials used on nine commercial dairies. Journal of Dairy Science 72, 250-258.
- Hunter, P.R., Gaston, M.A., 1988. Numerical index of the discriminatory ability of typing systems: an application of Simpson's index of diversity. Journal of Clinical Microbiology 26, 2465-2466.
- Jayarao, B.M., Gillespie, B.E., Lewis, M.J., Dowlen, H.H., Oliver, S.P., 1999. Epidemiology of *Streptococcus uberis* intramammary infections in a dairy herd. Journal of Veterinary Medicine 46, 433-442.
- Jiang, M., Babiuk, L.A., Potter, A.A., 1996. Cloning, sequencing and expression of the CAMP factor gene of *Streptococcus uberis*. Microbial Pathogenesis 20, 297-307.

- Johnsen, L.B., Poulsen, K., Kilian, M., Petersen, T.E., 1999. Purification and cloning of a streptokinase from *Streptococcus uberis*. *Infection and Immunity* 67, 1072-1078.
- Jurgens, D., Sterzik, B., Fehrenbach, F.J., 1987. Unspecific binding of group B streptococcal cocytolysin (CAMP factor) to immunoglobulins and its possible role in pathogenicity. *The Journal of Experimental Medicine* 165, 720-732.
- Khan, I.U., Hassan, A.A., Abdulmawjood, A., Lammler, C., Wolter, W., Zschock, M., 2003. Identification and epidemiological characterization of *Streptococcus uberis* isolated from bovine mastitis using conventional and molecular methods. *Journal of Veterinary Science* 4, 213-224.
- Kruze, J., Bramley, A.J., 1982. Sources of *Streptococcus uberis* in the dairy herd. II. Evidence of colonization of the bovine intestine by *Streptococcus uberis*. *Journal of Dairy Research* 49, 375-379.
- Leigh, J. A., 1993. Activation of bovine plasminogen by *Streptococcus uberis*. *FEMS Microbiology Letter* 114, 67-72.
- Leigh, J. A., 1994. Purification of a plasminogen activator from *Streptococcus uberis*. *FEMS Microbiology Letter* 118, 153-158.
- Leigh, J.A., 1999. *Streptococcus uberis*: A permanent barrier to the control of bovine mastitis? *Veterinary Journal* 157, 225-238.
- Leigh, J.A., 2000. Vaccines against bovine mastitis due to *Streptococcus uberis* current status and future prospects, In: *Biology of the Mammary Gland*. pp.307-311.
- Leigh, J.A., Finch, J.M., Field, T.R., Real, N.C., Winter, A., Walton, A.W., Hodgkinson, S.M., 1999. Vaccination with the plasminogen activator from *Streptococcus uberis* induces an inhibitory response and protects against experimental infection in the dairy cow. *Vaccine* 17, 851-857.
- Leigh, J.A., Lincoln, R.A., 1997. *Streptococcus uberis* acquires plasmin activity following growth in the presence of bovine plasminogen through the action of its specific plasminogen activator. *FEMS Microbiology Letters* 154, 123-129.
- Lerondelle, C., 1985. Les mammites a *Streptococcus uberis*. *Res.Méd. Vét. Ec. Alfort.*, 161, 539-744.
- Marshall, V.E., Bramley, A.J., 1984. Stimulation of *Streptococcus thermophilus* growth in mastitic milk. *Journal of Dairy Research* 51, 17-22.

- Matthews, K.R., Luther, D.A., Oliver, S.P., 1994a. Identification of protein antigens expressed by *Streptococcus uberis* cocultured with bovine mammary epithelial cells. *Journal of Dairy Science* 77, S256.
- Matthews, K.R., Jayarao, B.M., Guidry, A.J., Erbe, E.F., Wergin, W.P., Oliver, S.P., 1994b. Encapsulation of *Streptococcus uberis*: influence of storage and cultural conditions. *Veterinary Microbiology* 39, 361-367.
- McDougall, S., Parkinson, T.J., Leyland, M., Anniss, F.M., Fenwick, S.G., 2004. Duration of infection and strain variation in *Streptococcus uberis* isolated from cows' milk. *Journal of Dairy Science* 87, 2062-2072.
- McNeil, J.D., Wiebkin, O.W., 1989. The effect of hyaluronic acid on macrophage Fc receptor binding and phagocytosis are independent of the mode of depolymerization. *Free Radical Research Communication* 6, 227-233.
- Moshynskyy, I., Jiang, M., Fontaine, M.C., Perez-Casal, J., Babiuk, L.A., Potter, A.A., 2003. Characterization of a bovine lactoferrin binding protein of *Streptococcus uberis*. *Microbial Pathogenesis* 35, 203-215.
- National Mastitis Council, 2004. Microbiological Procedures for the Diagnosis of Bovine Udder Infection and Determination of Milk Quality, 4th ed. National Mastitis Council, WD Hoard and Sons Co., Fort Atkinson, WI.
- Olde Riekerink, R.G.M., Barkema, H.W., Kelton, D.F., Scholl, D.T., 2008. Incidence rate of clinical mastitis on Canadian dairy farms. *Journal of Dairy Science* 91, 1366-1377.
- Oliver, S.P., 1988. Frequency of isolation of environmental mastitis-causing pathogens and incidence of new intramammary infection during the nonlactating period. *American Journal of Veterinary Research* 49, 1789-1793.
- Oliver, S.P., Mitchell, B.A., 1984. Prevalence of mastitis pathogens in herds participating in a mastitis control program. *Journal of Dairy Science* 67, 2436-2440.
- Oliver, S.P., Gillespie, B.E., Headrick, S.J., Lewis, M.J., Dowlen, H.H., 2005. Prevalence, risk factors, and strategies for controlling mastitis in heifers during the periparturient period. *International Journal of Applied Research in Veterinary Medicine* 3, 150-162.
- Pancholi, V., Fischetti, V.A., 1993. Glyceraldehyde-3-phosphate dehydrogenase on the surface of group A streptococci is also an ADP-ribosylating enzyme, *Proceedings of the National Academy of Sciences* 90, 8154-8158.

- Pedersen, L.H., Aalbaek, B., Rontved, C.M., Ingvartsen, K.L., Sorensen, N.S., Heegaard, P.M., Jensen, H.E., 2003. Early pathogenesis and inflammatory response in experimental bovine mastitis due to *Streptococcus uberis*. *Journal of Comparative Pathology* 128, 156-164.
- Perez-Casal, J., Prysliak, T., Potter, A.A., 2004. A GapC chimera retains the properties of the *Streptococcus uberis* wild-type GapC protein. *Protein Expression and Purification* 33, 288-296.
- Phuektes, P., Mansell, P.D., Dyson, R.S., Hooper, N.D., Dick, J.S., Browning, G.F., 2001. Molecular epidemiology of *Streptococcus uberis* isolates from dairy cows with mastitis. *Journal of Clinical Microbiology* 39, 1460-1466.
- Poelarends, J., Hogeveen, H., Sampimon, O., Sol, J., 2001. Monitoring subclinical mastitis in Dutch dairy herds. In: *Proceedings of the National Mastitis Councils 2nd International Symposium on Mastitis & Milk Quality*. Vancouver: National Mastitis Council Inc., pp.145-149.
- Prado, M.E., Almeida, R.A., Ozen, C., Luther, D.A., Lewis, M.J., Headrick, S.J., Oliver, S.P., 2011. Vaccination of dairy cows with recombinant *Streptococcus uberis* adhesion molecule induces antibodies that reduce adherence to and internalization of *S. uberis* into bovine mammary epithelial cells. *Veterinary Immunology and Immunopathology* 141, 201-208.
- Pullinger, G.D., Coffey, T.J., Maiden, M.C., Leigh, J.A., 2007. Multilocus-sequence typing analysis reveals similar populations of *Streptococcus uberis* are responsible for bovine intramammary infections of short and long duration. *Veterinary Microbiology* 119, 194-204.
- R Core Team, 2013. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, ISBN: 3-900051-07-0.
- Rato, M.G., Bexiga, R., Nunes, S.F., Cavaco, L.M., Vilela, C.L., Santos-Sanches, I., 2008. Molecular epidemiology and population structure of bovine *Streptococcus uberis*. *Journal of Dairy Science* 91, 4542-4551.
- Razavi-Rohani, M., Bramley, A.J., 1981. A study of the frequency and distribution of *Streptococcus uberis* contamination on the body of lactating and non-lactating cows. *Indian Veterinary Journal* 58, 804-811.
- Reinoso, E.B., Lasagno, M.C., Dieser, S.A., Odierno, L.M., 2011. Distribution of virulence-associated genes in *Streptococcus uberis* isolated from bovine mastitis. *FEMS Microbiology* 318, 183-188.

- Rosey, E.L., Lincoln, R.A., Ward, P.N., Yancey Jr, R.J., Leigh, J.A., 1999. PauA: a novel plasminogen activator from *Streptococcus uberis*. FEMS Microbiology Letters 178, 27-33.
- Sargeant, J.M., Scott, H.M., Leslie, K.E., Ireland, M.J., Bashiri, A., 1998. Clinical mastitis in dairy cattle in Ontario: frequency of occurrence and bacteriological isolates. Canadian Veterinary Journal 39, 33-38.
- Schaufuss, P., Sting, R., Schaeg, W., Blobel, H., 1989. Isolation and characterization of hyaluronidase from *Streptococcus uberis*. International Journal of Medical Microbiology 271, 46-53.
- Scott, J.E., Thomlinson, A.M., Prehm, P., 2003. Supramolecular organization in streptococcal pericellular capsules is based on hyaluronan tertiary structures. Experimental Cell Research 285, 1-8.
- Seegers, H., Fourichon, C., Beaudeau, F., 2003. Production effects related to mastitis and mastitis economics in dairy cattle herds. Veterinary Research 34, 475K491.
- Skalka, B., Smola, J., Pillich, J., 1980. Comparison of some properties of the CAMP-factor from *Streptococcus agalactiae* with the haemolytically latent active exosubstance from *Streptococcus uberis*. Journal of Veterinary Medicine. B, Infectious Diseases and Veterinary Public Health 27, 559-566.
- Smith, A.J., Kitt, A.J., Ward, P.N., Leigh, J.A., 2002. Isolation and characterization of a mutant strain of *Streptococcus uberis*, which fails to utilize a plasmin derived beta-casein peptide for the acquisition of methionine. Journal of Applied Microbiology 93, 631-639.
- Smith, K.L., Oliver, S.P., 1981. Lactoferrin: a component of nonspecific defense of the involuting bovine mammary gland. Advances in Experimental Medicine and Biology 137, 535-554.
- Smith, K.L., Todhunter, D.A., Schoenberger, P.S., 1985. Environmental pathogens and intramammary infection during the dry period. Journal of Dairy Science 68, 402-417.
- Smith, A.L., Ward, P.N., Field, T.R., Jones, C.L., Lincoln, R.A., Leigh, J.A., 2003. MtuA, a lipoprotein receptor antigen from *Streptococcus uberis*, is responsible for acquisition of manganese during growth in milk and is essential for infection of the lactating bovine mammary gland. Infection and Immunity 71, 4842-4849.

- Sorensen, L.P., Guldbrandtsen, B., Thomasen, J.R., Lund, M.S., 2008. Pathogen-specific effects of quantitative trait loci affecting clinical mastitis and somatic cell count in Danish holstein cattle. *Journal of Dairy Science* 91, 2493-2500.
- Tenover, F.C., Arbeit, R.D., Goering, R.V., Mickelsen, P.A., Murray, B.E., Persing, D.H., Swaminathan, B., 1995. Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing. *Journal of Clinical Microbiology* 33, 2233-2239.
- Thomas, L.H., Haider, W., Hill, A.W., Cook, R.S., 1994. Pathologic findings of experimentally induced *Streptococcus uberis* infection in the mammary gland of cows. *American Journal of Veterinary Research* 55, 1723-1728.
- Tomita, T., 2008. Chapter 6 *S. uberis* virulence factors. In: Subspecies distribution and virulence factors of *Streptococcus uberis*. PhD thesis of School of Applied Sciences, RMIT University, Melbourne, Victoria, Australia, pp.189-191.
- Tomita, T., Meehan, B., Wongkattiya, N., Malmö, J., Pullinger, G., Leigh, J., Deighton, M., 2008. Identification of *Streptococcus uberis* Multilocus Sequence Types Highly Associated with Mastitis. *Applied and Environmental Microbiology* 74, 114-124.
- Wang, S.M., Deighton, M.A., Capstick, J.A., Gerraty, N., 1999. Epidemiological typing of bovine streptococci by pulsed-field gel electrophoresis. *Epidemiology and Infection* 123, 317-324.
- Ward, P.N., Field, T.R., Ditcham, W.G.F., Maguin, E., Leigh, J.A., 2001. Identification and disruption of two discrete loci encoding hyaluronic acid capsule biosynthesis genes hasA, hasB, and hasC in *Streptococcus uberis*. *Infection and Immunity* 69, 392-399.
- Ward, P.N., Field, T.R., Rapier, C.D., Leigh, J.A., 2003. The activation of bovine plasminogen by PauA is not required for virulence of *Streptococcus uberis*. *Infection and Immunity* 71, 7193-7196.
- Ward, P.N., Holder, M.T.G., Leigh, J.A., Lennard, N., Bignell, A., Barron, A., Clark, L., Quail, M.A., Woodward, J., Barrell, B.G., Egan, S.A., Field, T.R., Maskell, D., Kehoe, M., Dowson, C.G., Chanter, N., Whatmore, A.M., Bentley, S.D., Parkhill, J., 2009. Evidence for niche adaptation in the genome of the bovine pathogen *Streptococcus uberis*. *BMC Genomics* 10, 54.

- Ward, P.N., Leigh, J.A., 2002. Characterization of PauB, a novel broad-spectrum plasminogen activator from *Streptococcus uberis*. *Journal of Bacteriology* 184, 119-125.
- Wilson, D..J., Gonzalez, R.N., Das, H.H., 1997. Bovine mastitis pathogens in New York and Pennsylvania: prevalence and effects on somatic cell count and milk production. *Journal of Dairy Science* 80, 2592-2598.
- Zadoks, R.N., Allore, H.G., Barkema, H.W., Sampimon, O.C., Grohn, Y.T., Schukken, Y.H., 2001. Analysis of an outbreak of *Streptococcus uberis* mastitis. *Journal of Dairy Science* 84, 590-599.
- Zadoks, R.N., Gillespie, B.E., Barkema, H.W., Sampinon, O.C., Oliver, S.P., Schukken, Y.H., 2003. Clinical, epidemiological and molecular characteristics of *Streptococcus uberis* infections in dairy herds. *Epidemiology and Infection* 130, 335-349.
- Zadoks, R.N., Gonzalez, R.N., Boor, K.J., Schukken, Y.H., 2004. Mastitis-causing Streptococci are important contributors to bacterial counts in raw bulk tank milk. *Journal of Food Protection* 67, 2644-2650.
- Zadoks, R.N., Schukken, Y.H., Wiedmann, M., 2005. Multilocus sequence typing of *Streptococcus uberis* provides sensitive and epidemiologically relevant subtype information and reveals positive selection in the virulence gene pauA. *Journal of Clinical Microbiology* 43, 2407-2417.