

### บรรณานุกรม

- Akinjogunla, O. J., Adegoke, A. A., Udokang, I. P. and Adebayo-Taya, B. C. 2009. Antimicrobial potential of *Nymphaea lotus* (Nymphaeaceae) against wound pathogens. **J. Med. Plants Res.** (3),138-141.
- Akinjogunla, O. J., Yah, C. S., Eghafona, N. O. and Ogbemudia, F. O. 2010. Antibacterial activity of leave extracts of *Nymphaea lotus* (Nymphaeaceae) on *Methicillin* resistant *Staphylococcus aureus* (MRSA) and Vancomycin resistant *Staphylococcus aureus* (VRSA) isolated from clinical samples. **Ann. Biol. Res.** (1), 174-184.
- Alva, P., McKenzie, E.H.C., Pointing, S.B., Pena-Muralla, R. and Hyde, K.D. 2002. Do sea grasses harbour endophytes, In: *Fungi in marine environments*, edited by K.D. Hyde, **Fungal Diversity Research Series.** (7), 167-178.
- Arjun, P., Priya, S. M., Sivan, P.S.S., Krishnamoorthy, M. and Balasubramanian, K. 2012. Antioxidant and antimicrobial activity of *Nelumbo nucifera* Gaertn. leaf extracts. **J. Acad. Indus. Res.** (1), 15-18.
- Arunpanichlert, J., Rukachaisirikul, V., Sukpondma, Y., Phongpaichit, S., Supaphon, O. and Sakayaroj, J. 2011. A  $\beta$ -resorcylic macrolide from the seagrass-derived fungus *Fusarium* sp. PSU-ES73. **Archives of Pharmacal Research.** (34), 1633-1637
- Bacon, C.W. and White, J.F. 2000. *Microbial Endophytes*. United States of America. Marcel Dekker, Inc, New York, pp. 63-65.

- Buatong, J., Phongpaichit, S., Rukachaisirikul, V. and Sakayaroj, J., 2011. Antimicrobial activity of crude extracts from mangrove fungal endophytes. **World Journal of Microbiology and Biotechnology**. (27), 3005-3008.
- Bush, L. P., Wilkinson, H.H. and Schardl, C. L. 1997. Bioprotective alkaloids of grass-fungal endophyte symbioses. **Plant Physiol**. (114), 1-7.
- Clinical and Laboratory Standards Institute (CLSI). 2002a. Reference method for broth dilution antimicrobial susceptibility tests for bacteria that grow aerobically. Approved standard M7-A4. Clinical and Laboratory Standards Institute, Wayne, Pa.
- Clinical and Laboratory Standards Institute (CLSI). 2002b. Reference method for broth dilution antimicrobial susceptibility testing of yeasts. Approved standard M27-A2. Clinical and Laboratory Standards Institute, Wayne, Pa.
- Cowan, M.M. 1999. Plant products as antimicrobial agents. **Clinical Microbiology Reviews**. (12), 564-582.
- Daboor, S. M. and Haroon, A. M. 2012 In vitro: Antimicrobial potential and phytochemical screening of some egyptian aquatic plants. **J. Egyp Aqua Res**. (38), 223-239.
- Dash, B. K., Sen, M. K., Alam, K., Hossain, K., Islam, R., Banu, N. A., Rahman, S. and Jamal, A. H. M. 2013. Antibacterial activity of *Nymphaea nouchali* (Burm. f) flower. **Ann Clin Microbiol Antimicrob**. (12), 1-4.
- Ganley, R.J. and Newcombe, G. 2006. Fungal endophytes in seeds and needles of *Pinus monticola*. **Mycological Research**. (110), 318-327.

- Gao, X., Zhou, H., Xu, D., Yu, C., Chen, Y. and Qu, L. 2005. High diversity of endophytic fungi from the pharmaceutical plant, *Heterosmilax japonica* Kunth revealed by cultivation-independent approach. **FEMS Microbiol. Lett.** (249), 255-266.
- Gazis, R. and Chaverri, P. 2010. Diversity of fungal endophytes in leaves and stems of wild rubber trees (*Hevea brasiliensis*) in Peru. **Fungal Ecology.** (3), 240-254.
- Guo, L.D., Huang, G.R. and Wang, Y. 2008. Seasonal and tissue age influences on endophytic fungi of *Pinus tabulaeformis* (Pinaceae) in the Dongling Mountains, Beijing. **Journal of Integrative Plant Biology.** (50), 997- 1003.
- Gong, L. J. and Guo, S. X. 2009. The endophytic fungi from *Dracaena cambodiana* and *Aquilaria sinensis* and their antimicrobial activity. **Afr J Biotechnol.** (8), 731-736.
- JianQiu, S., LiangDong, G., Wei, Z., WenXiang, P. and Defu, C. 2008. Diversity and ecological distribution of endophytic fungi associated with medicinal plants. **Sci. China C: Life Sci.** (51), 751-759.
- Kanabkaew, T. and Puetpaiboon, U. 2004. Aquatic plants for domestic wastewater treatment: Lotus (*Nelumbo nucifera*) and Hydrilla (*Hydrilla verticillata*) systems. **Songklanakar J. Sci. Technol.** (26), 749-756.
- Kumar, C.S., Sarada, D.V L., Gideon, T.P. and Rengasamy, R. 2008. Antibacterial activity of three South Indian seagrasses, *Cymodocea serrulata*, *Halophila ovalis* and *Zostera capensis*. **World Journal of Microbiology and Biotechnology.** (24), 1989-1992.

- Lin, X., Lu, C., Huang, Y., Zheng, Z., Su, W. and Shen, Y. 2007. Endophytic fungi from a pharmaceutical plant, *Camptotheca acuminata*: isolation, identification and bioactivity. **World Journal of Microbiology and Biotechnology**. (23), 1037-1040.
- Liu, X., Dong, M., Chen, X., Jiang, M., Lv, X., Zhou, J. 2008. Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin. **Appl Microbiol Biotechnol**. (78), 241-247.
- Mahesh, B., Tejesvi, M.V., Nalini, M.S. and Prakash, H.S. 2005. Endophytic mycoflora of inner bark of *Azadirachta indica* A. Juss. **Current Science**. (88), 218-219.
- Nalini, M.S., Mahesh, B., Tejesvi, M.V., Prakash, H.S., Subbaiah, V., Kini, K.R. and Shetty, H. 2005. Fungal endophytes from the three-leaved carper, *Crataeva magna* (Lour.) DC. (Capparidaceae). **Mycopathologia**. (159), 245-249.
- Owen, N. L. and Hundley, N. 2004. Endophytes-the chemical synthesizers inside plants. *Science Progress*. 87: 79-99.
- Phongpaichit, S., Rungjindamai, N., Rukachaisirikul, V. and Sakayaroj, J. 2006. Antimicrobial activity in cultures of endophytic fungi isolated from *Garcinia* species. **FEMS Immunol. Med. Microbiol**. (48), 367-372.
- Rowly, D.C., Kelly, S., Kauffman, C.A., Jensen, P.R. and Fencial, W. 2003. Haloviruses A-E, new anti-viral agents from a marine-derived fungus of the genus *Scytalidium*. **Bioorg. Med. Chem**. (11), 4263-4274.

- Rungjindamai, N. 2005. Endophytic fungi from *Garcinia* spp. Which produce antimicrobial substances. M.Sc. Thesis, Prince of Songkla University, Thailand.
- Sakayaroj, J., Preedanon, S., Supaphon, O., Jones, E.B.G. and Phongpaichit, S., 2010. Phylogenetic diversity of endophyte assemblages associated with the tropical seagrass *Enhalus acoroides* in Thailand. **Fungal Diversity**. (42), 27–45.
- Selvakumari, E., Shantha, S., Prabhu, P. T. and Sreenathkumar, C. 2012. Antiproliferative activity of ethanolic flower extract from *Nymphaea pubescens* willd against human cervical and breast carcinoma in vitro. **Int J pharm**. (3), 124-125.
- Sarker, S.D., Nahar, L., and Kumarasamy, Y. 2007. Microtiterplate-based antibacterial assay incorporating resazurin as an indicator of cell growth, and its application in the in vitro antibacterial screening of phytochemicals. **Methods**. (42), 321-324.
- Sikder, M. A. A., Jisha, H. R., Kuddud, M. R., Rumi, F., Kaisar, M. A. and Rashid, M. A. 2012. Evaluation of Bioactivities of *Nymphaea nouchali* (Burm. f) -the National Flower of Bangladesh. **Pharm J**. (15), 1-5.
- Sittiwet, C. 2009. Antimicrobial activity of Essential Oil from *Nehumbo nucifera* Gaertn. Pollen. **Int. J. Pharm**. (5), 98-100.
- Stierle, A., Strobel, G. and Stierle, D., 1993. Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew. **Science**. (260), 214-216.

- Sun, J.Q., Guo, L.D., Zang, W., Ping, W.X. and Chi, D.F. 2008. Diversity and ecological distribution of endophytic fungi associated with medicinal plants. **Science China Series C- Life Science**. (51), 751-759.
- Supaphon, P., Phongpaichit, S., Rukachaisirikul, V. and Sakayaroj, J. 2014. Diversity and antimicrobial activity of endophytic fungi isolated from the seagrass *Enhalus acoroides*. **Indian J. Geo-Marine Sci.** (in press).
- Supaphon, P., Phongpaichit, S., Rukachaisirikul, V. and Sakayaroj, J. 2013. Antimicrobial potential of endophytic fungi derived from three seagrasses (*Cymodocea serrulata*, *Halophila ovalis* and *Thalassia hemprichii*) from Thailand. PLoS ONE. 8(8): e72520. doi: 10.1371/journal.pone.0072520
- Tan, R. X. and Zou, W. X. 2001. Endophytes a rich source of functional metabolites. **Nat. Prod. Rep.** (18), 448-49.
- Tejesvi, M., Nahesh, B., Nalini, M., Prakash, H., Kini, K., Subbiah, V. and Shetty, H. 2005. Endophytic fungal assemblages from inner bark and twig of *Terminalia arjuna* W. and A. (Combretaceae). **World Journal of Microbiology and Biotechnology**. (21), 1535-1540.
- Venkatesh, B. and Dorai, A. 2011. Antibacterial and Antioxidant potential of White and Pink *Nelumbo Nucifera* Gaertn Flowers. International Conference on Bioscience, Biochemistry and Bioinformatics. Singapore.5:213-217.
- Wilson, W.L. 1998. Isolation of endophytes from seagrasses from Bermuda. M.Sc. Thesis, University of New Brunswick, Canada.

- Won, K.J., Lin, H.Y., Jung, S., Cho, S.M., Shin, H.C., Bae, Y.M., Lee, S.H., Kim, H.J., Joen, B.H., and Kim, B. Antifungal miconazole induces cardiotoxicity via inhibition of APE/REF-1-related pathway in rat neonatal cardiomyocytes. **Toxicological Sciences.** (126), 289-305.
- Xu, L., Zhou, L., Zhao, J., Li, J., Li, X. and Wang, J. 2008. Fungal endophytes from *Dioscorea zingiberensis* rhizomes and their antibacterial activity. **Lett. Appl. Microbiol.** (46), 68-72.
- Zhang, Y., Mu, J., Feng, Y., Kang, Y., Zhang, J., Gu, P.J., Wang, Y., Ma, L.F. and Zhu, Y.H. 2009. Broad-spectrum antimicrobial epiphytic and endophytic fungi from marine organisms: isolation, bioassay and taxonomy. **Mar. Drugs.** (7), 97-112.
- Zuccaro, A., Schoch, C.L., Spatafora, J.w., Kohlmeyer, J., Draeger, S. and Mitchell, J.I. 2008. Detection and identification of fungi intimately associated with the brown seaweed *Fucus serratus*. **Appl. Environ. Microbiol.** (74), 931-941.
- ปริมลภ ชูเกียรติมัน และ คมกฤษ ชูเกียรติมัน (2548). **บัวประดับในประเทศไทย**. เนชั่นบุ๊ค กรุงเทพมหานคร หน้า1-192.
- จิตรารักษ์ ธวัชพันธุ์ (2548). **หลักอนุกรมวิธานพืช**. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์ กรุงเทพมหานคร หน้า 1-266.
- วีณา เชิดบุญชาติ (2546). **พลัดดอกไม้**. สำนักพิมพ์บ้านและสวน กรุงเทพมหานคร หน้า 1-288