

REFERENCES

- Aiamla-or, S., Kaewsuksaeng, S., Shigyo, M. and Yamauchi, N., 2010. Impact of UV-B irradiation on chlorophyll degradation and chlorophyll-degrading enzyme activities in stored broccoli (*Brassica oleracea* L. Italica Group) florets. *Food Chem.* 120, 645–651.
- Aiamla-or, S., Nakajima, T., Shigyo, M. and Yamauchi, N., 2012. Pheophytinase activity and gene expression of chlorophyll-degrading enzymes relating to UV-B treatment in postharvest broccoli (*Brassica oleracea* L. Italica Group) florets. *Postharvest Biol. Technol.* 63, 60–66.
- Amir-Shapira, D., Goldschmidt, E. E. and Altman, A., 1987. Chlorophyll catabolism in senescing plant tissues: in vivo breakdown intermediates suggest different degradative pathways for citrus fruit and parsley leaves. *Proc. Natl. Acad. Sci. USA* 84, 1901 – 1905.
- Bradford, M. M., 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein–dye binding. *Analytical Biochemistry*, 72(7), 248–254.
- Costa, M.,L., Civello, P.M., Chaves, A.R and Martínez, G. A, 2005. Effect of hot air treatments on senescence and quality parameters of harvested broccoli (*Brassica oleracea* L var *Italica*) heads. *J. of the Sci. of Food and Agri.* 85, 1154 – 1160.
- Costa, L., Vicente, A. R., Civello, P. M., Chaves, A. R. and Martinez, G. A., 2006a. UV-C treatment delays postharvest senescence in broccoli florets. *Postharvest Biol. Technol.* 39, 204–210.

- Costa, M. L., Civello, P. M., Chaves, A. R. and Martinez, G. A., 2006b. Hot air treatment decreases chlorophyll catabolism during postharvest senescence of broccoli (*Brassica oleracea* L. var. italica) heads. J. Sci. Food Agric. 86, 1125–1131.
- Dai, Q., Peng, S., Chavez, A. Q. and Vergara, B.S., 1995. Effects of UV-B radiation on stomatal density and opening in rice (*Oryza sativa* L.). Ann. Bot. 76, 65–70.
- Drazkiewicz, M., 1994. Chlorophyllase: occurrence, function, mechanism of action, effects of external factors. Photosynthetica 30, 301–309.
- D'hallewin, G., Schirra, M., Pala, M. and Ben-Yehoshua, S., 2000. Ultraviolet-C irradiation at 0.5 kJm^{-2} reduce decay without causing damage or effecting postharvest quality of star ruby grapefruit (*C. paradise* Macf.). J. Agric. Food Chem. 48, 4571 – 4475.
- Erkan, M., Wang, S.Y., Wang, C.Y., 2008. Effect of UV treatment on antioxidant capacity, antioxidant enzyme activity and decay in strawberry fruit. Postharvest Biol. Technol. 48, 163–171.
- Falik, E., 2004. Prestorage hot water treatments (immersion, rinsing and brushing). Postharvest Biol. Technol. 32, 125–134.
- Funamoto, Y., Yamauchi, N., Shigenaga, T. and Shigyo, M., 2002. Effects of heat treatment on chlorophyll degradation enzymes in stored broccoli (*Brassica oleracea* L.). Postharvest Biol. Technol. 24, 163–170.
- Funamoto, Y., 2003. Chlorophyll degradation in stored broccoli (*Brassica oleracea* L.) florets and its control by heat treatment. Ph.D. Thesis. The United Graduate School of Agriculture Sciences, Tottori Univ., Tottori (In Japanese with English summary).

- Gong, Y. P. and Mattheis, J. P., 2003. Effect of ethylene and 1-methylcyclopropene chlorophyll catabolism of broccoli florets. *Plant Growth Regul.* 40, 33–38.
- Harpaz-Saad, S., Azoulay, T., Arazi, A., Ben-Yaakov, E., Mett, A., Shibolet, Y.M., Hörtensteiner, S., Gidoni, D., Gal-On, A., Goldschmidt, E.E. and Eyal, Y., 2007. Chlorophyllase is a rate-limiting enzyme in chlorophyll catabolism and is posttranslationally regulated. *Plant Cell.* 19, 1007–1022.
- Hörtensteiner, S. and Kräutler, B., 2000. Chlorophyll breakdown in oilseed rape. *Photosyn. Res.* 64, 37–146.
- Holden, M., 1961. The breakdown of chlorophyll by chlorophyllase. *J. of Biochem.* 78, 359–364.
- Hynninen, P.H., 1973. Chlorophylls IV. Preparation and purification of some derivatives of chlorophylls *a* and *b*: *Acta Chem. Scand.* 27, 1771–1780.
- Janave, M. T., 1997. Enzymic degradation of chlorophyll in Cavendish bananas: *in vitro* evidence for two independent degradative pathways. *Plant Physiol. and Biochem.* 35, 837–846.
- Kaewsuksaeng, S., Yamauchi, N., Funamoto, Y., Shigyo, M. and Kanlayanarat, S., 2006. Effect of Mg-dechelation activity on Chlorophyll Degradation in Stored Broccoli Florets. *Acta Horticulturae.* 712(2), 705-709.
- Kaewsuksaeng, S., Yamauchi, N., Funamoto, Y., Mori, T., Shigyo, M. and Kanlayanarat, S., 2007. Effect of heat treatment on catabolites formation in relation to chlorophyll degradation during storage of broccoli (*Brassica oleracea* L. italica group) florets. *J. Jap. Soc. Hortic. Sci.* 76, 338–344.
- Kaewsuksaeng, S., Yamauchi, N., Funamoto, Y., Aiamla-or, S., Mori, T., Shigyo, M. and Kanlayanarat, S., 2010. Partially purification of Mg-dechelatasé in relation

- to chlorophyll degradation in broccoli (*Brassica oleracea* L. Italica Group) florets. *Acta Horticulturae*. 875, 509 – 514.
- Kaewsuksaeng, S., Urano, Y., Aiamla-or, S., Shigyo, M. and Yamauchi, N., 2011. Effect of UV-B irradiation on chlorophyll-degrading enzyme activities and postharvest quality in stored lime (*Citrus latifolia* Tan.) fruit. *Postharvest Biol. Technol.* 61, 124–130.
- Khalyfa, A., Kermasha, S., Marsot, P, and Goetghebeur, M., 1995. Purification and characterization of chlorophyllase from algae *Phaeodactylum tricornutum* by preparative native electrophoresis. *Apply Biochem. and Biotech.* 53, 11–27.
- Kunieda, T., Amano, T. and Shioi, Y., 2005. Search for chlorophyll degradation enzyme, Mg-dechelataase, from extracts of *Chenopodium album* with native and artificial substrates. *Plant Sci.* 169, 177 – 183.
- Langmeier, M., Ginsburg, S. and Matile, P., 1993. Chlorophyll breakdown in senescent leaves: demonstration of Mg-dechelataase activity. *Physiol. Plant.* 89, 347 – 353.
- Lemoine, M. L., Civello, P. M., Chaves, A. R. and Martínez G. A., 2008. Effect of combine treatment with hot air and UV-C on senescence and quality parameters of minimally processed broccoli (*Brassica oleracea* L. var. *Italica*). *Postharvest Biol. Technol.* 48, 15–21.
- Lu, J., Charles, M. T., Vigneault, C., Goyette, B. and Raghavan, G.S.V., 2010. Effect of heat treatment uniformity on tomato ripening and chilling injury. *Postharvest Biol. Technol.* 56(2), 155–162.

- Lurie, S. and Mitcham, E. J., 2007. Physiological response of agriculture commodities to heat treatment. P. 79-104. In: J. Tang et al. (eds.) Heat treatments for postharvest pest control: theory and practice. CABI, Oxon.
- Matile, P., Schellenberg, M. and Vicentini, F., 1997. Localization of chlorophyllase in the chloroplast envelope. *Planta*. 201, 96–99.
- Matile, P., Hörtensteiner, S. and Tomas, H., 1999. Chlorophyll degradation, *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 50, 69 – 75.
- Maunder, M. J., Brown, S.B. and Woolhouse, H. W., 1983. The appearance of chlorophyll derivatives in senescing tissue. *Phytochem.* 22, 2443–2446.
- McFeeters, R.F., Chichester, C.O. and Whitaker, J.R., 1971. Purification and properties of chlorophyllase from *Ailanthus altissima* (tree-of-heaven). *Plant Physiol.* 47, 609-618.
- Mínguez-Mosquera, M.I., Gandul-Rojas, B. and Gallardo-Guerrero, L., 1994. Measurement of chlorophyllase activity in olive fruit (*Olea europaea*). *J. Biochem.* 116, 263-268.
- Moran, R., 1982. Formulae for determination of chlorophyllous pigments extracted with *N,N*-dimethylformamide. *Plant Physiol.* 69, 1376–1381.
- Nogués, S., Allen, D. J., Morison, J. I. L. and Baker, N. R., 1999. Characterization of stomatal closure caused by Ultraviolet-B radiation. *Plant physiol.* 121, 489 – 496.
- Ogo, Y., Umeno, C., Shigyo, M., Yamauchi, N., 2011. Control of degreening during storage by heat treatment in green sour citrus fruit. *Hort. Res. (Japan)* 10 (Suppl. 1): 473 (In Japanese).

- Perkins, H. J. and Roberts, D. W., 1962. Purification of chlorophylls, pheophytins and pheophorbides for specific activity determinations. *Biochimica et Biophysica Acta*, 58(3), 486–498.
- Pennington, F. C., Strain, H. H., Svec, W. A., J.J.J and Katz., 1964. Preparation and properties of pyrochlorophyll *a*, methyl pyrochlorophyllide *a*, pyropheophytin *a*, and methyl pyropheophorbide *a* derived from chlorophyll by decarbomethoxylation. *J. of Amer. of chem. Soc.* 86: 1418–1426.
- Pranmornkith, T., Mawson, A.J. and Heyes, J.A., 2005. Effect of CA and alternative postharvest treatments on quality of lime (*Citrus latifolia* Tanaka) fruit. In: *Proceedings of 9th International Controlled Atmosphere Research Conference*, July 5–10, 2005, Michigan State University, ISHS, pp. 21–27.
- Pranmornkith, T., Mawson, A.J. and Heyes, J.A., 2010. Effect of CA and alternative postharvest treatments on quality of lime (*Citrus latifolia* Tanaka) fruit. *Acta Hort.* 875, 305–312.
- Spadoni, A., Guidarelli, M., Sanzani, M.S., Ippolito, A. and Mari, M., 2014. Influence of hot water treatment on brown rot of peach and rapid fruit response to heat stress. *Postharvest Biol. Technol.* 94, 66–73.
- Satoh, H., Nakayama, K. and Okada, M., 1998. Molecular cloning and functional expression of a water-soluble chlorophyll protein, a putative carrier of chlorophyll molecules in cauliflower. *J. of Bio. and Chem.* 273, 305–305.
- Schelbert, S., Aubry, S., Burla, B., Agne, B., Kessler, F., Krupinska, K. and Hörtensteiner, S., 2009. Pheophytin pheophorbide hydrolase (Pheophytinase) is involved in chlorophyll breakdown during leaf senescence in *Arabidopsis*. *Plant cell.* 21, 767 – 785.

- Shimokawa, K., Shimada, S. and Yaeo, K., 1978. Ethylene-enhanced chlorophyllase activity during degreening of *Citrus unshiu* Marc. Scientia Hort. 8, 129 – 135.
- Shimokawa, K., 1998. *Coloring*. In: Japanese Society for Horticultural Science (ed.). Shin-engeigaku zenpen, Youkendo, Tokyo , p. 585–588.
- Shioi, Y., Tomita, N., Tsuchiya, T. and Takamiya, K., 1996. Conversion of chlorophyllide to pheophorbide by Mg-dechelating substance in extracts of *Chenopodium album*. Plant Physiol. Biochem. 34(1), 41 – 47.
- Suzuki, T. and Shioi, Y., 2002. Re-examination of Mg-dechelation reaction in the degradation of chlorophylls using chlorophyllin *a* as a substrate. Photosynth. Res. 74, 217 – 223.
- Srilaong, V., Aiamla-or, S., Soontornwat, A., Shigyo, M. and Yamauchi, N., 2011. UV-B irradiation retards chlorophyll degradation in lime (*Citrus latifolia* Tan.) fruit. Postharvest Biol. Technol. 59, 110–112.
- Suzuki, T., Kunieda, T., Murai, F., Morioka, S. and Shioi, Y., 2005. Mg-dechelation activity in radish cotyledons with artificial and native substrates, Mg-chlorophyllin *a* and chlorophyllide *a*. Plant Physiol. Biochem. 43, 459 – 464.
- Takamiya, K., Tsuchiya, T. and Ohta, H., 2000. Degradation pathway(s) of chlorophyll: what has gene cloning revealed?. Trends in Plant Sci, 5(10), 1380-1385.
- Trebitsh, T., Goldschmidt, E. E. Riov and J., 1993. Ethylene induces de novo synthesis of chlorophyllase, a chlorophyll degrading enzyme, in *Citrus* fruit peel. In: Proceeding of National Academic Science, USA, 90, p. 9441–9445.
- Tsuchiya, T., Ohta, H., Okawa, K., Iwamatsu, A., Shimada, H., Masuda, T and Takamiya, K., 1999. Cloning of chlorophyllase, the key enzyme in chlorophyll

- degradation: finding of a lipase motif and the induction by methyl jasmonate.
In: Proceeding of National Academic Science, USA, 96: p. 15362–15367.
- Willstätter, R. and Stoll, A., 1913. *Die Wirkungen der Chlorophyllase. In: Untersuchungen über Chlorophyll.* Springer, Berlin, p.172–187.
- Viña, S. Z., Osornio, M. M. L. and Chaves, A. R., 2007. Quality changes in fresh-cut celery as affected by heat treatment and storage. *J. the Sci. of Food and Agri.* 87 (7), 1400–1407.
- Win, T. O., Srilaong, V., Kyu, K. L., Poomputsa, K. and Kanlayanarat, S., 2006a. Biochemical and physiological changes during chlorophyll degradation in lime (*Citrus aurantifolia* Swingle cv. 'Paan'). *J. Hort. Sci. Biotech.* 81, 471 – 477.
- Win, T. O., Srilaong, V., Heyes, J., Kyu, K. L. and Kanlayanarat, S., 2006b. Effect of different concentrations of 1-MCP on yellowing of West Indian lime (*Citrus aurantifolia*, Swingle) fruit. *Postharvest Biol. Technol.* 42, 23–30.
- Yamauchi, N. and Watada, A.E., 1991. Regulated chlorophyll degradation in spinach leaves during storage. *J. of Amer. of chem. Soc.* 116, 58 – 62.
- Yamauchi N. and Watada, A.E., 1993. Pigment changes in parsley leaves during storage in controlled or ethylene containing atmosphere. *Food Sci.* 58, 104 – 108.
- Yamauchi, N., Harada, K. and Watada, A. E., 1997. In vitro chlorophyll degradation in stored broccoli (*Brassica oleracea* L var. italica Plen) florets. *Postharvest Biol. Technol.* 12(3), 239–245.
- Yamauchi, N., Eguchi, K., Tokuhara, Y., Yamashita, Y., Oshima, A., Shigyo, M. and Sugomota, K., 2003. Control of degreening by sucrose laurate ester and heat

treatment of *Citrus nagato-yuzukichi* fruit. J. Horti. Science and Biotech.
78(4), 563 – 567.

Yamauchi, N., Funamoto, Y. and Shigyo, M., 2004. Peroxidase-mediated
chlorophyll degradation in horticultural crops. Phytochemistry Reviews. 3(1-2),
221–228.