

เอกสารอ้างอิง

1. World Health Organization.
<http://www.who.int/whosis/whostat/2008/en/index.html>
2. World Health Organization.
<http://www.who.int/whosis/whostat/2007/en/index.html>
3. Weisfeldt ML, Zweier J, Ambrosio G, Becker LC, Flaherty JT. Evidence that free radicals result in reperfusion injury in heart muscle. *Basic Life Sci.* 1988;49:911–919.
4. Ambrosio G, Flaherty JT. Effects of the superoxide radical scavenger superoxide dismutase, and of the hydroxyl radical scavenger mannitol, on reperfusion injury in isolated rabbit hearts. *Cardiovasc Drugs Ther.* 1992;6:623–632.
5. Griendling KK, FitzGerald GA. Oxidative stress and cardiovascular injury: Part I: basic mechanisms and in vivo monitoring of ROS. *Circulation.* 2003;108:1912–1916.
6. Griendling KK, FitzGerald GA. Oxidative stress and cardiovascular injury: Part II: animal and human studies. *Circulation.* 2003;108:2034–2040.
7. Taqvi SI, Shah AJ, Gilani AH. Blood pressure lowering and vasomodulator effects of piperine *J Cardiovasc Pharmacol.* 2008;52:452-8.
8. Vijayakumar RS, Surya D, Nalini N. Antioxidant efficacy of black pepper (*Piper nigrum* L.) and piperine in rats with high fat diet induced oxidative stress. *Redox Rep.* 2004;9:105-10
9. Mittal R, Gupta RL. In vitro antioxidant activity of piperine. *Methods Find Exp Clin Pharmacol.* 2000; 22:271-4.
10. Vijayakumar RS, Nalini N. Efficacy of piperine, an alkaloidal constituent from *Piper nigrum* on erythrocyte antioxidant status in high fat diet and antithyroid drug induced hyperlipidemic rats. *Cell Biochem Funct.* 2006;24:491-8.
11. Rauscher FM, Sanders RA, Watkins JB 3rd. Effects of piperine on antioxidant pathways in tissues from normal and streptozotocin-induced diabetic rats. *J Biochem Mol Toxicol.* 2000;14:329-34.
12. Selvendiran K, Senthilnathan P, Magesh V, Sakthisekaran D. Modulatory effect of Piperine on mitochondrial antioxidant system in Benzo(a)pyrene-induced experimental lung carcinogenesis. *Phytomedicine.* 2004 ;11:85-9.

13. Weiss JN, Korge P, Honda HM, Ping P. Role of the mitochondrial permeability transition in myocardial disease. *Circ Res*. 2003;93:292-301.
14. Murphy E, Steenbergen C. Mechanisms underlying acute protection from cardiac ischemia-reperfusion injury. *Physiol Rev*. 2008;88:581-609.
15. Zweier JL, Flaherty JT, Weisfeldt ML. Direct measurement of free radical generation following reperfusion of ischemic myocardium. *Proc. Natl. Acad. Sci. USA*. 1987;84:1404-7.
16. Braunwald E, Kloner RA. The stunned myocardium: prolonged, postischemic ventricular dysfunction. *Circulation*. 1982;66:1146-9.
17. Kilgore KS, Friedrichs GS, Johnson CR, Schasteen CS, Riley DP, Weiss RH, Ryan U, Lucchesi BR. Protective effects of the SOD-mimetic SC-52608 against ischemia/reperfusion damage in the rabbit isolated heart. *J Mol Cell Cardiol*. 1994;26: 995-1006.
18. Ambrosio G, Becker LC, Hutchins GM, Weisman HF, Weisfeldt ML. Reduction in experimental infarct size by recombinant human superoxide dismutase: insights into the pathophysiology of reperfusion injury. *Circulation*. 1986;74: 1424-33.
19. Victoria JA, Joanne CH, Carolyn MP, Andrew MJ[§], Robin AJ, Michael PM, Ivan AS. Targeting an antioxidant to mitochondria decreases cardiac ischemia-reperfusion injury. *The FASEB Journal*. 2005;19:1088-95.
20. Xiang JZ, Li KZ, Hong XW. Apelin protects heart against ischemia/reperfusion injury in rat. *Peptides*. 2009;30: 1144-52.
21. Naidu KA, Thippeswamy NB. Inhibition of human low density lipoprotein oxidation by active principles from spices. *Mol Cell Biochem*. 2002;229:19-23.
22. Chang L, Ren Y, Liu X, Li WG, Yang J, Geng B. Protective effects of ghrelin on ischemia/reperfusion injury in the isolated rat heart. *J Cardiovasc Pharmacol*. 2004;43:165-70.
23. Mosca SM. Cardioprotective effects of stretch are mediated by activation of sarcolemmal, not mitochondrial, ATP-sensitive potassium channels. *Am J Physiol Heart Circ Physiol*. 2007;293:H1007-12.
24. Suematsu Y, Ohtsuka T, Hirata Y, Maeda K, Imanaka K, Takamoto S. L-Arginine given after ischaemic preconditioning can enhance cardioprotection in isolated rat hearts. *Eur J Cardiothorac Surg* 2001; 19: 873-879.

25. Izhar U, Schwalb H, Borman J B, Merin G. Cardioprotective effect of L-arginine in myocardial ischemia and reperfusion in an isolated working rat heart model. *J Cardiovasc Surg* 1998; 39:321-329.
26. Zhang LP, Yang CY, Wang YP, Cui F, Zhang Y. Protective effect of polydatin again ischemia/reperfusion injury in rat heart. *Acta Physiologica Sinica*. 2008;25:161-8