

5. รายการเอกสารอ้างอิง

- [1] B. Techaumnat and T. Takuma, "Field intensification at the contact point between a conducting plane and a spheroid or an elliptic cylinder," in *Electrical Insulating Materials*, 2005. (ISEIM 2005). *Proceedings of 2005 International Symposium on*, 2005, pp. 808-811 Vol. 3.
- [2] M. Washizu and T. B. Jones, "Dielectrophoretic interaction of two spherical particles calculated by equivalent multipole-moment method," *Industry Applications, IEEE Transactions on*, vol. 32, pp. 233-242, 1996.
- [3] T. B. Jones, *et al.*, "Multipolar interactions of dielectric spheres," *Journal of Electrostatics*, vol. 22, pp. 231-244, 1989.
- [4] B. Techaumnat, *et al.*, "Calculation of electric field and dielectrophoretic force on spherical particles in chain," *Journal of Applied Physics*, vol. 95, pp. 1586-1593, 2004.
- [5] B. Techaumnat and T. Takuma, "Calculation of the electric field for lined-up spherical dielectric particles," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 10, pp. 623-633, 2003.
- [6] B. Techaumnat and M. Washizu, "Equivalent image charges of a prolate spheroid under an external electric field," *Journal of Electrostatics*, vol. 69, pp. 388-393, Aug 2011.
- [7] T. Takuma and B. Techaumnat, "Electric Fields in Composite Dielectrics and their Applications," ed: Springer Netherlands, 2010.
- [8] J. H. Mason, "The deterioration and breakdown of dielectrics resulting from internal discharges," *Electrical Engineers, Journal of the Institution of*, vol. 1951, p. 76, 1951.
- [9] M. G. Danikas and G. Adamidis, "Partial discharges in epoxy resin voids and the interpretational possibilities and limitations of Pedersen's model," *Electrical Engineering (Archiv fur Elektrotechnik)*, vol. 80, pp. 105-110, 1997.
- [10] B. Salvage, "Electric stresses in gaseous cavities in solid dielectrics," *Electrical Engineers, Proceedings of the Institution of*, vol. 111, pp. 1162-1172, 1964.
- [11] B. Salvage, "Electric stresses at conducting surfaces located in the field between plane parallel electrodes," *Electrical Engineers, Proceedings of the Institution of*, vol. 111, pp. 1173-1176, 1964.
- [12] G. Mitra and B. Salvage, "Electric stress in a circular cylindrical gaseous cavity in a solid dielectric, the axis of the cylinder being parallel to the field," *Electrical Engineers, Proceedings of the Institution of*, vol. 113, pp. 931-935, 1966.
- [13] D. D. Chang, *et al.*, "Analysis of Electric Stress Distribution in Cavities embedded within Dielectric Structures," *Electrical Insulation, IEEE Transactions on*, vol. EI-21, pp. 213-219, 1986.
- [14] M. E. Ghourab and S. M. El-Makkawy, "Analysis of electric field distribution in cavities within solid dielectric materials," in *Electrical Insulation and Dielectric Phenomena*, 1994. *IEEE 1994 Annual Report., Conference on*, 1994, pp. 155-160.

- [15] A. A. Hossam-Eldin, *et al.*, "Analysis and simulation of field distribution in micro cavities in solid insulating materials," in *Electrical Insulation and Dielectric Phenomena*, 2007. CEIDP 2007. Annual Report - Conference on, 2007, pp. 792-796.
- [16] G. C. Crichton, *et al.*, "A theoretical derivation of the transients related to partial discharges in ellipsoidal voids," in *Electrical Insulation*, 1988., *Conference Record of the 1988 IEEE International Symposium on*, 1988, pp. 238-241.
- [17] G. C. Crichton, *et al.*, "Partial discharges in ellipsoidal and spheroidal voids," *Electrical Insulation, IEEE Transactions on*, vol. 24, pp. 335-342, 1989.
- [18] I. W. McAllister and G. C. Crichton, "Influence of bulk dielectric polarization upon partial discharge transients: effect of void geometry and orientation," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 12, pp. 240-247, 2005.
- [19] I. W. McAllister, "Partial discharges in spheroidal voids - Void orientation," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 4, pp. 456-461, Aug 1997.
- [20] S. Boggs, "On-axis field approximations for a (semi-)spheroid in a uniform field," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 10, pp. 305-306, 2003.
- [21] W. R. Smythe, *Static and dynamic electricity*, 3rd ed. New York: McGRAW-HILL BOOK COMPANY, 1968.
- [22] T. Takuma, "Field behaviour at a triple junction in composite dielectric arrangements," *Electrical Insulation, IEEE Transactions on*, vol. 26, pp. 500-509, 1991.
- [23] T. B. Jones, *Electromechanics of particles*: Cambridge Univ Pr, 2005.
- [24] N. G. Green and T. B. Jones, "Numerical determination of the effective moments of non-spherical particles," *Journal of Physics D-Applied Physics*, vol. 40, pp. 78-85, Jan 7 2007.
- [25] The-Electrostatic-Society, *Handbook of electrostatics: compact version*, 1st ed. Tokyo, Japan: Ohm Sha, 2006.
- [26] U. Zimmermann, *et al.*, "Biophysics of electroinjection and electrofusion," *Journal of Electrostatics*, vol. 21, pp. 309-345, 1988.
- [27] E. Jeltsch and U. Zimmermann, "Particles in a homogeneous electrical field: A model for the electrical breakdown of living cells in a coulter counter," *Journal of Electroanalytical Chemistry and Interfacial Electrochemistry*, vol. 104, pp. 349-384, 1979.
- [28] J. Gimsa and D. Wachner, "Analytical Description of the Transmembrane Voltage Induced on Arbitrarily Oriented Ellipsoidal and Cylindrical Cells," *Biophysical Journal*, vol. 81, pp. 1888-1896, 2001.
- [29] J. Gimsa and D. Wachner, "On the analytical description of transmembrane voltage induced on spheroidal cells with zero membrane conductance," *European Biophysics Journal*, vol. 30, pp. 463-466, 2001.
- [30] B. Valič, *et al.*, "Effect of electric field induced transmembrane potential on spheroidal cells: theory and experiment," *European Biophysics Journal*, vol. 32, pp. 519-528, 2003.
- [31] T. Kotnik and D. Miklavčič, "Analytical Description of Transmembrane Voltage Induced by Electric Fields on Spheroidal Cells," *Biophysical Journal*, vol. 79, pp. 670-679, 2000.

- [32] M. Washizu and B. Tetchaumnat, "Cell membrane voltage during electrical cell fusion calculated by re-expansion method," *Journal of Electrostatics*, vol. 65, pp. 555-561, 2007.
- [33] N. Urano, et al., "Construction of a yeast cell fusion system using a fluid integrated circuit," *Journal of Biotechnology*, vol. 20, pp. 109-115, 1991.
- [34] C. A. Brebbia, et al., *Boundary Element Techniques: Theory and Applications in Engineering*. Berlin Springer-Verlag, 1984.
- [35] G. Pucihar, et al., "Numerical Determination of Transmembrane Voltage Induced on Irregularly Shaped Cells," *Annals of Biomedical Engineering*, vol. 34, pp. 642-652, 2006.
- [36] U. Zimmermann, et al., "Dielectric Breakdown of Cell Membranes," *Biophysical Journal*, vol. 14, pp. 881-899, 1974.
- [37] M. M. Morcos, et al., "Performance of particle contaminated GIS with dielectric coated electrodes," in *Industry Applications Conference, 2000. Conference Record of the 2000 IEEE*, 2000, pp. 725-731 vol.2.
- [38] K. I. Sakai, et al., "Experimental studies of free conducting wire particle behavior between nonparallel plane electrodes with AC voltages in air," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 10, pp. 418-424, 2003.
- [39] K. Sakai, et al., "Conducting particle motion and particle-initiated breakdown in dc electric field between diverging conducting plates in atmospheric air," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 6, pp. 122-130, 1999.
- [40] Y. Khan, et al., "Motion behavior and deactivation method of free-conducting particle around spacer between diverging conducting plates under DC voltage in atmospheric air," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 10, pp. 444-457, 2003.
- [41] K. I. Sakai, et al., "Theoretical and Experimental Studies for Spherical Free-Conducting Particle Behavior between Non-parallel Plane electrodes with ac Voltages in Air," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 10, pp. 404-417, 2003.
- [42] M. M. Morcos, et al., "Dynamics of metallic particle contaminants in GIS with dielectric-coated electrodes," *Power Delivery, IEEE Transactions on*, vol. 15, pp. 455-460, 2000.
- [43] N.-J. Félici, "Forces et charges de petites objets en contact avec une electrode affecte d'un champ électrique," *Rev. Gén. Elec.*, vol. 75, pp. 1145-1160, 1966.
- [44] M. Hara, et al., "Microdischarge characteristics in air gap between spherical particle and plane," *Physical Science, Measurement and Instrumentation, Management and Education - Reviews, IEE Proceedings A*, vol. 130, pp. 329-335, 1983.
- [45] K. Asano, et al., "The behavior of charged conducting particles in electric fields," in *Industry Applications Society Annual Meeting, 1994., Conference Record of the 1994 IEEE*, 1994, pp. 1353-1359 vol.2.
- [46] B. Tetchaumnat and T. Takuma, "Electric field and force on a conducting sphere in contact with a dielectric solid," *Journal of Electrostatics*, vol. 64, pp. 165-175, 2006.
- [47] Z. Kai and S. Boggs, "Derivation of exact and approximate formulas for the force on a conducting particle standing on a ground plane, and comparison with finite element

- computations," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 17, pp. 1602-1606, 2010.
- [48] Z. Kai and S. Boggs, "Uniform field charge on a conducting particle," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 16, pp. 1158-1159, 2009.
 - [49] M. Hara and M. Akazaki, "Analysis of microdischarge threshold conditions between a conducting sphere and plane," *Journal of Electrostatics*, vol. 13, pp. 105-118, 1982.
 - [50] Q. Bo, *et al.*, "Surface discharge initiated by immobilized metallic particles attached to gas insulated substation insulators: process and features," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 18, pp. 792-800, 2011.
 - [51] N. N. Lebedev and I. P. Skal'skaya, "Force acting on a conducting sphere in the field of a parallel plate condenser," *Sov. Phys. Tech. Phys.*, vol. 7, pp. 268-270, 1962.
 - [52] F. Endo, *et al.*, "Metallic Particle Motion and Control under DC Voltages," in *Proceedings of the Symposium on Electrical and Electronic Insulating Materials and Applications in Systems*, Japan, 2004, pp. 49-52.
 - [53] K. Sakai, *et al.*, "Charging and behavior of a spherically conducting particle on a dielectrically coated electrode in the presence of electrical gradient force in atmospheric air," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 9, pp. 577-588, 2002.
 - [54] M. Hara, *et al.*, "Influence of Conducting Particles on Insulation Performance of Conical Spacer in SF₆, under DC Voltage " in *Proceedings of the 5th ISH*, Braunschweig, Germany, 1987.
 - [55] M. Hara, *et al.*, "Particle-Initiated Breakdown Characteristics of Conical Insulator in N₂ GAS and N₂/O₂ Mixture under DC Voltage," *Electrical Insulation, IEEE Transactions on*, vol. 22, pp. 87-96, 1987.
 - [56] A. Limsimarat and B. Techaumnat, "Electric field and force on a dielectric particle between two diverging plate electrodes," *Journal of Electrostatics*, vol. 63, pp. 789-794, Jun 2005.
 - [57] B. Techaumnat and T. Takuma, "Analysis of the electric field and force in an arrangement of a conducting sphere and a plane electrode with a dielectric barrier," *Dielectrics and Electrical Insulation, IEEE Transactions on*, vol. 13, pp. 336-344, 2006.
 - [58] X. B. Wang, *et al.*, "Selective dielectrophoretic confinement of bioparticles in potential energy wells," *Journal of Physics D-Applied Physics*, vol. 26, pp. 1278-1285, 1993.