

## บรรณานุกรม

กิตติเทพ เพื่องชจ (2556) การศึกษาผลกระทบของอุณหภูมิสูงต่อความแข็งของหินแกรนิตเพื่อประยุกต์ใช้ในการทึ่งการเก็บน้ำเคลือร์ในหลุมเจาะ, รายงานวิจัยลักษณะเลขที่ SUT7-719-56-12-52 สำนักงานกองทุนสนับสนุนกองทุนวิจัย, โดยมหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา

เดช เผือกภูมิ (2556) การศึกษากำลังเฉือนของรอยแตกในหินแกรนิตภายใต้อุณหภูมิสูง, รายงานวิจัยลักษณะเลขที่ SUT7-719-56-12-53 สำนักงานกองทุนสนับสนุนกองทุนวิจัย, โดยมหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา

Anderson, V.K. (2004). An evaluation of the feasibility of disposal of nuclear waste in very deep boreholes. Department of Nuclear Engineering. Cambridge, MA, MIT.

Araujo, R.G.S., Sousa, J.L.A.O. and Bloch, M. (1997). Experimental investigation on the influence of temperature on the mechanical properties of reservoir rocks. International Journal of Rock Mechanics and Mining Sciences. 34 (3–4): 298.e1–298.e16.

Arnold, B. and Brady, P. (2012). Nuclear waste technical review board spring meeting. Sandia National Laboratories. Sand 2012–1383C.

Arnold, B. W., Brady, P. V., Bauer, S. J., Herrick, C., Pye, S., and Finger, J. (2011). Reference design and operations for deep borehole disposal of high-level radioactive waste. Sandia National Laboratories. Sandia report. Sand 2011–6749.

Arnold, B. W., Swift, P. N., Brady, P. V., Orrell, S. A., and Freeze, G. A. (2010). Into the deep. Sandia National Laboratories. Deep borehole.

Arnold, B., and Brady, P. (2012). Nuclear waste technical review board spring meeting. Sandia National Laboratories. Sand2012–1383C.

Arnold, B.W., Brady, P.V., Bauer, S.J., Herrick, C., Pye, S. and Finger, J. (2011). Reference design and operations for deep borehole disposal of high-level radioactive waste. Sandia National Laboratories. Sandia report. Sand 2011–6749.

ASTM D2664. Standard test method for triaxial compressive strength of undrained rock core specimens without pore pressure measurements. In Annual Book of ASTM Standards (Vol. 04.08). Philadelphia: American Society for Testing and Materials.

- ASTM D2938. Standard test method for unconfined compressive strength of intact rock core specimens. In Annual Book of ASTM Standards (Vol. 04.08). Philadelphia: American Society for Testing and Materials.
- ASTM D3967. Standard test method for splitting tensile strength of intact rock core specimens. In Annual Book of ASTM Standards (Vol. 04.08). Philadelphia: American Society for Testing and Materials.
- Atherton, M., Brotherton, M. and Mahawat, C. (1992) Integrated chemistry, textures, phase relations and modelling of a composite granodioritic-monzonitic batholith, Tak, Thailand. *Journal of Southeast Asian Earth Sciences*. 7(2–3): 89–112.
- Barton, N. (1982). Shear strength investigations for surface mining. In Proceedings of the 3<sup>rd</sup> International Conference on Surface mining. SME, Vancouver, pp. 171–196.
- Berest, P. and Blum, P. A. (1993). In situ test in salt cavern. In Proceedings of the 7<sup>th</sup> Symposium on Salt (pp. 353–362). Kyoto, Japan.
- Berest, P., Brouard, B., and Durup, G. (1998). Behavior of sealed solution-mined caverns. In Proceedings of the 4<sup>th</sup> Conference on the Mechanical Behavior of Salt (pp. 511–524). Clausthal-Zellerfeld: Trans Tech Publications.
- Brady, P. V. and Arnold, B. W. (2011). Pilot testing deep borehole disposal of nuclear waste. Sandia National Laboratories. NM Work shop report.
- Brady, P.V., Arnold, B.W., Freeze, G.A., Swift, P.N., Bauer, S.T., Kanny, J.L., Rechard, R.P. and Stein, J.S. (2009). Deep borehole disposal of high-level radioactive waste. Sandia National Laboratories. Sand 2009-4401.
- Carter, N. L., Horseman, S. T., Russell, J. E., and Handin, J. (1993). Rheology of rocksalt. *Journal Structural Geology*. 15: 1257–1272.
- Chokski, A. H. and Langdon, T. G. (1991). Characteristics of creep deformation in ceramics. *Materials Science and Technology*. 7: 577–584.
- Closmann, P. J. and Bradley, W. B. (1979). The effect of temperature on tensile and compressive strengths and young's modulus of oil shale. *SPE Journal*. 19(5): 301–312.
- Cristescu, N. (1994a). A procedure to determine nonassociated constitutive equations for geomaterials. *International Journal of Plasticity*. 10: 103–131.
- Cristescu, N. (1994b). Visco–Plastic Behaviour of Geomaterials. Springer Verlag. pp. 103–207.

- Cristescu, N. and Hunsche, U. (1996). A comprehensive constitutive equation for rock salt-determination and application. In Proceedings of the 3<sup>rd</sup> Conference on the Mechanical Behavior of Salt (pp. 191–205). Clausthal-Zellerfeld: Trans Tech Publications.
- Durham, W. B. and Abey, A. E. (1982). Effect of pressure and temperature on the thermal properties of a salt and a quartz monzonite. In Proceedings of the 22<sup>nd</sup> US. Symposium on Rock Mechanics. Cambridge Mass: MIT.
- Dwivedi, R. D., Goel, R. K., Prasad, V. V. R., and Sinha, A. (2008). Thermo-mechanical properties of indian and other granites. International Journal of Rock Mechanics and Mining Sciences. 45: 303–315.
- Fall, M. and Samb, S.S. (2009). Effect of high temperature on strength and microstructural properties of cemented paste backfill. Fire Safety Journal. 44 (4): 642–651.
- Franssen, R. C. M. W. (1998). Mechanical anisotropy of synthetic polycrystalline rock salt. In Proceedings of the 4<sup>th</sup> Conference on the Mechanical Behavior of Salt (pp. 63–75). Clausthal-Zellerfeld: Trans Tech Publications.
- Fuenkajorn, K. and Kenkhunthod, N. (2010). Influence of loading rate on deformability and strength of three Thai sandstones. Geotechnical and Geological Engineering. 28: 707–715.
- Geranmayeh, A.R., Mahmudi, R. and Kangooie, M. (2010). High-temperature shear strength of lead-free Sn–Sb–Ag/Al<sub>2</sub>O<sub>3</sub> composite solder. Materials Science and Engineering. 528 (12): 3967–3972.
- Ghoreychi, M. and Berest, P. (1990). Thermomechanical modelling of radioactive waste disposal in salt formations. International of the 10<sup>th</sup> Conference on Structural Mechanics in Reactor Technology (SMiRT), California.
- Gibb, F.G.F. (1999). High-temperature, very deep, geological disposal: a safer alternative for high-level radioactive waste. Waste Management. 19: 207–211.
- Hamami, M., Tijani, S. M., and Vouille, G. (1996). A methodology for the identification of rock salt behavior using multi-step creep tests. In Proceedings of the 3<sup>rd</sup> Conference on the Mechanical Behavior of Salt (pp. 53–66). Clausthal-Zellerfeld: Trans Tech Publications.

- Hanchen, M., Bruckner, S., and Steinfeld, A. (2011). High-temperature thermal storage using a packed bed of rocks – heat transfer analysis and experimental validation. *Applied Thermal Engineering*. 31(10): 1798–1806.
- Heins, R. W. and Friz, T.O. (1967). The effect of low temperature on the some physical properties of rock. Drilling and rock mechanics conference. Texas, USA.
- Inada, Y., Kinoshita, N., Ebisawa, A. and Gomi, S. (1997) Strength and deformation characteristics of rocks after undergoing thermal hysteresis of high and low temperatures. *International Journal of Rock Mechanics and Mining Sciences*. 34(3–4): 140.e1–140.e14.
- Jaeger, J.C., Cook, N.G.W., and Zimmerman, R.W. (2007). *Fundamentals of Rock Mechanics*. Fourth Edition, Blackwell Publishing, Oxford.
- Kapang, P., Walsri, C., Sriapai, T. and Fuenkajorn, K. (2012). Shear strengths of sandstone fractures under true triaxial stresses. *Journal of Structural Geology*. 48: 57–71.
- Lockner, D.A., Summers, R. and Byerlee, J.D. (1986). Effects of temperature and sliding rate on frictional strength of granite. *Pure and Applied Geophysics*. 124 (3).
- Mitchell, E.K., Fialko, Y. and Brown, K.M. (2013). Temperature dependence of frictional healing of Westerly granite: Experimental observations and numerical simulations. *Geochemistry, Geophysics, Geosystems*. 14 (3): 567–582.
- Okatov, R. P., Nizametdinov, F. K., Tsai, B. N., and Bondarenko, T. T. (2003). Time and temperature factors in construction of rock strength criteria. *Journal of mining science*. 39(2): 139–142.
- Pusch, R., Knutsson, S., Ramqvist, G., Mohammed, M.H. and Pourbakhtial, A. (2012). Can sealing of rock hosting a repository for highly radioactive waste be relied on?. *Natural Science*. 4: 895–905.
- Raj, S. V. and Pharr, G. M. (1992). Effect of temperature on the formation of creep substructure in sodium chloride single crystal. *American Ceramic Society*. 75: 347–352.
- Rajendra, P., Tiwari, K. and Seshagiri, R. (2006). Post failure behaviour of a rock mass under the influence of triaxial and true triaxial confinement. *Engineering Geology*. 84(3–4): 112–129.

- Rodrigues, J.P.O. and Laím, L. (2011). Behaviour of perfobond shear connectors at high temperatures. *Engineering Structures.* 33 (10): 2744–2753.
- Schneefub, J. and Droste, J. (1996). Thermomechanical effects in backfilled drifts. In Proceedings of the 3<sup>rd</sup> Conference on the Mechanical Behavior of Salt (pp. 373–380). Clausthal-Zellerfeld: Trans Tech Publications.
- Senseny, P. E., Hansen, F. D., Russell, J. E., Carter, N. L., and Handin, J. W. (1992). Mechanical behaviour of rock salt: phenomenology and micromechanisms. *International Journal of Rock Mechanics and Mining Sciences.* 29: 363–378.
- Shimada, M. and Liu, J. (2000). Temperature dependence of strength of rock under high confining pressure. *Annals of Disas.* 43B–1: 75–84.
- Song, I. and Haimson, B.C. (1997). Polyaxial strength criteria and their use in estimating in situ stress magnitudes from borehole breakout dimensions. *International Journal of Rock Mechanics and Mining Sciences.* 34 (3–4): 116.e1–116.e16.
- Spiers, C. J., Schutjens, P. M. T. M., Brzesowsky, R. H., Peach, C. J., Liezenbrg, J. L., and Zwart, H. J. (1990). Experimental determination of constitutive parameters governing creep of rocksalt by pressure solution. *Deformation Mechanisms, Rheology and Tectonics. Geological Society Special Publication* (pp. 215–227).
- Sriapai, T., Fuenkajorn, K. and Samsri, P. (2012) Effects of loading rate on strength and deformability of Maha Sarakham salt. *Engineering Geology.* 135–136: 10–23.
- Stesky, R.M. (1978). Rock friction—effect of confining pressure, temperature, and pore pressure. *Pure and Applied Geophysics.* 116.
- Stesky, R.M., Brace, W.F., Riley, D.K. and Robin, P.Y.F. (1974). Friction in faulted rock at high temperature and pressure. *Tectonophysics.* 23: 177–203.
- Swift, P., Brady, P., Arnold, B., Freeze, G. and Bauer, S. (2009). Deep borehole disposal concepts: preliminary assessment for the disposal of used fuel assemblies. Sandia National Laboratories.
- Takarli, M., and Prince-Agbodjan, W. (2008). Temperature effect on physical properties and mechanical behavior of granite: experimental investigation of material damage. *Journal of ASTM international.* 5(3):1–13.

- Vosteen, H. and Schellschmidt, R. (2003). Influence of temperature on thermal conductivity, thermal capacity and thermal diffusivity for different types of rock. *Physics and Chemistry of the Earth. Parts A/B/C.* 28(9–11): 499–509.
- Walsri, C., Poonprakon, P., Thosuwan, R. and Fuenkajorn, K. (2009). Compressive and tensile strengths of sandstone under true triaxial stresses. In Proceedings of the 2<sup>nd</sup> Thailand Symposium on Rock Mechanics. March 12–13, 2009, Chonburi, pp. 199–218.
- Wendai, L. (2000). Regression analysis, linear regression and probit regression In 13 chapters. SPSS for windows: statistical analysis. Publishing House of Electronics Industry. Beijing.
- Xu, X. I., Kang, Z. X., Ji, M., Ge, W. X. and Chen, J. (2009). Research of microcosmic mechanism of brittle–plastic transition for granite under high temperature. *Procedia Earth and Planetary Science.* 1(1): 432–437.
- Xu, X., Kang, Z., Ming, J., Ge, W. and Jing, C. (2009). Research of microcosmic mechanism of brittle–plastic transition for granite under high temperature. *Procedia Earth and Planetary Science.* 1 (1): 432–437.
- Yun, B., Bae, B., Euh, D. and Song, C. (2010) Experimental investigation of local two-phase flow parameters of a subcooled boiling flow in an annulus. *Nuclear Engineering and Design.* 240(12): 3956–3966.
- Zhao, Y., Wan, Z., Feng, Z., Yang, D., Zhang, Y. and Qu, F. (2012). Triaxial compression system for rock testing under high temperature and high pressure. *International Journal of Rock Mechanics and Mining Sciences.* 52: 132–138.