

บรรณานุกรม

- Anderson, V.K. (2004). An evaluation of the feasibility of disposal of nuclear waste in very deep boreholes. *Department of Nuclear Engineering*. Cambridge, MA, MIT.
- Araujo, R.G.S., Sousa, J.L.A.O. and Bloch, M. (1997). Experimental investigation on the influence of temperature on the mechanical properties of reservoir rocks. *International Journal of Rock Mechanics and Mining Sciences*. 34 (3-4): 298.e1-298.e16.
- Arnold, B. and Brady, P. (2012). Nuclear waste technical review board spring meeting. *Sandia National Laboratories*. Sand 2012-1383C.
- Arnold, B.W., Brady, P.V., Bauer, S.J., Herrick, C., Pye, S. and Finger, J. (2011). Reference design and operations for deep borehole disposal of high-level radioactive waste. *Sandia National Laboratories*. Sandia report. Sand 2011-6749.
- Atherton, M., Brotherton, M. and Mahawat, C. (1992). Integrated chemistry, textures, phase relations and modelling of a composite granodioritic-monzonitic batholith, Tak, Thailand. *Journal of Southeast Asian Earth Sciences*. 7 (2-3): 89-112.
- Barton, N. (1982). Shear strength investigations for surface mining. In *Proceedings of the 3rd International Conference on Surface mining*. SME, Vancouver, pp. 171-196.
- Brady, P.V. and Arnold, B.W. (2011). Pilot testing deep borehole disposal of nuclear waste. *Sandia National Laboratories*. NM Worke shop report.
- Brady, P.V., Arnold, B.W., Freeze, G.A., Swift, P.N., Bauer, S.T., Kanny, J.L., Rechard, R.P. and Stein, J.S. (2009). Deep borehole disposal of high-level radioactive waste. *Sandia National Laboratories*. Sand 2009-4401.
- Fall, M. and Samb, S.S. (2009). Effect of high temperature on strength and microstructural properties of cemented paste backfill. *Fire Safety Journal*. 44 (4): 642-651.
- Fuenkajorn, K. and Kenkhunthod, N. (2010). Influence of loading rate on deformability and strength of three Thai sandstones. *Geotechnical and Geological Engineering*. 28: 707-715.
- Geranmayeh, A.R., Mahmudi, R. and Kangoie, M. (2010). High-temperature shear strength of lead-free Sn-Sb-Ag/Al₂O₃ composite solder. *Materials Science and Engineering*. 528 (12): 3967-3972.

- Gibb, F.G.F. (1999). High-temperature, very deep, geological disposal: a safer alternative for high-level radioactive waste. *Waste Management*. 19: 207–211.
- Jaeger, J.C., Cook, N.G.W., and Zimmerman, R.W. (2007). *Fundamentals of Rock Mechanics*. Fourth Edition, Blackwell Publishing, Oxford.
- Kapang, P., Walsri, C., Sriapai, T. and Fuenkajorn, K. (2012). Shear strengths of sandstone fractures under true triaxial stresses. *Journal of Structural Geology*. 48: 57–71.
- Lockner, D.A., Summers, R. and Byerlee, J.D. (1986). Effects of temperature and sliding rate on frictional strength of granite. *Pure and Applied Geophysics*. 124 (3).
- Mitchell, E.K., Fialko, Y. and Brown, K.M. (2013). Temperature dependence of frictional healing of Westerly granite: Experimental observations and numerical simulations. *Geochemistry, Geophysics, Geosystems*. 14 (3): 567–582.
- Pusch, R., Knutsson, S., Ramqvist, G., Mohammed, M.H. and Pourbakhtial, A. (2012). Can sealing of rock hosting a repository for highly radioactive waste be relied on?. *Natural Science*. 4: 895–905.
- Rodrigues, J.P.O. and Laím, L. (2011). Behaviour of perfobond shear connectors at high temperatures. *Engineering Structures*. 33 (10): 2744–2753.
- Song, I. and Haimson, B.C. (1997). Polyaxial strength criteria and their use in estimating in situ stress magnitudes from borehole breakout dimensions. *International Journal of Rock Mechanics and Mining Sciences*. 34 (3–4): 116.e1–116.e16.
- Stesky, R.M. (1978). Rock friction—effect of confining pressure, temperature, and pore pressure. *Pure and Applied Geophysics*. 116.
- Stesky, R.M., Brace, W.F., Riley, D.K. and Robin, P.Y.F. (1974). Friction in faulted rock at high temperature and pressure. *Tectonophysics*. 23: 177–203.
- Swift, P., Brady, P., Arnold, B., Freeze, G. and Bauer, S. (2009). Deep borehole disposal concepts: preliminary assessment for the disposal of used fuel assemblies. *Sandia National Laboratories*.
- Walsri, C., Poonprakon, P., Thosuwat, R. and Fuenkajorn, K. (2009). Compressive and tensile strengths of sandstone under true triaxial stresses. In *Proceedings of the 2nd Thailand Symposium on Rock Mechanics*. March 12–13, 2009, Chonburi, pp. 199–218.

- Wendai, L. (2000). Regression analysis, linear regression and probit regression In 13 chapters. SPSS for windows: statistical analysis. *Publishing House of Electronics Industry*. Beijing.
- Xu, X., Kang, Z., Ming, J., Ge, W. and Jing, C. (2009). Research of microcosmic mechanism of brittle–plastic transition for granite under high temperature. *Procedia Earth and Planetary Science*. 1 (1): 432–437.
- Zhao, Y., Wan, Z., Feng, Z., Yang, D., Zhang, Y. and Qu, F. (2012). Triaxial compression system for rock testing under high temperature and high pressure. *International Journal of Rock Mechanics and Mining Sciences*. 52: 132–138.