

บรรณานุกรม

- [1] Rao, C. N. R. and Nath, M., Inorganic nanotubes, *Dalton Trans.*, **1**, pp. 1-24.
- [2] Patzke, G. R., Krumeich, F. and Nesper, R. (2002) Oxidic nanotubes and nanorods - anisotropic modules for a future nanotechnology, *Angew. Chem. Int. Ed.*, **41** (2003) 2446-2461.
- [3] Huang, M., Mao, S., Feick, H., Yan, H., Wu, Y., Kind, H., Weber, E., Russo, R. and Yang, P., Room-temperature ultraviolet nanowire nanolasers, *Science*, **292** (2001) 1897-1899.
- [4] Pan, Z. W., Dai, Z. R. and Wang, Z. L., Nanobelts of semiconducting oxides, *Science*, **291**, (2001) 1947-1949.
- [5] Fujishima, A., Rao, T. N. and Tryk, D. A., Titanium dioxide photocatalysis, *J. Photochem. Photobiol. C:Photochem. Rev.*, **1** (2000) 1-21.
- [6] Kasuga, T., Hiramatsu, M., Hoson, A., Sekino, T., and Niihara, K., Formation of titanium oxide nanotube, *Langmuir*, **14** (1998) 3160-3163.
- [7] Seo, D. S., Lee, J. K. and Kim, H. J., Preparation of nanotube-shaped TiO₂ powder, *Cryst. Growth*, **229** (2001) 428-432.
- [8] Yuan, Z. Y., Zhou, W. and Su, B. L., Hierarchical interlinked structure of titanium oxide nanofibers, *Chem. Commun.*, **11** (2002) 1202-1203.
- [9] Zhang, Q., Gao, L., Sun, J. and Zheng, S., Preparation of long TiO₂ nanotubes from ultrafine rutile nanocrystals, *Chem. Lett.*, **31** (2002) 226-227.
- [10] Tsai, C. -C., and Teng, H., Regulation of the physical characteristics of titania nanotube aggregates synthesized from hydrothermal treatment, *Chem. Mater.*, **16** (2004) 4352-4358.
- [11] Suzuki, Y. and Yoshikawa, S., Synthesis and thermal analyses of TiO₂-derived nanotubes prepared by the hydrothermal method, *J. Mater. Res.*, **19** (2004) 982-985.
- [12] Yoshida, R., Suzuki, Y. and Yoshikawa, S., Effects of synthetic conditions and heat treatment on the structure of partially ion-exchanged titanate nanotubes, *Mater. Chem. Phys.*, **91** (2005) 409-416.
- [13] Yoshida, R., Suzuki, Y. and Yoshikawa, S., Synthesis of TiO₂(B) nanowires and TiO₂ anatase nanowires by hydrothermal and post-heat treatments, *J. Solid State Chem.*, **178** (2005) 2179-2185.

- [14] Ding, Y., Wang, Z.L., Structure analysis of nanowires and nanobelts by transmission electron microscopy, *J. Phys. Chem. B*, **108** (2004) 12280 -12291.
- [15] Suzuki, Y., Pavasupree, S., Yoshikawa, S. and Kawahata, R., Natural rutile-derived titanate nanofibers prepared by direct hydrothermal processing, *J. Mater. Res.*, **20** (2005) 1063-1070.
- [16] Pavasupree, S., Suzuki, Y., Yoshikawa, S. and Kawahata, R., Synthesis of titanate, TiO_2 (B), and anatase TiO_2 nanofibers from natural rutile sand, *J. Solid State Chem.*, **178** (2005) 3110-3116.
- [17] Suzuki, Y., Pavasupree, S., Yoshikawa, S. and Kawahata, R., Direct synthesis of an anatase- TiO_2 nanofiber/nanoparticle composite powder from natural rutile, *Physica Status Solidi (a)*, **204** (2007) 1757-1761.
- [18] Pavasupree, S., Suzuki, Y., Pivsa-Art, S. and Yoshikawa, S., Synthesis and characterization of nanoporous, nanorods, nanowires metal oxides, *Sci. Tech. Adv. Mater.*, **6** (2005) 224-229.
- [19] Pavasupree, S., Ngamsinlapasathian, S., Nakajima, M., Suzuki, Y. and Yoshikawa, S., Synthesis, characterization, photocatalytic activity and dye-sensitized solar cell performance of nanorods/nanoparticles TiO_2 with mesoporous structure, *J. Photochem. Photobio. A: Chem.*, **184** (2006) 163-169.
- [20] Pavasupree, S., Ngamsinlapasathian, S., Suzuki Y. and Yoshikawa, S., Synthesis and dye-Sensitized solar cell performance of nanorods/nanoparticles TiO_2 from high surface area nanosheet TiO_2 , *J. Nanosci. Nanotech.*, **6** (2006) 3685-3692.
- [21] Pavasupree, S., Suzuki, Y., Pivsa-Art, S. and Yoshikawa, S., Preparation and characterization of mesoporous MO_2 (M=Ti, Ce, Zr, and Hf) nanopowders by a modified sol-gel method, *Ceram. Int.*, **31** (2005) 959-963.
- [22] Pavasupree, S., Suzuki, Y., Pivsa-Art, S. and Yoshikawa, S., Preparation and characterization of mesoporous TiO_2 - CeO_2 nanopowders respond to visible wavelength, *J. Solid State Chem.*, **178** (2005) 128-134.
- [23] Kitiyanan, A., Ngamsinlapasathian, S., Pavasupree, S. and Yoshikawa, S., The preparation and characterization of nanostructured TiO_2 - ZrO_2 mixed oxide electrode for efficient dye-sensitized solar cells, *J. Solid State Chem.*, **178** (2005) 1044-1048.

- [24] Adachi, M., Murata, Y., Harada, M. and Yoshikawa, S., Formation of titania nanotubes with high photo-catalytic activity, *Chem.Lett.*, **8** (2000) 942-943.
- [25] Adachi, M., Okada, I., Ngamsinlapasathian, S., Murata, Y. and Yoshikawa, S., Dye-sensitized solar cell using semiconductor thin film composed of titania nanotubes, *Electrochemistry*, **70** (2002) 449-452.
- [26] Adachi, M., Murata, Y., Okada, I. and Yoshikawa, S., Formation of titania nanotubes and applications for dye-sensitized solar cells, *J. Electrochem. Soc.*, **150** (2003) G488-G493.
- [27] Sakulkaemaruehai, S., Pavasupree, S., Suzuki, Y., and Yoshikawa, S., Photocatalytic activity of titania nanocrystals prepared by surfactant-assisted templating method—effect of calcination conditions, *Mater. Lett.*, **59** (2005) 2965-2968.
- [28] Sreethawong, T., Suzuki, Y. and Yoshikawa, S., Synthesis, characterization, and photocatalytic activity for hydrogen evolution of nanocrystalline mesoporous titania prepared by surfactant-assisted templating sol-gel process, *J. Solid State Chem.*, **178** (2005) 329-338.
- [29] Park, N.-G., van de Lagemaat, J. and Frank, A.J., Comparison of dye-sensitized rutile- and anatase-based TiO₂ solar cells, *J. Phys. Chem. B*, **104** (2000) 8989-8994.
- [30] Pavasupree, S., Jitputti, J., Ngamsinlapasathian, S., Suzuki, Y. and Yoshikawa, S., Hydrothermal synthesis, characterization, photocatalytic activity and dye-sensitized solar cell performance of mesoporous anatase TiO₂ nanopowders, *Materials Research Bulletin*, **43** (2008) 149-157.
- [31] Jitputti, J., Pavasupree, S., Suzuki, Y. and Yoshikawa, S., Synthesis and photocatalytic activity for water-splitting reaction of nanocrystalline mesoporous titania prepared by hydrothermal method, *J. Solid State Chem.*, **180** (2007) 1743-1749.
- [32] Lidija, T. Mancic., A. Bojan, A. Marinkovic., Paula, M. Jadim., Olivera, B. Milosevic., and Fernando, R., Precursor Particle Size as the Key Parameter for Isothermal Tuning of Morphology from Nanofibers to Nanotubes in the Na_{2-x}H_xTi_nO_{2n+1} System through Hydrothermal Alkali Treatment of Rutile Mineral Sand. *Crystal Growth & Design* **9**(2009): 2152-2158.

- [33] Poudel, B., Wang, W.Z., Dames, C., Huang, J.Y., Kunwar, S., Wang, D.Z., Banerjee, D., Chen, G., and Ren, Z.F. Formation of crystallized titania nanotubes and their transformation into nanowires. *Nanotechnology* **16**(2005): 1935-1940.
- [34] Miao, L., Tanemura, S., Toh, S., Kaneko, K. and Tanemura, M., Heating-sol-gel template process for the growth of TiO₂ nanorods with rutile and anatase structure, *Appl. Surf. Sci.*, **238** (2004) 175-179.
- [35] Zhang, Y.X., Li, G.H., Jin, Y.X., Zhang, Y., Zhang, J. and Zhang, L.D., Hydrothermal synthesis and photoluminescence of TiO₂ nanowires, *Chem. Phys. Lett.*, **365** (2002) 300-304.
- [36] Yuan, Z.Y. and Su, B.L., Titanium oxide nanotubes, nanofibers and nanowires, *Colloids and Surf. A*, **241** (2004) 173-183.
- [37] Khalil, K.M.S., and Zaki, M.I. Synthesis of high surface area titania powders via basic hydrolysis of titanium (IV) isopropoxide. *Powder Technology* **92**(1997): 233-239.
- [38] Pavasupree, S., Suzuki, Y., Kitiyanan, A., Pivsa-Art S. and Yoshikawa, S., Synthesis and characterization of vanadium oxides nanorods, *J. Solid State Chem.*, **178** (2005) 2152-2158.
- [39] Grätzel, M., Photoelectrochemical cells, *Nature*, **414** (2001) 338-344.
- [40] Ngamsinlapasathian, S., Sreethawong, T., Suzuki, Y. and Yoshikawa, S., Single and double-layered mesoporous TiO₂/P25 TiO₂ electrode for dye-sensitized solar cell, *Sol. Energy Mater. Sol. Cells*, **86** (2005) 269-282.
- [41] Kasuga, T., Hiramatsu, M., Hoson, A., Sekino, T. and Niihara, K., Titania nanotubes prepared by chemical processing, *Adv. Mater.*, **11** (1999) 1307-1311.
- [42] Armstrong, A.R., Armstrong, G., Canales J. and Bruce, P.G., TiO₂-B nanowires, *Angew. Chem. Int. Ed.*, **43** (2004) 2286-2288.
- [43] Kolen'ko, Y.V., Maximov, V.D., Grashev, A.V., Meskin, P.E., Oleynikov, N.N. and Churagulov, B.R., Hydrothermal synthesis of nanocrystalline and mesoporous titania from aqueous complex titanyl oxalate acid solutions, *J. Phys. Chem.*, **388** (2004) 411-415.
- [44] Katoh, R., Murai, M. and Furube, A., Electron-hole recombination in the bulk of a rutile TiO₂ single crystal studied by sub-nanosecond transient absorption spectroscopy, *Chem. Phys. Lett.*, **461** (2008) 238-241.

- [45] Zhu, H.Y., Lan, Y., Gao, X.P., Ringer, S.P., Zheng, Z.F., Song, D.Y. and Zhao, J.C. Phase transition between nanostructures of titanate and titanium dioxides via simple wet-chemical reactions, *J. Am. Chem. Soc.*, **127** (2005) 6730-6736.
- [46] Chen, Q., Du, G.H., Zhang, S. and Peng, L.M.. The structure of trititanate nanotubes, *Acta Crystallogr. B*, **58** (2002) 587-593.
- [47] Suzuki, Y., Pavasupree, S., Yoshikawa S. and Kawahata, R., Conventional processes to prepare fine TiO₂ powders, *Phys. Stat. sol.*, Institute of Advanced Energy, University of Kyoto. 2007.
- [48] Jitputti, J., Pavasupree, S., Yoshikawa, S. and Susumu, Y., Synthesis of TiO₂ nanotubes and photocatalytic activity for H₂ evolution, *Phys. Chem.*, **47** (2008) 751-756.
- [49] Jitputti, J., Rattanaavoravipa, T., Chuangchote, S., Pavasupree, S., Yoshikawa S. and Susumu, Y., Low temperature hydrothermal synthesis of monodispersed flower-like titanate nanosheets, *Catal. Commun.*, **10** (2009) 378-382.
- [50] <http://www.mete.metu.edu.tr/.../faculty/ctas.Orig/lab/dybatio3.htm>
- [51] <http://www.mesap.us.utwente.nl/.../nano.doc/nano-1.jpg>
- [52] <http://www.nanotect.or.th>
- [53] ศูนย์เทคโนโลยีแห่งชาติ สำนักงานวิทยาศาสตร์และเทคโนโลยีแห่งชาติ “เอกสารประกอบการเรียนรู้หลักสูตรวัสดุนาโน”
- [54] Suzuki, Y., Pavasupree, S., Yoshikawa, S. and Kawahata, R., Natural rutile-derived titanate nanofibers prepared by direct hydrothermal processing, *J. Mater. Res.*, **20** (2005) 1063-1070.
- [55] http://www.noknoi.com/magazine/pics/pic_no_1475_1_16489.jpg
- [56] <http://www.ims.vanderbilt.edu/.../image002.jpg>
- [57] <http://www.stherb-nano-breast-serum.com>.
- [58] <http://www.en.wikipedia.org/wiki/Nanofiberm>
- [59] ยอดททัย เทพธรานนท์, และประมวดี ตั้งบริบูรณ์รัตน์. “นาโนเทคโนโลยีซูเปอร์จีว.” กรุงเทพฯ. 2545.
- [60] Guay, P., Stansfield, B.L. and Rochefort, A., On the control of carbon nanostructures for hydrogen storage applications, *Carbon*, **42** (2004) 2187-2193.
- [61] <http://www.nanoarchitecture.net/images/580.jpg>

- [62] Wu, E., Chen, K.C. and Mackenzie, J.D., in : Better Ceramics Through Chemistry, Materials Research Society Symp. Proc., Vol. 32, ed. C.J. Brinker, D.E. Clark and D.R. Ulrich (North-Holland Amsterdam, 1984) p. 169.
- [63] www.rmutphysics.com/charud/oldnews/67/index67.htm
- [64] สิริชัย ภิบาลจอมมี. ‘การกำจัดสีของน้ำเสียสีข้อมด้วยกระบวนการโฟโตแคตาลีติกโดยใช้ตัวเร่งปฏิกิริยาไททานเนียมไดออกไซด์.’ คณะวิศวกรรมศาสตร์ สาขาวิศวกรรมสิ่งแวดล้อม มหาวิทยาลัยเชียงใหม่. 2543. หน้า 15.
- [65] CERAM Reserch Ltd. “Titanium Dioxide-Titania (TiO₂).” [Online]
- [66] สุกัญญา สารทูลทัต, วรรณิกา หงส์โต และวราภรณ์ นันทพันธ์. “การศึกษาผลของปริมาณและขนาดอนุภาคที่มีผลของไททานเนียมไดออกไซด์ต่อการบดบังแสงของปฏิกิริยาที่ผลิตจากโพลีเมทิลคริลเลต.” ปรินญาณิพนธ์ภาควิชาวิศวกรรมวัสดุและโลหการ คณะวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีราชมงคลธัญบุรี. 2549.
- [67] ตะวัน สุขน้อย. “การสังเคราะห์และการศึกษาความสามารถในการเป็นตัวเร่งปฏิกิริยาของซีโอไลต์ที่มี ไททานเนียมเป็นองค์ประกอบ.” รายงานการวิจัยฉบับสมบูรณ์, กรุงเทพฯ : สำนักงานกองทุนสนับสนุนการวิจัย, 2543, หน้า 2.
- [68] <http://www.indiamart.com/.../gifs/titaniumdioxide.jpg>
- [69] Carp, O., Huisman, C.L. and Roller, A., Photoinduced reactivity of titanium dioxide, *Prog. Solid State Chem.*, **32** (2004) 33-177.
- [70] <http://www.vnci.nl/.../default.asp?pagina=8&year=200>
- [71] <http://www.mindaf.org>
- [72] <http://www.tiwest.com.au>
- [73] <http://www.kmml.com>
- [74] Xia, Y.; Yang, P.; Sun, Y.; Wu, Y.; Mayers, B.; Gates, B.; Yin, Y.; Kim, F. and Yan, H., One-dimensional nanostructures : synthesis, characterization, and application, *Adv. Mater.*, **15** (2003) 353-389.
- [75] Yoon, J.H., Jang, S.R., Vittal, R., Lee, J. and Kim, K.J., TiO₂ nanorods as additive to TiO₂ film for improvement in the performance of dye-sensitized solar cells, *J. Photochem. Photobio. A: Chem.*, **180** (2006) 184-188.
- [76] Wu, J.-J. and Yu, C.-C., Aligned TiO₂ nanorods and nanowalls, *J. Phys. Chem. B*, **108** (2004) 3377-3379.

- [77] Gao, X.P., Lan, Y., Zhu, H.Y., Liu, J.W., Ge, Y.P., Wu, F. and Song, D.Y., Electrochemical performance of anatase nanotubes converted from protonated titanate hydrate nanotubes, *Electrochem. Solid State Lett.*, **8** (2005) A26-A29.
- [78] Muhr, H.-J., Krumeich, F., SchÖnholzer, U.P., Bieri, F., Niederberger, M., Gauckler, L.J. and Nesper, R., Vanadium oxide nanotubes - A new flexible vanadate nanophase, *Adv. Mater.*, **12** (2000) 231-234.
- [79] Cheng, B., Russell, J.M., Shi, W., Zhang, L. and Samulski, E.T., Large-scale, solution-phase growth of single-crystalline SnO₂ nanorods, *J. Am. Chem. Soc.*, **126** (2004) 5972-5973.
- [80] Tang, C., Bando, Y., and Sato, T., Oxide-assisted catalytic growth of MgO nanowires with uniform diameter distribution, *J. Phys. Chem. B*, **106** (2002) 7449-7452.
- [81] Jiang, X., Wang, Y., Herricks T. and Xia, Y., Ethylene glycol-mediated synthesis of metal oxide nanowires, *J. Mater. Chem.*, **14** (2004) 695-703.
- [82] Lee, K., Seok Seo, W. and Park, J.T., Synthesis and optical properties of colloidal tungsten oxide nanorods, *J. Am. Chem. Soc.*, **125** (2003) 3408-3409.
- [83] Shao, C., Guan, H., Liu, Y., Gong, J., Yu, N. and Yang, X., A novel method for making ZrO₂ nanofibres via an electrospinning technique, *J. Cryst. Growth*, **267** (2004) 380-384.
- [84] Vantomme, A., Yuan, Z.Y., Du, G. and Su, B.L., Surfactant-assisted large-scale preparation of crystal-line CeO₂ nanorods, *Langmuir*, **21** (2005) 1132-1135.
- [85] Gao P. and Wang, Z.L., Self-assembled nanowire-nanoribbon junction arrays of ZnO, *J. Phys. Chem. B*, **106** (2002) 12653-12658
- [86] Rehspringer, J.L., Poix P. and Bernier, J.C., Synthesis of glass "precursor" BaO,TiO₂.nH₂O by gel processing, *J. Non. Cryst. Solids*, **82** (1986) 286-292.
- [87] Chaput, F. and Builot, J.P., Alkoxide-hydroxide route to synthesize BaTiO₃-based powders, *J. Am. Ceram. Soc.*, **73** (1990) 942-948.
- [88] Mosset, A., Gauteir-Lunean, I., Galy, J., Strehlow, P. and Schmidt, H., Sol-gel processed BaTiO₃ : Structural evolution from the gel to the crystalline powder, *J. Non. Cryst. Solids*, **100** (1988) 339-344.

- [89] Grammayico, J. P. and Porto Lopez, J.M., Reaction sequences in the systems $Ti(O^iPr)_4$, $Ba(CH_3COO)_2$ and $TiO_2 + Ba(CH_3COO)_2$, *J. Mat. Sci, Material in Electronics*, **3** (1992) 82-86.
- [90] Phanichpant, S., Tunkasin, T., Yhavornyutikarn, P., Rujjjanakul, G. and Youme, P., Preparation of barium titanate powders by sol-gel method, Proceedings of the International Conference on Materials Technology : Recent Developments and Future Potential, 1997, pp. 242-248.
- [91] Tsai, C. C. and Teng, H., Regulation of the physical characteristics of titania nanotube aggregates synthesized from hydrothermal treatment, *Chemistry of Materials*, **16** (2004) 4352-4358.
- [92] http://www.kiehls.com/img/products/524_L.jpg
- [93] <http://www.rubylane.com/shops/modestparisienne/ilist/,id=0.html>
- [94] <http://www.worldsbestoil.ca/amsoil/EaAM-Motorcycle-Air-Filters.php>
- [95] Kasuga, T., Formation of titanium oxide nanotubes using chemical treatments and their characteristic properties, *Thin Solid Films*, **496** (2006) 141-145.
- [96] Armstrong, G., Canales, J., Armstrong, A.R. and Bruce, P.G., The synthesis and lithium intercalation electrochemistry of $VO_2(B)$ ultra-thin nanowires, *Journal of Power Sources*, **178** (2008) 723-728.
- [97] Yu, J., Yu, H., Cheng, B. and Trapalis, C., Effects of calcination temperature on the microstructures and photocatalytic activity of titanate nanotubes, *Journal of Molecular Catalysis A: Chemical*, **249** (2006) 135-142.
- [98] Niu, H.Y., Wang, J.M., Shi, Y.L., Cai, Y.Q. and Wei, F.S., Adsorption behavior of arsenic onto protonated titanate nanotubes prepared via hydrothermal method, *Microporous and Mesoporous Materials*, **122** (2009) 28-35.
- [99] Hsieh, C.T., Fan, W.S., Chen, W.Y. and Lin, J.Y., Adsorption and visible-light-derived photocatalytic kinetics of organic dye on Co-doped titania nanotubes prepared by hydrothermal synthesis, *Separation and Purification Technology*, **67** (2009) 312-318.

- [100] Pavasupree, S., Laosiripojana, N., Chuangchote, S. and Sagawa, T., Fabrication and utilization of titania nanofibers from natural leucoxene mineral in photovoltaic applications, *Japanese Journal of Applied Physics*, **50** (2011) 01BJ16.
- [101] Jitputti, J., Suzuki, Y., and Yoshikawa, S., Synthesis of TiO₂ nanowires and their photocatalytic activity for hydrogen evolution, *Catalysis Communications*, **9** (2008) 1265–1271.
- [102] Simpraditpan, A., Wirunmongkol, T., Pavasupree, S., Pecharapa W. Simple hydrothermal preparation of nanofibers from a natural ilmenite mineral. *Ceramics International* **39**(2013): 2497-2502.
- [103] Simpraditpan, A., Wirunmongkol, T., Pavasupree, S., and Pecharapa, W., Effect of calcinations on structural and photocatalyst properties of nanofibers prepared from low-cost natural ilmenite mineral by simple hydrothermal method. *Materials Research Bulletin* **48**(2013): 3211-3217.
- [104] Zhou, M., Yu, J., Cheng, B., Effects of Fe-doping on the photocatalytic activity of mesoporous TiO₂ powders prepared by an ultrasonic method. *Journal of Hazardous Materials B* **137**(2006): 1838–1847.
- [105] Meng, H., Wang, B., Liu, S., Jiang, R., Long, H., Hydrothermal preparation, characterization and photocatalytic activity of TiO₂/Fe–TiO₂ composite catalysts. *Ceramic International* **39**(2013): 5785-5793.
- [106] Khan, M.A., Woo, S.I., Yang, O.-B., Hydrothermally stabilized Fe(III) doped titania active under visible light for water splitting reaction. *International Journal of Hydrogen Energy* **33**(2008): 5345-5351.
- [107] Smith, York R., Joseph Antony Raj, K., Subramanian (Ravi), V., Viswanathan, B., Sulfated Fe₂O₃-TiO₂ synthesized from ilmenite ore: A visible light active photocatalyst. *Colloids and Surfaces A: Physicochem. Eng. Aspects* **367**(2010): 140-147.