

បច្ចនាសុក្រម

บรรณานุกรม

กรมควบคุมมลพิษ. (2545). เอกสารเผยแพร่ทางวิชาการของสารเคมีเฉพาะเรื่องแคดเมียม (พิมพ์ครั้งที่ 3). กรุงเทพฯ: กรมควบคุมมลพิษ
คณาจารย์ภาควิชาสรีรวิทยา. (2548). สุริรัตน์ 2 (พิมพ์ครั้งที่ 5). กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.

Abdul, H.B., Salma, F.M. and Asmat, K.A. (2012). Comparison of placentae from hypertension associated pregnancies and normal pregnancies. *Journal of Liaquat university of medical and health science*, 11, 1-6

Agency for Toxic Substances and Disease Registry (ATSDR). (1998). Cadmium (update). Washington DC: US. Department of health and human services.

Akinori, S., Emi, Y., Tekehito, M., Minoru, Y., Junko, S.S., Masahiko, S., et al. (2004). Ultrastructural demonstration of Mercury granules in the placenta of metallothionein-null pregnant mice after exposure to mercury vapor. *Toxicologic pathology*, 32, 519-526.

Amir, S.S. (2010). Cadmium transport in blood serum. *Toxicology and industrial health*, 26(4), 195-201.

Anderson, J.M. and Cerejido, M. (2001). Evolution of idias on the tight junction. In Cerejido, M., Anderson J.M. (Ed.) *Tight junctions* (pp. 1-18). Boca Raton: CRC Press.

Anwar, U.H., Saadia, S., Mahera, M.J., Imjaad H. and Saad S. (2004). Pathology of chorionic villi in spontaneous abortions. *International journal of pathology*, 2(1), 5-9.

Bane, A. L. and Gillan, J.E. (2003). Massive perivillous fibrinoid causing recurrent placental Failure. *An International Journal of Obstetrics and Gynaecology*, 110, 292-295.

Bazzoni, G. and Dejana, E. (2004). Endothelial cell-to-cell junction: Molecular organization and role in vascular homeostasis. *Physiological reviews*, 84, 869-901.

- Beham, A., Denk, H. and Desoye, G. (1988). The distribution of intermediate filament proteins, actin and desmoplakins in human placental tissue are regulated by polyclonal and monoclonal antibodies. *Placenta*, 9, 479-492.
- Brzoska, M.M., Moniuszho Jado, Eithanol, Pitat-Marcinhie B. and Wiczuk, Sawkci, B. (2002). Liver and kidney function histology in rat exposed to cadmium and Ethanol. *Alcohol and alcoholism*, 38(1), 2-10.
- Bush, P.G., Mayhew, T.M., Abramovich, D.R., Aggett, P.J., Burke, M.D. and Page, K.R. (2000). A quantitative study on the effects of maternal smorking on placental morphology and cadmium concentration. *Placenta* 21, 247-256.
- Cereijido, M., Contreras, R.G. and Gonzalez-Mariscal, L. (1989). Development and alteration of polarity. *Annual review of physiology*, 51, 785-795.
- Cheville, N.F. (1994). *Ultrastructural pathology: An Introduction to Interpretation*. Iowa State University: Press Ames.
- Correia Carreira, S., Cartwright, L., Mathiesen, L., Knudsen, L.E. and Saunders, M. (2011). Studying placental transfer of high purified non-dioxin-like PCBs in two models of the placental barrier. *ELSEVIER: Placenta*, 32, 283-291.
- Doyle, J. J., Bernhoft, R. A. and Sanstead, H. H. (1975). The effect of low dietary cadmium on blood pressure 24Na, 42K and water retention in growing rats. *J. Lab. Clin. Med.*, 86, 57.
- Environmental Protection Agency (EPA.). (1997). *Integrated Risk Information System (IRIS) for cadmium*. Washington DC: Office of health and environmental assessment, U.S. Environmental Protection Agency.
- Frank, T. (2010). Catch me if you can! Novel aspects of cadmium transport in mammalian cells. *Biometals*, 23, 857-875.
- Friberg, L. (1971). *Cadmium in the environment*. Cleveland, OH: CRC Press
- Friberg, L., Eliner, CF., Kjellstrom, T. and Nordberg, G.F. (1986). *Cadmium and health: A toxicological and epidermological appraisal. Vol. II Effect and respons*. Boca Raton, Fl: CRD.

- Friberg, L. and Vahter, M. (1983). Assessment of exposure to lead and cadmium through biological monitoring: Results of a UNEP/WHO global study. *Environmental Research*, 30, 95-128.
- Fox, H. (1968). Fibrinoid necrosis of placental villi. *Journal of obstetrics and gynaecology of the british commonwealth*, 75, 448-452
- Fox, H.M.B. (1965). The significant of villous syncytial knot in the human placenta. Retrieved August 26, 2013, from <http://onlinelibrary.wiley.com>
- Graham, J.B., Carolyn, J. and Jones. P. (2009). Syncytial knots, Sprouts, Apoptosis and trophoblast deportation from the human placenta. *Taiwan journal obstetrics and Gynecology*, 48(1), 28-37.
- Han, JC., Park, SY., Hah, BG., Choi, GH., Kim, YK., Kwon, TH., et al. (2003). Cadmium induce impaired glucose tolerance in rat by down-regulating GLUT4 expression in adipocytes. *Arch. Biochem. Biophys*, 413, 213-220.
- Hassler, E., Lind, B. and Piscater, M. (1983). Cadmium in blood and urine related to present and past exposure. A study of workers in an alkaline battery factory. *British Journal of industrial medicine*, 40, 420-425.
- Hazelhoff Roeifzema W., U. Zahn-Breidenbach and J.H.J. Copius Peereboom-Stegeman. (1988). Light and electron microscopic investigation of the rat placenta after cadmium administration during pregnancy. *Anatomy and Embryology*, 178, 345-351.
- Heazell, A.E.P., Moll, ST., Jones, C.T., Beher, P.N. and Croker, IP. (2007). Formation of Syncytial knot is increased by hyperoxia, hypoxia and reactive oxygen species. *Placenta*, Aug-Sap, 28(8-9), 973
- Hibiya, T. (1982). An atlas of fish histology: Normal and pathological features. Tokyo: Kodansha.
- Hinton, D.E. and Lauren, D.J. (1990). Integrative histopathological effects of Environmental stress or sonshes. *American fisheries society symposium*. 8, 5166.

- Huppertz, B. (2008). Placental origin of preeclampsia: Challenging the current hypothesis. *Hypertension Journal of the American Heart Association*, 51, 970-975.
- Hussein, A. Kaoud and Mohey, M. Me. (2011). Effect of cadmium pollution on neuromorphology and function of brain in mice offspring. *Nature and science*, 9(4), 28-35.
- International Programme on Chemical Safety. (1992). *Environmental health criteria 134: Cadmium*. Retrieved August 13, 2013, from <http://www.inchem.org/documents/ehc/ehc/ehc134.htm>
- Johannes, G., Franziska, S., Christian, G.S., Vera, E., Paul, B., Andrea, R., et al. (2006). The toxicity of cadmium and resulting hazards for human health. *Journal of occupational medicine and toxicology*, 1, 22
- John, P.J., Lee, P.F., Vishna, D.N., Sri Kumar, C., Thanikacalam, P. and Santhanaraj, L. (2010). Ultrastructural and immunofluorescence studies of placental tissue in hypertensive diseases of pregnancy. *Research Journal of Biological science*, 5(2), 155-163.
- Devi, S.K., Sharmila, B.P., Sujatha, K., Ramakrishna, B.A. and Shanthi, V. (2012). Vasculosyncytial membrane in relation to syncytial knots complicate the placenta in preeclampsia: A histomorphometrical study. *Anatomy and cell biology*, 2012(45), 86-91
- Kamey, T., Watanabe, K., Kobayashi, T. and Muhojima, T. (1973). Enzyme and immuno-histochemical localization of human placental alkaline phosphatase. *Aeta histochemistry and cytochemistry*, 6, 124-136.
- Khalig, A., Li, X.F., Shams, M., Sisi, P., Acevedo, C.A. and Whittle, M.J. (1996). Localisation of placenta growth factor (PIGF) in human term placenta. *Growth Factors*, 13, 243-250.

- Khampitak, T., Knowles, J., Yongvanit, P., Sithithaworn, P., Tangrassameeprasert, R., Boonsiri, P., et al. (2006). Thiamine deficiency and parasitic infection in rural Thai children. *Southeast Asian Journal of Tropical Medicine and Public Health*, 37, 441-445.
- Kilby, M.D., Afford, S., Li, X.F., Strain, A., Ahmed J. and Whittle, MJ. (1996). Localisation of hepatocyte growth factor (c-met) protein and mRNA in human term placenta. *Growth Factors*, 13, 1-7.
- King, B.F. (1983). The organization of the actin filaments in human placental villi. *Journal of ultrastructural research*, 85, 320-328.
- King, B.F. and Menton, D.N. (1975). Scanning electron microscopy of human placental villi from early and late in gestation. *American Journal of obstetric and gynecology*, 122, 824-828.
- Kurt, B. and Peter, K. (1995). *Pathology of the human placenta* (3rd ed.). USA: Springer-Verlag.
- Lafond, J., St-Pierre, S., Masse, A., Savard, R. and Simoneau, L. (1997). Calcitonin gene-related peptide receptor in human placental syncytiotrophoblast brush-border and basal plasma membrane. *Placenta*, 18, 181-188.
- Leibl, W., Kerjaschki, D. and Horaner, H. (1975). Mikrovillus freie areale an chorionzotten menschlicher placenten. *Gegenbaurs morphology, Jahrb*, 121, 26-28.
- Lopa, L., Michael, O., Babawale, M.A. and Michael, L. (2002). Vasculogenesis, Angiogenesis and the molecular organization of endothelial junction in the early human placenta. *Journal of vascular research*, 39, 246-259.
- Loukeris, K., Sela, R. and Baergen, RN. (2010). Syncytial knot as a reflection of placental maturity: Reference values for 20 to 40 week gestational age. *Pediatric and Developmental Pathology*, 13(4), 305-309.
- Mabrouk, El M., Simoneau, L., Bouvier, C. and Lafond, J. (1996). Asymmetrical distribution of G proteins in syncytiotrophoblast brush-border and basal plasma membrane of human term placenta. *Placenta*, 17, 471-477.

- Mahlhauser, J., Crescimanno, C., Kasper, M., Zaccero, D. and Castellucci, M. (1995). Differentiation of human trophoblast population involve alteration in cytokeratin patterns. *Journal of histochemistry and cytochemistry*, 43, 579-589.
- Majumdar, S., Dasgupta, H., Bhattacharya, K. and Bhattacharya, A. (2005). A study of placenta in normal and hypertensive pregnancies. *Journal of the anatomical society of India*, 54(2), 34-38.
- Maria, D. Esteban-Vasallo, Aragones, N., Pollan, M., Lopez-Abente, G. and Perez-Maria, B. (2012). Mercury, cadmium and lead levels in human placenta: A systematic review. *Environmental health perspectives*, 210(10), 1396-1377.
- Maria, K., Fahmida, T. and Marie, V. (2003). Maternal cadmium exposure during pregnancy and size at birth: A prospective cohort study. *Environ health Perspec*, 120, 284-289.
- Merali, Z. and Singhal, RL. (1975). Protective effect of selenium on certain hepatotoxic and panceotoxic manifestation of subacute cadmium administration. *J. Pharmacol. Exp. Ther*, 195, 58-66.
- Muhammad, A., Muhammad, Z.J. and Muhammad, N. (n.d.). Effect of maternal smoking on placental morphology. Retrieved August 14, 2013, from <http://www.ayubmed.edu.pk/JAMC/PAST/15-3/ashfaq.htm>
- Njogu, A., Owiti, G.O., Persson, E. and Oduor-Okelo, D. (2006). Ultrastructure of the chorioallantoic placenta and chorionic vesicles of the lesser bush baby. *Placenta*, 27, 771-779.
- Nilsson, T., Rorsman, F., Berggren, PO. and Hellman, B. (1986). Accumulation of cadmium in pancreatic beta cell is similar to that of calcium in being stimulated by both glucose and high potassium. *Biochem.Biophys.Acta*, 888, 270-277.
- Ockleford, C.D., Wakely, J. and Badley, R.A. (1981). Morphogenesis of human placenta chorionic villi:Cytoskeleton, syncytioskeleton and extracellular matrix proteins. *Proceeding of the Royal Society of London Series B.*, 212(1188), 305-316.

- Perry, HM.Jr., Erlanger, M., Yunice, A. and Perry, EF. (1967). Mechanisms of the acute hypertensive effect of intra-arterial cadmium and mercury in anesthetized rats. *J. Lab. Clin. Med.*, 70, 963.
- Perry, HM.Jr. and Erlanger, M.W. (1973). Elevated circulating renin activity in rat following doses of cadmium known to induce hypertension. *J. Lab. Clin. Med.*, 82, 399.
- Puri, V.N. (1999). Cadmium induced hypertension. *Clinical and experimental hypertension*, 21, 1-2.
- Rath, G., Roy, S., Goyal U., Jain, A.K. and Mukherjee, A. (2011). Placental vasclosyncytial membrane in tobacco exposed indian mothers: A quantitative and ultrastructural study. *Journal of international medical science academy*, 24(2), 53-55.
- Reda, A.S. and Mohamed A.M. (2008). Structural change of placenta in preeclamtic patients light and electron microscopic study. *Turkish Journal of medical science*, 38(3), 219-225.
- Roels, H., Djubgang, J., Buched, J.P., Bernard, A. and Lauwers, R.R. (1982). Evolution of cadmium-induced renal dysfunction in workers removed from exposure. *Scandinavian Journal of work environment and health*, 8, 191-200.
- Ronco, A.M., Urrutia, M., Montenegro, M. and Llanos, M.N. (2009). Cadmium exposure during pregnancy reduces birth weight and increases maternal and foetal glucocorticoids. *Toxicol Lett.*, 188(3), 186-191.
- Ruzichy, L.A. and Aaron, K. (1996). Estrogen increases the expression of uterine protein kinese C isozymes in a tissue specific manner. *European Journal of Pharmacology*, 313, 257-263.
- Ryu, D.Y., Lee, S.J., Park, D.W., Choi, B.S., Klassen, C.D. and Park, J.D. (2004). Dietary iron regulate intestinal cadmium absorption through iron transporters in rat. *ELSEVIER: Toxicology letter*, 152, 19-25.

- Sala, M.A., Matheus, M., Valeri, V. and Lopes, R.A. (1997). Ultrastructure of the villous fibrinoid in the human fullterm placenta. *Chiloen anatomy*, 15 (1), Retrieved August 25, 2013, from [http://www.scielo.cl/scielo.php?script=sci_arttext&pid=S0716-98681997000100011&lng=en&nrm=iso&ignore=.](http://www.scielo.cl/scielo.php?script=sci_arttext&pid=S0716-98681997000100011&lng=en&nrm=iso&ignore=)
- Satarug, S. and Moore, M.R. (2004). Adverse effects of chronic exposure to low-level cadmium in foodstuffs and cigarette smoke. *Environmental Health Perspectives*, 112, 1099-1103.
- Schiebler, I.H. and Kaufman, P. (1981). *Reife placenta In, Die placenta des menschen.* N.P.: n.p.
- Sen, D.K., Kaumann, P. and Schwirkhart, G. (1979). Classification of human placental villi. II morphometry. *Cell and tissue research*, 200, 425-434.
- Sreenivasan, S., Khare, S., Jain, S. and Khare, A. (2013). The effects of passive smoking on the placental barrier a light microscopic study. *Peoples Journal of scientific research*, 6(2), 1-4.
- Souza, D.A., Bezerra, A.F. de Sousa, Wanderley, D.C. and Souto, C.M.B. (2011). Increase in perivillous fibrinoid material in placentas from pregnancies with preeclampsia. *Brazilian Journal of pathology and laboratory medicine*, 47(1), 70-77.
- Terry, M. Mayhew. (1998). Thinning of the intervacular tissue layers of the human placenta is an adaptive response to passive diffusion in vivo and may help to predict the origins of fetal hypoxia. *Eropean journal of obstetrics & gynecology and reproductive Biology*, 81, 101-109.
- Vahter, M. (1982). Assessment of human exposure to lead and cadmium through biological monitoring. *Environ Res*, 30(1), 95-128.
- Van Horn J.T., Craven, C., Ward, K., Branch, D.W. and Silver R.M. (2004). Histologic features of placentas and abortion specimens from women with antiphospholipid and antiphospholipid-like syndromes. *Placenta*, 25, 642-648.

- Verma, R., Mishra, S. and Kaul, J. M. (2010). Cellular change in the placenta in pregnancies complication with diabetes. *International Journal of morphology*, 28(1), 259-264.
- Verma, R., Mishra, S. and Jagat, M.K. (2011). Ultrastructural change in the placental membrane in pregnancies associated with diabetes. *International Journal of morphology*, 29(4), 1398-1407.
- Verrijt, C.E., Kroos, M.J., Verhoeven, A.J., Van Eijk H.G. and Van Dijk J.P. (1997). Transferrin in cultured human trem cytrophoblast cell: Synthesis and heterogeneity. *Molecular and cellular biochemistry*, 173(1-2), 177-178.
- Wills, N.K. (2008). Cadmium accumulation in the human retina effect of age, gendle and celluar toxicity. *Experimental eye research*, 86(1), 41-51.
- World Health Organization. (WHO.). (1992). *IPCS Environmental Health Criteria* (Vol. 134). Geneva: World Health Organization.
- Yamamoto, A., Wada, O. and Ono, H. (1986). Cadmium stimulates glucose metaboloism in rat adipocytes. *J. Inorg Biochem*, 27, 221-226.
- Yu, M.Z., Xue, Z.L., Hao, L., Li, M. and Zong, P.L. (2009). Lipid Peroxidation and Ultrastructural Modifications in Brain after Perinatal Exposure to Lead and/or Cadmium in Rat. *Biomedical and Environmental Sciences*, 22, 423-429.
- Yuan, Z., Wene, Z., Yagin, J., Ruyang, Z., Jing, W. and Chanjuan, L. (2011). Ultrastructural study on human placentae from women subjected to assisted reproductive technology treatments. *Biology of reproduction*, 85(3), 635-642.
- Zalups, RK. (2003). Molecular handling of cadmium in transporting epithelia. *Toxico Appl Pharmacol*, 186(3), 163-188.
- Zamudio, S., Kovalenko, O., Vandevelie, J., Ilsey, N.P., Heller, D., Belliappa, S. and Perkins, A.V. (2007). Chronic hypoxia *In Vivo* reduces placental oxidative stress. *Placenta*, 28, 846-853.

ประวัติผู้วิจัย

ชื่อ – ชื่อสกุล พิสิฐ แสงอนันต์การ
วัน เดือน ปี เกิด 11 มีนาคม 2523
ที่อยู่ปัจจุบัน 374/2 หมู่ 9 ตำบลทับคล้อ อำเภอทับคล้อ จังหวัดพิจิตร 66150
ที่ทำงานปัจจุบัน ภาควิชาภาษาอิภาคศาสตร์ คณะวิทยาศาสตร์การแพทย์
มหาวิทยาลัยนเรศวร ตำบลท่าโพธิ์ อำเภอเมือง
จังหวัดพิษณุโลก 65000
ตำแหน่งหน้าที่ปัจจุบัน นักวิทยาศาสตร์
ประวัติการศึกษา
พ.ศ. 2545 กศ.บ. (ชีววิทยา) มหาวิทยาลัยนเรศวร