

บรรณานุกรม

บรรณานุกรม

- [1] Rehermann, B. and Nascimbeni, M., (2005). Immunology of hepatitis B virus and hepatitis C virus infection. *Nature Reviews Immunology*, 5(3), 215-29.
- [2] Macedo, L.C., Isolani, A.P., Visentainer, J.E. and Moliterno, R.A. (2010). Association of cytokine genetic polymorphisms with the humoral immune response to recombinant vaccine against HBV in infants. *Journal of Medical Virology*, 82(6), 929-33.
- [3] Tangkijvanich, P., Mahachai, V., Komolmit, P., Fongsarun, J., Theamboonlers, A. and Poovorawan, Y. (2005). Hepatitis B virus genotypes and hepatocellular carcinoma in Thailand. *World Journal of Gastroenterology*, 11(15), 2238-43.
- [4] Park, N.H., Song, I.H. and Chung, Y.H. (2006). Chronic hepatitis B in hepatocarcinogenesis. *Postgraduate Medical Journal*, 82(970), 507-515.
- [5] Hohler, T., Kruger, A.Schneider, P.M. Schopf, R.E. Knop, J.Rittner, C., et al. (1997). A *TNF-alpha* promoter polymorphism is associated with juvenile onset psoriasis and psoriatic arthritis. *Journal of Investigative Dermatology*, 109(4), 562-565.
- [6] Ait-Goughoulte, M., J. Lucifora, F. Zoulim and D. Durantel (2010). Innate antiviral immune responses to hepatitis B virus. *Viruses*, 2(7), 1394-1410.
- [7] Block, T.M., H. Guo and J.T. Guo (2007). Molecular virology of hepatitis B virus for clinicians. *Clinics In Liver Disease*, 11(4), 685-706, vii.
- [8] Pol, S. (2006). [Natural history of hepatitis B infection]. *Presse Medicale*, 35(2 Pt 2), 308-316.
- [9] Ribeiro, C.S., J.E. Visentainer and R.A. Moliterno (2007). Association of cytokine genetic polymorphism with hepatitis B infection evolution in adult patients. *Memorias do Instituto Oswaldo Cruz*, 102(4), 435-440.
- [10] Hui, C.K. and G.K. Lau (2005). Immune system and hepatitis B virus infection. *Journal of Clinical Virology*, 34 (Suppl 1), S44-48.
- [11] Bertoletti, A. and A.J. Gehring (2006). The immune response during hepatitis B virus infection. *Journal of General Virology*, 87(Pt 6), 1439-1449.

- [12] Bertoletti, A., A.T. Tan and A.J. Gehring (2009). HBV-Specific adaptive immunity. *Viruses*, 1(2), 91-103.
- [13] Wang, S., D. Huang, S. Sun, W. Ma and Q. Zhen (2011). *Interleukin-10* promoter polymorphism predicts initial response of chronic hepatitis B to *interferon alfa*. *Viral Journal*, 8, 28.
- [14] Cheong, J.Y., S.W. Cho, I.L. Hwang, S.K. Yoon, J.H. Lee, C.S. Park, et al. (2006). Association between chronic hepatitis B virus infection and *interleukin-10*, *tumor necrosis factor-alpha* gene promoter polymorphisms. *Journal of Gastroenterology and Hepatology*, 21(7), 1163-1169.
- [15] Wilson, A.G., J.A. Symons, T.L. McDowell, H.O. McDevitt and G.W. Duff (1997). Effects of a polymorphism in the human tumor necrosis factor alpha promoter on transcriptional activation. *Proceedings of the National Academy of Sciences of the United States of America*, 94(7), 3195-3199.
- [16] Pravica, V., A. Asderakis, C. Perrey, A. Hajeer, P.J. Sinnott and I.V. Hutchinson. (1999). *In vitro* production of *IFN-gamma* correlates with CA repeat polymorphism in the human *IFN-gamma* gene. *European Journal of Immunogenetics*, 26(1), 1-3.
- [17] Turner, D.M., D.M. Williams, D. Sankaran, M. Lazarus, P.J. Sinnott and I.V. Hutchinson. (1997). An investigation of polymorphism in the *interleukin-10* gene promoter. *European Journal of Immunogenetics*, 24(1), 1-8.
- [18] Tagore, A., W.M. Gonsalkorale, V. Pravica, A.H. Hajeer, R. McMahon, P.J. Whorwell, et al. (1999). *Interleukin-10 (IL-10)* genotypes in inflammatory bowel disease. *Tissue Antigens*, 54(4), 386-390.
- [19] Hoffmann, S.C., E.M. Stanley, E.D. Cox, B.S. DiMercurio, D.E. Koziol, D.M. Harlan, et al. (2002). Ethnicity greatly influences cytokine gene polymorphism distribution. *American Journal of Transplantation*, 2(6), 560-567.
- [20] Mahoney, F.J. (1999). Update on diagnosis, management and prevention of hepatitis B virus infection. *Clinical Microbiology Reviews*, 12(2), 351-366.

- [21] Kane, A., J. Lloyd, M. Zaffran, L. Simonsen and M. Kane. (1999). Transmission of hepatitis B, hepatitis C and human immunodeficiency viruses through unsafe injections in the developing world: Model-based regional estimates. **Bulletin of the World Health Organization**, 77(10), 801-807.
- [22] Block, T.M., H. Guo and J.T. Guo (2007). Molecular virology of hepatitis B virus for clinicians. **Clinical Liver Disease**, 11(4), 685-706.
- [23] Seeger, C. and W.S. Mason (2000). Hepatitis B virus biology. **Microbiology and Molecular Biology Reviews**, 64(1), 51-68.
- [24] Sassy. (September 13, 2013). **Causes and Prevention of Hepatitis B**. Retrieved March 10, 2014, from <http://agreport365.com/wp-content/uploads/2013/09/14557741-hepatitis-b-virus.jpg>
- [25] Kay, A. and F. Zoulim (2007). Hepatitis B virus genetic variability and evolution. **Virus Research**, 127(2), 164-176.
- [26] Beck, J. and M. Nassal (2007). Hepatitis B virus replication. **World Journal of Gastroenterology**, 13(1), 48-64.
- [27] Yang, H.I., S.H. Yeh, P.J. Chen, U.H. Iloeje, C.L. Jen, J. Su, et al. (2008). Associations between hepatitis B virus genotype and mutants and the risk of hepatocellular carcinoma. **Journal of the National Cancer Institute**, 100(16), 1134-1143.
- [28] Cao, G.W. (2009). Clinical relevance and public health significance of hepatitis B virus genomic variations. **World Journal of Gastroenterology**, 15(46), 5761-5769.
- [29] Kao, J.H. (2011). Molecular epidemiology of hepatitis B virus. **Korean Journal of Internal Medicine**, 26(3), 255-261.
- [30] Hepatitis B. (April 24, 2014). **Wikipedia, the free encyclopedia**. Retrieved March 10, 2014, from http://en.wikipedia.org/wiki/File:HBV_Genome.svg
- [31] Ganem, D. and A.M. Prince (2004). Hepatitis B virus infection--natural history and clinical consequences. **New England Journal of Medicine**, 350(11), 1118-1129.

- [32] Prince, A.M., H. Ikram and T.P. Hopp. (1982). Hepatitis B virus vaccine: identification of HBsAg/a and HBsAg/d but not HBsAg/y subtype antigenic determinants on a synthetic immunogenic peptide. **Proceedings of the National Academy of Sciences of the United States of America**, 79(2), 579-582.
- [33] Kwon, S.Y. and C.H., Lee. (2011). Epidemiology and prevention of hepatitis B virus infection. **Korean Journal of Hepatology**, 17(2), 87-95.
- [34] Shi, Y.H. and C.H., Shi. (2009). Molecular characteristics and stages of chronic hepatitis B virus infection. **World Journal of Gastroenterology**, 15(25), 3099-3105.
- [35] McMahon, B.J. (2009). The influence of hepatitis B virus genotype and subgenotype on the natural history of chronic hepatitis B. **Hepatology International**, 3(2), 334-342.
- [36] Szmaraagd, C., Nichols, R. A. and Balloux, F. (2006). A novel approach to characterise pathogen candidate genetic polymorphisms involved in clinical outcome. **Infection Genetics and Evolution**, 6(1), 38-45.
- [37] Wai, C.T., R.J. Fontana, J. Polson, M. Hussain, A.O. Shakil, S.H. Han, et al. (2005). Clinical outcome and virological characteristics of hepatitis B-related acute liver failure in the United States. **Journal of Viral Hepatitis**, 12(2), 192-198.
- [38] Buddeberg, F., Schimmer, B.B. and Spahn, D.R. (2008). Transfusion-transmissible infections and transfusion-related immunomodulation. **Best Practice & Research Clinical Anaesthesiology**, 22(3), 503-517.
- [39] Hunt, R. (May 24, 2011). Disease transmitted parenterally hepatitis B, C, D and G.: **Microbiology and immunology on-line**. Retrieved March 10, 2014, from <http://pathmicro.med.sc.edu/virol/hepb=cd7.gif>
- [40] Gerlich, W.H. (2013). Medical virology of hepatitis B: How it began and where we are now. **Virology Journal**, 10, 239.
- [41] Zuckerman, A.J. (1996). Hepatitis Viruses. In Baron, S., et al. (Eds.), **Baron's Medical Microbiology** (4th ed.). USA.: University of Texas Medical Branch.

- [42] Guettouche, T. and Hnatyszyn, H.J. (2005). Chronic hepatitis B and viral genotype: The clinical significance of determining HBV genotypes. *Antiviral Therapy*, 10(5), 593-604.
- [43] Theamboonlers, A., P. Tangkijvanich, C. Pramoolsinsap and Poovorawan, Y. (1998). Genotypes and subtypes of hepatitis B virus in Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health*, 29(4), 786-791.
- [44] Hou, J., Liu, Z. and Gu, F. (2005). Epidemiology and Prevention of Hepatitis B Virus Infection. *International Journal of Medical Sciences*, 2(1), 50-57.
- [45] Averhoff, F. (August 01, 2013). Hepatitis B. *Infectious Diseases Related To Travel*. Retrieved March 10, 2014, from <http://wwwnc.cdc.gov/travel/yellowbook/2014/chapter-3-infectious-diseases-related-to-travel/hepatitis-b>
- [46] Candotti, D. and J.P. Allain. (2009). Transfusion-transmitted hepatitis B virus infection. *Journal of Hepatology*, 51(4), 798-809.
- [47] Akkiz, H., Bayram, S. A., Bekar, B., Ozdil, E., Akgollu, A.T., Sumbul, et al. (2009). G-308A *TNF-alpha* polymorphism is associated with an increased risk of hepatocellular carcinoma in the Turkish population: case-control study. *Cancer Epidemiol*, 33(3-4), 261-264.
- [48] Michielsen, P.P., Francque, S.M. and van Dongen, J.L. (2005). Viral hepatitis and hepatocellular carcinoma. *World Journal of Surgical Oncology*, 3, 27.
- [49] Valsamakis, A. (2007). Molecular testing in the diagnosis and management of chronic hepatitis B. *Clinical Microbiology Reviews*, 20(3), 426-439.
- [50] Feghali, C.A. and Wright, T.M. (1997). Cytokines in acute and chronic inflammation. *Frontiers in Bioscience*, 2, d12-26.
- [51] Whiteside, T.L., (2007). Cytokines in human health: Immunotoxicology, Pathology and Therapeutic Applications. In House, R.V. and Descotes, J. (Eds.), *Methods in Pharmacology and Toxicology* (pp. 1-15). New York: Humana Press.
- [52] อรวดี หาญวิวัฒน์วงศ์. (2551). *วิทยาภูมิคุ้มกันพื้นฐานและคลินิก*. กรุงเทพฯ: ภาพพิมพ์.
- [53] จินตนา จิรถาวร. (ม.ป.ป.). *ไซโตไคน์ (Cytokine)*. สืบค้นเมื่อ 10 มีนาคม 2557, จาก <http://www.cai.md.chula.ac.th/lesson/lesson5201/html/02future.html>

- [54] Velu, V., Saravanan, S., Nandakumar, S., Shankar, E.M., Vengatesan, A., Jadhav, S.S., et al. (2008). Relationship between T-lymphocyte cytokine levels and sero-response to hepatitis B vaccines. *World Journal of Gastroenterology*, 14(22), 3534-3540.
- [55] Dinarello, C.A. (2007). Historical Review of Cytokines. *European Journal of Immunology*, 37(1), 1-19.
- [56] Torkildsen, O., E. Utsi, H.F. Harbo, S.I. Mellgren, C.A. Vedeler and K.M. Myhr. (2005). Ethnic variations of *IL-10* polymorphisms in a Sami and Norwegian population. *Scandinavian Journal of Immunology*, 62(1), 71-74.
- [57] Beebe, A.M., D.J. Cua and R. de Waal Malefyt. (2002). The role of interleukin-10 in autoimmune disease: systemic lupus erythematosus (SLE) and multiple sclerosis (MS). *Cytokine and Growth Factor Reviews*, 13(4-5), 403-412.
- [58] Anderson, G.M., M.T. Nakada and M. DeWitte. (2004). Tumor necrosis factor-alpha in the pathogenesis and treatment of cancer. *Current Opinion in Pharmacology*, 4(4), 314-320.
- [59] Caporali, R., F. Bobbio-Pallavicini, F. Atzeni, G. Sakellariou, M. Caprioli, C. Montecucco, et al. (2010). Safety of tumor necrosis factor alpha blockers in hepatitis B virus occult carriers (hepatitis B surface antigen negative/anti-hepatitis B core antigen positive) with rheumatic diseases. *Arthritis Care & Research (Hoboken)*, 62(6), 749-754.
- [60] Schroder, K., P.J. Hertzog, T. Ravasi and D.A. Hume. (2004). Interferon-gamma: An overview of signals, mechanisms and functions. *Journal of Leukocyte Biology*, 75(2), 163-189.
- [61] Shtrichman, R. and Samuel, C.E. (2001). The role of gamma interferon in antimicrobial immunity. *Current Opinion in Microbiology*, 4(3), 251-259.
- [62] Harada, H., T. Taniguchi and N. Tanaka. (1998). The role of interferon regulatory factors in the interferon system and cell growth control. *Biochimie*, 80(8-9), 641-650.

- [63] McClary, H., R. Koch, F.V. Chisari and L.G. Guidotti. (2000). Relative sensitivity of hepatitis B virus and other hepatotropic viruses to the antiviral effects of cytokines. *Journal of Virology*, 74(5), 2255-2264.
- [64] Wieland, S.F., L.G. Guidotti and F.V. Chisari. (2000). Intrahepatic induction of alpha/beta interferon eliminates viral RNA-containing capsids in hepatitis B virus transgenic mice. *Journal of Virology*, 74(9), 4165-4173.
- [65] Wieland, S., R. Thimme, R.H. Purcell and F.V. Chisari. (2004). Genomic analysis of the host response to hepatitis B virus infection. *Proceedings of the National Academy of Sciences of the United States of America*, 101(17), 6669-6674.
- [66] Kakimi, K., T.E. Lane, F.V. Chisari and L.G. Guidotti. (2001). Cutting edge: Inhibition of hepatitis B virus replication by activated NK-T cells does not require inflammatory cell recruitment to the liver. *Journal of Immunology*, 167(12), 6701-6705.
- [67] Baron, J.L., L. Gardiner, S. Nishimura, K. Shinkai, R. Locksley and D. Ganem. (2002). Activation of a nonclassical NKT cell subset in a transgenic mouse model of hepatitis B virus infection. *Immunity*, 16(4), 583-594.
- [68] Ferrari, C., A. Penna, A. Bertoletti, A. Valli, A.D. Antoni, T. Giuberti, et al. (1990). Cellular immune response to hepatitis B virus-encoded antigens in acute and chronic hepatitis B virus infection. *Journal of Immunology*, 145(10), 3442-3449.
- [69] Rehermann, B., P. Fowler, J. Sidney, J. Person, A. Redeker, M. Brown, et al. (1995). The cytotoxic T lymphocyte response to multiple hepatitis B virus polymerase epitopes during and after acute viral hepatitis. *Journal of Experimental Medicine*, 181(3), 1047-1058.
- [70] Kozik, C.A., D.W. Vaughn, R. Snitbhan and B.L. Innis. (2000). Hepatitis B virus infection in Thai children. *Tropical Medicine & International Health*, 5(9), 633-639.
- [71] Schork, N.J., D. Fallin and J.S. Lanchbury. (2000). Single nucleotide polymorphisms and the future of genetic epidemiology. *Clinical Genetics*, 58(4), 250-264.
- [72] Brookes, A.J. (1999). The essence of SNPs. *Gene*, 234(2), 177-186.

- [73] Hall, D. (July 06, 2007). Single-nucleotide polymorphism. Retrieved March 10, 2014, from http://en.wikipedia.org/wiki/Single-nucleotide_polymorphism
- [74] กนกวรรณ จารุกัจฉา และวรัญญา จตุพรประเสริฐ. (2550). สนิป: ความรู้พื้นฐานสู่การประยุกต์ใช้. *Thai Pharmaceutical and Health Science Journal*, 2(2), 166-174.
- [75] อธิพัฒน์ เวชชประสิทธิ์. (18 กรกฎาคม 2555). single nucleotide polymorphism (SNP). สืบค้นเมื่อ 10 มีนาคม 2557, จาก <http://biology.ipst.ac.th/index.php/about-the-year-2555/341-single-nucleotide-polymorphism-snp.html>
- [76] Papadakis, E.D., S.A. Nicklin, A.H. Baker and S.J. White. (2004). Promoters and control elements: designing expression cassettes for gene therapy. *Current Gene Therapy*, 4(1), 89-113.
- [77] ภิญโญ พานิชพันธ์. (ม.ป.ป.). DNA Master of life. สืบค้นเมื่อ 10 มีนาคม 2557, จาก http://www.il.mahidol.ac.th/e-media/dna/chapter/link_promotor.htm
- [78] วิษณุ ธรรมลิขิตกุล. (2006). การวิจัยทางคลินิก: การวางแผนและการนำไปประยุกต์ใช้. *Siriraj Medical Journal*, 58(11), 1112-1120.
- [79] อรุณช ประดิษฐ์ทรัพย์, มานพ พิทักษ์ภากร, นรินทร์ ศิริรัตน์วิริยะกุล, ศิษฏาศ ทองสีมา และ อนันต์ชัย อัสวเมสิน. (2009). การวิเคราะห์ห่อภิมาณสำหรับงานวิจัยทางระบาดวิทยา พันธุศาสตร์. *Thai Journal of Genetics*, 2(2), 103-119.
- [80] Wang, F.S. (2003). Current status and prospects of studies on human genetic alleles associated with hepatitis B virus infection. *World Journal of Gastroenterology*, 9(4), 641- 644.
- [81] Migita, K., S. Miyazoe, Y. Maeda, M. Daikoku, S. Abiru, T. Ueki, et al. (2005). Cytokine gene polymorphisms in Japanese patients with hepatitis B virus infection--association between *TGF-beta1* polymorphisms and hepatocellular carcinoma. *Journal of Hepatology*, 42(4), 505-510.
- [82] Xia, Q., L. Zhou, D. Liu, Z. Chen and F. Chen. (2011). Relationship between *TNF- α* gene promoter polymorphisms and outcomes of hepatitis B virus infections: a meta-analysis. *PLoS ONE*, 6(5), e19606.

- [83] Gao, Q.J., D.W. Liu, S.Y. Zhang, M. Jia, L.M. Wang, L.H. Wu, et al. (2009). Polymorphisms of some cytokines and chronic hepatitis B and C virus infection. *World Journal of Gastroenterology*, 15(44), 5610-5619.
- [84] Zhang, L.Z., T.C. Zhang, F.M. Pan, Z.H. Zhang and X. Li. (2010). *Interleukin-10* gene polymorphisms in association with susceptibility to chronic hepatitis C virus infection: a meta-analysis study. *Archives of Virology*, 155(11), 1839-1842.
- [85] Afzal, M.S., S. Tahir, A. Salman, T.A. Baig, T. Shafi, N.U. Zaidi, et al. (2011). Analysis of *interleukin-10* gene polymorphisms and hepatitis C susceptibility in Pakistan. *Journal of Infection in Developing Countries*, 5(6), 473-479.
- [86] Wang, C., X. Zhang, B. Zhu, D. Hu, J. Wu, R. Yu, et al. (2012). Relationships between *tumour necrosis factor-alpha*, *interleukin-12B* and *interleukin-10* gene polymorphisms and hepatitis B in Chinese Han haemodialysis patients. *Nephrology (Carlton)*, 17(2), 167-174.
- [87] Wei, Y.G., F. Liu, B. Li, X. Chen, Y. Ma, L.N. Yan, et al. (2011). *Interleukin-10* gene polymorphisms and hepatocellular carcinoma susceptibility: a meta-analysis. *World Journal of Gastroenterology*, 17(34), 3941-3947.
- [88] Tseng, L.H., M.T. Lin, W.Y. Shau, W.C. Lin, F.Y. Chang, K.L. Chien, et al. (2006). Correlation of *interleukin-10* gene haplotype with hepatocellular carcinoma in Taiwan. *Tissue Antigens*, 67(2), 127-133.
- [89] Lu, Y.L., X. Wu, H.L. Huang and L.C. Dai. (2010). Allele polymorphisms of *interleukin-10* and hepatitis B, C virus infection. *Chinese Medical Journal*, 123(10), 1338-1344.
- [90] Knapp, S., B.J. Hennig, A.J. Frodsham, L. Zhang, S. Hellier, M. Wright, et al. (2003). *Interleukin-10* promoter polymorphisms and the outcome of hepatitis C virus infection. *Immunogenetics*, 55(6), 362-369.
- [91] Shin, H.D., B.L. Park, L.H. Kim, J.H. Jung, J.Y. Kim, J.H. Yoon, et al. (2003). *Interleukin 10* haplotype associated with increased risk of hepatocellular carcinoma. *Human Molecular Genetics*, 12(8), 901-906.

- [92] Li, H.Q., Z. Li, Y. Liu, J.H. Li, J.Q. Dong, J.R. Gao, et al. (2005). Association of polymorphism of tumor necrosis factor-alpha gene promoter region with outcome of hepatitis B virus infection. *World Journal of Gastroenterology*, 11(33), 5213- 5217.
- [93] Hohler, T., A. Kruger, G. Gerken, P.M. Schneider, K.H. Meyer zum Buschenefelde and C. Rittner. (1998). A tumor necrosis factor-alpha (TNF-alpha) promoter polymorphism is associated with chronic hepatitis B infection. *Clinical and Experimental Immunology*, 111(3), 579-582.
- [94] Zheng, M.H., D.D. Xiao, X.F. Lin, S.J. Wu, M.M. Peng, X.Y. Yu, et al. (2012). The tumour necrosis factor-alpha-238A allele increases the risk of chronic HBV infection in European populations. *Journal of Viral Hepatitis*, 19(2), e11-17.
- [95] Lu, L.P., X.W. Li, Y. Liu, G.C. Sun, X.P. Wang, X.L. Zhu, et al. (2004). Association of -238G/A polymorphism of tumor necrosis factor-alpha gene promoter region with outcomes of hepatitis B virus infection in Chinese Han population. *World Journal of Gastroenterology*, 10(12), 1810-1814.
- [96] Kummee, P., P. Tangkijvanich, Y. Poovorawan and N. Hirankarn. (2007). Association of HLA-DRB1*13 and TNF-alpha gene polymorphisms with clearance of chronic hepatitis B infection and risk of hepatocellular carcinoma in Thai population. *Journal of Viral Hepatitis*, 14(12), 841-848.
- [97] Yu, H., Q.R. Zhu, S.Q. Gu and L.E. Fei. (2006). Relationship between IFN-gamma gene polymorphism and susceptibility to intrauterine HBV infection. *World Journal of Gastroenterology*, 12(18), 2928-2931.
- [98] Arababadi, M.K., A.A. Pourfathollah, A. Jafarzadeh, G. Hassanshahi, S. Daneshmandi, A. Shamsizadeh, et al. (2011). Non-association of IL-12 +1188 and IFN-gamma +874 polymorphisms with cytokines serum level in occult HBV infected patients. *Saudi Journal of Gastroenterology*, 17(1), 30-35.
- [99] Cheong, J.Y., S.W. Cho, S.G. Chung, J.A. Lee, M. Yeo, H.J. Wang, et al. (2006). Genetic polymorphism of interferon-gamma, interferon-gamma receptor and interferon regulatory factor-1 genes in patients with hepatitis B virus infection. *Biochemical Genetics*, 44(5-6), 246-255.

- [100] Basturk, B., Z. Karasu, M. Kilic, S. Ulukaya, S. Boyacioglu and B. Oral. (2008). Association of *TNF-alpha* -308 polymorphism with the outcome of hepatitis B virus infection in Turkey. *Infection Genetics and Evolution*, 8(1), 20-25.
- [101] Chiarakul, S., Eunumjtkul, K., Vuttiopas, S., Vorapimol, A., Kaewkungwal, J. and Poovorawan, Y. (2007). Seroprevalence and risk factors of hepatitis B virus infection among health care workers at the institute of neurology. *Journal of the Medical Association of Thailand*, 90(8), 1536-1545.
- [102] Sodsai, P., J. Nakkuntod, P. Kupatawintu and N. Hirankarn. (2011). Distribution of cytokine gene polymorphisms in Thai population. *Tissue Antigens*, 77(6), 593-7.
- [103] Netsawang, J., M. Tangwattanachuleeporn, N. Hirankarn and J. Wongpiyabovorn. (2004). The distribution of *IL-10* promoter polymorphism in Thais. *Journal of the Medical Association of Thailand*, 87 Suppl 2: S117-122.
- [104] Kim, Y.J., H.S. Lee, J.H. Yoon, C.Y. Kim, M.H. Park, L.H. Kim, et al. (2003). Association of *TNF-alpha* promoter polymorphisms with the clearance of hepatitis B virus infection. *Human Molecular Genetics*, 12(19), 2541- 2546.
- [105]-Du, T., X.H. Guo, X.L. Zhu, J.H. Li, L.P. Lu, J.R. Gao, et al. (2006). Association of *TNF-alpha* promoter polymorphisms with the outcomes of hepatitis B virus infection in Chinese Han population. *Journal of Viral Hepatitis*, 13(9), 618-624.
- [106] Qiu, B., X. Wang, P. Zhang, C. Shi, J. Zhang, W. Qiu, et al. (2012). Association of *TNF-alpha* promoter polymorphisms with the outcome of persistent HBV infection in a northeast Chinese Han population. *Acta Biochimica et Biophysica Sinica*, 44(8), 712-718.
- [107] Pravica, V., C. Perrey, A. Stevens, J.H. Lee and I.V. Hutchinson. (2000). A single nucleotide polymorphism in the first intron of the human *IFN-gamma* gene: absolute correlation with a polymorphic CA microsatellite marker of high IFN-gamma production. *Human Immunology*, 61(9), 863-866.
- [108] Afzal, M.S., S. Tahir, A. Salman, T. Shafi, T. Ahmed, F. Rasheed, et al. (2011). Analysis of *interleukin-10* polymorphic variants in Pakistani population. *African Journal of Biotechnology*, 10(80), 18550-18555.

- [109] Mizukoshi, E., J. Sidney, B. Livingston, M. Ghany, J.H. Hoofnagle, A. Sette, et al. (2004). Cellular immune responses to the hepatitis B virus polymerase. **Journal of Immunology**, 173(9), 5863-5871.
- [110] Du, T., X.H. Guo, X.L. Zhu, J.H. Li, L.P. Lu, J.R. Gao, et al. (2006). Association of *TNF-alpha* promoter polymorphisms with the outcomes of hepatitis B virus infection in Chinese Han population. **Journal of Viral Hepatitis**, 13(9), 618-624.
- [111] Zeng, Z., L. Guan, P. An, S. Sun, S.J. O'Brien and C.A. Winkler. (2008). A population-based study to investigate host genetic factors associated with hepatitis B infection and pathogenesis in the Chinese population. **BMC Infectious Diseases**, 8, 1.
- [112] Budhu, A. and X.W. Wang. (2006). The role of cytokines in hepatocellular carcinoma. **Journal of Leukocyte Biology**, 80(6), 1197-1213.

ประวัติผู้วิจัย

ชื่อ - ชื่อสกุล	ปัญญา ฤนนอก
วัน เดือน ปี เกิด	26 กรกฎาคม 2522
ที่อยู่ปัจจุบัน	14/3367 หมู่ที่ 14 ตำบลบางบัวทอง อำเภอบางบัวทอง จังหวัดนนทบุรี 11110
ที่ทำงานปัจจุบัน	ศูนย์บริการโลหิตแห่งชาติ สภากาชาดไทย ถนนอังรีดูนังต์ แขวงปทุมวัน เขตปทุมวัน กรุงเทพฯ 10330
ตำแหน่งหน้าที่ปัจจุบัน	นักเทคนิคการแพทย์ ชำนาญการ
ประสบการณ์การทำงาน	
พ.ศ. 2546	ห้องปฏิบัติการชั้นสูงตร โรงพยาบาลสีคิ้ว อำเภอสีคิ้ว จังหวัดนครราชสีมา 30140
ประวัติการศึกษา	
พ.ศ. 2545	วท.บ. (เทคนิคการแพทย์) มหาวิทยาลัยนเรศวร