

CONTENTS

	PAGE
ABSTRACT (THAI)	iv
ABSTRACT (ENGLISH)	v
ACKNOWLEDGEMENTS	vi
CONTENTS	vii
LIST OF TABLES	xii
LIST OF FIGURES	xiv
CHAPTER	
I INTRODUCTION	1
1.1 Introduction	1
1.2 Objectives	4
1.3 Research scopes.....	4
1.4 Overview	5
II THEORY AND LITERATRE REVIEW	6
2.1 Bacterial cellulose	6
2.2 Sodium alginate	11
2.3 Gelatin	14
2.4 Plasticizers.....	18
2.5 Tannic acid	20
2.6 Mangosteen ethanolic extracts	24
2.7 Gelatin-Bacterial cellulose blend	28
2.8 Gelatin cross-linked by tannic acid	29
2.9 Tween-80 (Polysorbate 80)	30
2.10 The ethanol extracts.....	30

CHAPTER	PAGE
2.11 The pH and microbial growth	31
III MATERIALS AND METHODS.....	34
3.1 Materials and chemicals	34
3.2 Equipment	35
3.3 Preparation of BC slurry.....	36
3.4 Preparation of sodium alginate solution	36
3.5 Preparation of gelatin solution	36
3.6 Antimicrobial agent.....	36
3.6.1 Quantitative determination of bioactive compounds in the mangosteen ethanolic extract.....	36
3.6.2 Testing of antimicrobial activity of tannic acid and mangosteen ethanolic extract.....	37
3.7 Preparation of BAG films.....	39
3.7.1 Preparation of BAG films with/without plasticizers.....	39
3.7.2 Tannic acid cross-linked MBAG films	39
3.7.3 Supplement of mangosteen ethanolic extract as antimicrobial agent.....	40
3.8 Characterization of the films	41
3.8.1 Film thickness	41
3.8.2 Transparency	41
3.8.3 Fourier transform infrared spectroscopy.....	42
3.8.4 Water absorption capacity.....	42
3.8.5 Mechanical properties.....	42
3.8.6 Scanning electron microscopy	43
3.8.7 Oxygen permeability.....	43

CHAPTER	PAGE
3.8.8 Water vapor permeability	44
3.8.9 X-ray diffraction	44
3.8.10 Antibacterial assay	44
3.8.11 Antifungal assay.....	45
3.9 Release of bioactive compounds from the MBAGTM films.....	46
3.9.1 Preparation of acetate buffer	46
3.9.2 Preparation of phosphate buffer saline	46
3.9.3 Actual bioactive compounds content	46
3.9.4 Bioactive compounds release assay	47
IV RESULTS AND DISCUSSION.....	48
4.1 Bioactive compounds in mangosteen ethanolic extract	48
4.2 Characterization of BAG films and modified BAG films by plasticizer (MBAG films).....	49
4.2.1 Transparency.....	49
4.2.2 Fourier transform infrared spectroscopy.....	51
4.2.3 Water absorption capacity.....	54
4.2.4 Mechanical properties.....	57
4.2.5 Scanning electron microscopy	63
4.3 Characterization of MBAG films modified by tannic acid (MBAGT films).....	67
4.3.1 Transparency.....	67
4.3.2 Fourier transform infrared spectroscopy.....	68
4.3.3 Water absorption capacity.....	69
4.3.4 Mechanical properties.....	71
4.3.5 Scanning electron microscopy	74

CHAPTER	PAGE
4.4 Characterization of MBAGT films modified by mangosteen ethanolic extracts (MBAGTM films)	76
4.4.1 Transparency	76
4.4.2 Fourier transform infrared spectroscopy	78
4.4.3 Water absorption capacity	80
4.4.4 Mechanical properties	81
4.4.5 Scanning electron microscopy	84
4.4.6 X-ray diffraction	86
4.4.7 Oxygen permeability	89
4.4.8 Water vapor permeability	91
4.5 Antimicrobial activities	94
4.5.1 The minimum inhibitory concentration test (MIC) and the minimum bactericidal concentration test (MBC).....	94
4.5.2 Antimicrobial assay	95
4.6 Absorption and release of bioactive compounds from MBAGTM films.....	99
4.6.1 Actual amount of bioactive compounds	99
4.6.2 Release of bioactive compounds.....	100
V CONCLUSION AND RECOMMENDATION	103
5.1 Conclusion.....	103
5.2 Recommendations for future studies.....	105
REFERENCES.....	106
APPENDICES	118
APPENDIX A: Standard calibration curve	119
APPENDIX B: Data of Experiments	127

PAGE

VITAE.....141

LIST OF TABLES

TABLE	PAGE
2.1 Reported minimum pH values for the growth of some foodborne bacteria	31
2.2 Characteristic and survival/growth parameters of pathogenic microorganisms commonly associated and processed meat products.....	31
2.3 Approximate pH values of some fresh fruits and vegetables	32
2.4 Approximate pH values of dairy, meat, poultry, and fish products.....	33
3.1 Main materials	34
3.2 Minor chemicals.....	34
4.1 The contents of bioactive compounds in mangosteen ethanolic extract.....	49
4.2 The reflexion planes: reflective-angle and d-spacing values of BC, BAG, MBAG, MBAGT and the MBAGTM films.....	88
4.3 Degree of crystallinity (%) of BC (A), MBAG (B), MBAGT (C) and MBAGTM films at concentration of 1% (D), 5% (E) and 10% (F) v/v mangosteen ethanolic extract.....	88
4.4 The oxygen transmission rate of the BAG film at a ratio of 60/20/20, the MBAG film, the MBAGT and MBAGTM film (Mean value from duplicate testing) and commercial film packaging	90
4.5 The water vapor permeability measurement of the BAG film at a ratio of 60/20/20, modified the films and BAGM film (Mean value from duplicate testing) and commercial film packaging.....	93
4.6 The minimum inhibitory and minimum bactericidal concentrations (MIC and MBC) of mangosteen ethanolic extract and tannic acid	95
4.7 Antimicrobial activities of MBAGTM films against <i>E. coli</i> , <i>S. typhimurium</i>	

TABLE	PAGE
and <i>S. aureus</i>	96
4.8 Antimicrobial activities of MBAGTM films against <i>A. niger</i>	98
4.9 Actual amount of bioactive compounds in the films	99

LIST OF FIGURES

FIGURE	PAGE
2.1 Scheme for the formation of bacterial cellulose	6
2.2 Structure of bacterial cellulose.....	7
2.3 Hydrogen bond system of the cellulose	8
2.4 A comparison of microfibrillar organization between BC (a) and wood pulp (b)	9
2.5 Structure of sodium alginate	11
2.6 Schematic representation of the egg-box association of the poly- L-gulonate sequences of alginate crosslinked by calcium ions.	12
2.7 Structure of gelatin.....	14
2.8 Structure of glycerol	19
2.9 Structure of sorbitol	19
2.10 The chemical structures of tannic acid and gallic acid	20
2.11 Mangostins structure.....	24
2.12 Xanthone nucleuses with IUPAC numbers of carbons and chemical structure of the most studied xanthenes.....	27
4.1 Transparency of films: bacterial cellulose (A), sodium alginate (B), gelatin (C), BC/A at a ratio of 60/40 (D) and BAG films at a ratio of 60/10/30 (E), 60/20/20 (F) and 60/30/10 (G).....	50
4.2 Transparency of films: the BAG films at a ratio of 60/10/20 (A), 60/20/20 (B) and 60/30/10 (C), and the BAG films at a ratio of 60/20/20 with glycerol (D), sorbitol (E), the mixture of glycerol and sorbitol (F).....	50
4.3 FT-IR of films at a ratio of BC (A), Sodium alginate (B), Gelatin (C) and BC/A film (D)	53

FIGURE	PAGE
4.4 FT-IR of BAG films at a ratio of 60/10/30 (A), 60/20/20 (B), 60/30/10 (C) and films at a ratio of 60/20/20 with glycerol (D), sorbitol (E) and the mixture of glycerol and sorbitol (F) addition, respectively	53
4.5 Water absorption capacity (%) of the composite films: BC (—); Alginate (—*); BC/A (—○); BAG films at a ratio of 60/10/30 (—◇), 60/20/20 (—□) and 60/30/10 (—△) without plasticizer, respectively	55
4.6 Water absorption capacity (%) of the composite films: films at a ratio of 60/20/20 with glycerol (A), sorbitol (B) and the mixture of glycerol and sorbitol (C); G:Gly, G:S and G:GS refer to a ratio of gelatin to glycerol, sorbitol and the mixture of glycerol and sorbitol (w/w), respectively	56
4.7 Mechanical properties of BAG films in dry state without plasticizer addition: tensile strength (A) and elongation at break (B).....	58
4.8 Mechanical properties of BAG films in dry state without and with plasticizer addition: tensile strength (A) and elongation at break (B)	59
4.9 Mechanical properties of BAG films in wet state without plasticizer addition: tensile strength (A) and elongation at break (B).....	61
4.10 Mechanical properties of BAG films in wet state without and with plasticizer addition: tensile strength (A) and elongation at break (B)	62
4.11 SEM images of overview surface morphology at magnification 10 kV 200X in dry state: BC (A); Sodium alginate (B); Gelatin (C); BC/A (D); the BGA films at a ratio of 60/10/30 (E), 60/20/20 (F), 60/30/10 (G) and 60/20/20 with glycerol (H).....	64
4.12 SEM images of surface morphology at magnification 10 kV 10,000X: the BGA films in dry and re-swollen form at a ratio of 60/10/30	

FIGURE	PAGE
(A and B), 60/20/20 (C and D), 60/30/10 (E and F) and 60/20/20 with glycerol (G and H).....	65
4.13 SEM images of cross sectional morphology at magnification 10 kV 3,500 X: the BGA films in dry form at a ratio of 60/10/30 (A), 60/20/20 (B), 60/30/10 (C) and 60/20/20 with glycerol (D)	66
4.14 Transparency of films: the BAG films at a ratio of 60/20/20 without plasticizer (A), with glycerol (B), with glycerol and adding tannic acid at a ratio of 5 mg (C), 10 mg (D) and 15 mg (E) tannic acid per g gelatin solution, respectively	67
4.15 FT-IR of tannic acid (A), the BAG (B), MBAG (C), MBAGT at a ratio of Mg tannic acid to g gelatin solution as 5 mg (D), 10 mg (E) and 15 mg (F) films.....	69
4.16 Water absorption capacity (%) of the composite films: BAG (—); MBAG (—○—); MBAG-5T (—×—); MBAG-10T (—⊖—) and MBAG-15T (—△—), respectively.....	70
4.17 Mechanical properties of BAG films in dry state at a ratio of 5, 10 and 15 mg tannic acid to g gelatin solution (w/w): tensile strength (A) and elongation at break (B)	72
4.18 Mechanical properties of BAG films in wet state at a ratio of 5, 10 and 15 mg tannic acid to g gelatin solution (w/w): tensile strength (A) and elongation at break (B)	73
4.19 SEM images of overview surface morphology at magnification 10 kV 200X of MBAGT at ratio of mg tannic acid to g gelatin solution (w/w) in dry state: 5 mg (A); 10 mg (B); 15 mg (C).	74
4.20 SEM images of surface morphology at magnification 10 kV 10,000X:	

FIGURE	PAGE
the MBAGT films in dry and re-swollen form at a ratio of mg tannic acid to g gelatin solution at 5 mg (A and B), 10 mg (C and D) and 15 mg (E and F).....	75
4.21 SEM images of cross sectional morphology at magnification 10 kV 3,500 X: the MBGAT films in dry state at a ratio of 5 mg (A), 10 mg (B) And 15 mg (C) tannic acid to g gelatin solution	76
4.22 Transparency of films: the BAG films at a ratio of 60/20/20 without plasticizer (A), with glycerol (B), with glycerol and adding tannic acid at a ratio of 10 mg (C) tannic acid per g gelatin solution, with glycerol, tannic acid and the mangosteen ethanolic extract at concentration of 1% (D), 5% (E) and 10% (F) v/v, respectively	77
4.23 Transparency of films by using UV-visible spectrophotometer	78
4.24 FT-IR of mangosteen ethanolic extract (A), the BAG (B), MBAG (C), MBAGT-10 mg (D) and MBAGTM at 1% (E), 5% (F) and 10% (G) v/v concentration of mangosteen ethanolic extract, respectively	79
4.25 Chelating of carbonyl group in the backbone of xanthone	80
4.26 Water absorption capacity (%) of the composite films: BAG (—); MBAG (—○—); MBAGT (—■—); MBAGTM1% (—◆—); MBAGTM5% (—×—) and MBAGTM10% (—◇—), respectively.....	81
4.27 Mechanical properties of MBAGTM films in dry state at 1%, 5% and 10% v/v concentration of mangosteen ethanolic extract: tensile strength (A) and elongation at break (B).....	82
4.28 Mechanical properties of MBAGTM films in wet state at 1%, 5% and 10% v/v concentration of mangosteen ethanolic extract: tensile strength (A) and elongation at break (B).....	83

FIGURE	PAGE
4.29 SEM images of overview surface morphology at magnification 10 kV 200X of MBAGTM at concentration of 1%, 5% and 10% v/v mangosteen ethanolic extract in dry state.....	84
4.30 SEM images of surface morphology at magnification 10 kV 10,000X: the MBAGTM films in dry and re-swollen form at concentration of 1% (A and B), 5% (C and D) and 10% (E and F) v/v mangosteen ethanolic extract	85
4.31 SEM images of cross sectional morphology at magnification 10 kV 3,500 X: the MBGAT films in dry state at concentration of 1%, 5% and 10% v/v mangosteen ethanolic extract.....	86
4.32 The X-ray diffraction (XRD) patterns of BC (A), BAG (B), MBAG (C), MBAGT (D) and MBAGTM films at 1% (E), 5% (F) and 10% (G) v/v concentration of mangosteen ethanolic extract	87
4.33 Inhibitory effect of the MBAGTM samples at 1%, 5% and 10% v/v concentration of mangosteen ethanolic extract on the growth of bacteria for 24 h incubated at 37 °C.....	97
4.34 The growth of <i>A. niger</i> on the MBAGTM specimens, at 30°C at the end of the incubation 7 days.....	98
4.35 Cumulative release profile of phenolic compound from MBAGTM films in acetate buffer at pH 5.6 (A) and PBS at pH 7.4 (B) reported as the percentage of the weight of phenolic compound (GAE) released divided by the actual amount of phenolic compound; MBAGTM at 1% (—■—), 5% (—○—) and 10% (—×—) v/v, respectively	101
4.36 Cumulative release profile of mangosins from MBAGTM films in acetate buffer at pH 5.6 (A) and PBS at pH 7.4 (B) reported as the percentage	

FIGURE	PAGE
of the weight of mangosins (AME) released divided by the actual amount of mangosins; MBAGTM at 1% (—■—), 5% (—○—) and 10% (—×—) v/v, respectively.....	102