

REFERENCES

- Aizlewood, M.E. (1995), The daylighting of atria: a critical review, **101**, pp. 841-857. *ASHRAE Transactions*.
- Aizlewood, M.E., Butt, J.D., Isaac, K.A. and Littlefair, P.J. (1997), Daylight in atria: a comparison of measurements, theory and simulation, pp. 571–584, *Lux Europa*, Amsterdam.
- Al-Turki, I. and Schiler, M. (1997), Predicting Natural light in atria and adjacent spaces using physical models, *Solar Energy*, **59**, Nos. 4-6, pp. 241-245.
- Baker, N., Franchiotti, Steemers, (Eds.). (1993), *Daylighting in Architecture*, a European Reference Book, James & James, London.
- Boyer, LL. and Song, KD. (1994), *Daylighting prediction and sunlight strategies for atrium design in hot climates*, NO-94-3-2, pp. 676–681, ASHRAE Transactions: Symposia.
- Bryan, H. and Autif, S. (2002), Lighting/Daylighting analysis : A comparison, *Proceedings of the Solar Conference*, pp. 521-526.
- Calcagni, B. and Paroncini, M. (2004), Daylight factor prediction in atria building designs, *Solar Energy*, **76**, pp.669-682.
- Chirarattananon, S., Chaiwiwatworkul, P., and Pattanasethanon, S. (2003), *Challenges of daylighting with the luminosity and variability of tropical sky*. Lighting Res. Technol. **35**, 1, pp.3-10.
- Chirarattananon, S., Rakkwamsuk, P. (1988), *The potential for energy efficiency in Thailand's building sector*. International Institute for Energy Conservation. In: Bleviss DL, Lide V, editors. Proceedings on energy efficiency strategies for Thailand: building sector session, Pattaya, Thailand. University Press of America. Inc.
- Du, J. and Sharples, S. (2010), Analysing the impact of reflectance distributions and well geometries on vertical surface daylight levels in atria for overcast skies, *Building and Environment*, **45**, pp. 1733–1745.
- Du, J. and Sharples, S. (2011), Assessing and predicting average daylight factors of adjoining spaces in atrium buildings under overcast sky, *Building and Environment*, **46**, pp. 2142-2152.

- Galasiu, A., and Atif, M. (2002), Applicability of daylighting computer modelling in real case studies: comparison between measured and simulated daylight availability and lighting consumption, *Building and Environment*, **37**, 4, pp.363-377.
- Gichia, MW. (1998). The high-rise opposing façade in clear sky conditions-not always an “obstruction” to daylight, *Solar Energy*, **64**, Nos 4–6, pp. 179–188.
- Gillette, GL. and Treado, S. (1988), *The daylighting and thermal performance of roof glazing in atrium spaces*, Symposium on measurement and prediction of daylight and energy impacts in selected atrium types, DA-88-5, pp. 826–836. ASHRAE Transactions: Symposia
- Giovannopoulou, E., Schiler, M. and Knowles, R. (2005), The influence of atrium of atrium orientation on the daylight performance in an office building, *International Solar Energy Society Conference*, Orlando, August 6-12.
- Hien, VD. and Chirarattananon, S. (2005), Triangular subdivision for the computation of form factors, *LEUKOS, The Journal of the Illuminating Engineering Society of North America*, pp. 41-60.
- Hopkirk, N. (1999), *Methodology for the development of a simple design tools for the energy demands in offices adjacent to atria*, T21/C4-16/sui/99-05, Swiss Federal Laboratories for Material Testing and Research (EMPA), Building Section, Duebendorf, Switzerland.
- Iyer-Raniga, U. (1994), Daylighting in atrium spaces, *Architectural Science Review*, **37**, pp.195-208.
- Kim, CS., Chung, SJ. (2011), Daylighting simulation as an architectural design process in museums installed with toplights. *Building and Environment*, **46**, pp. 210-222.
- Kim, G. and Kim, JT. (2010), Luminous impact of balcony floor at atrium spaces with different well geometries. *Building and Environment*, **45**, pp. 304–310.
- Kim, KS. and Boyer, LL. (1986), Development of daylight prediction methods for atrium design, *International Daylight Conference Proceedings II*, pp. 345–359. Long Beach, CA.
- Laouadi, A., Reinhart, CF. and Bourgeois, D. (2008), Efficient calculation of daylight coefficients for rooms with dissimilar complex fenestration systems, *Building Performance Simulation*, **1**, pp. 3-15.

- Littlefair, P. (1988), *Average daylight factor: a simple basis for daylight design*, Building Research Establishment Information Paper 15 /88, Construction Research Communications, Garston, UK.
- Littlefair, P. (1991), *Site layout planning for daylight and sunlight*, BRE Report BR209, Construction Research Communications, Garston, UK.
- Littlefair, P. (1993), *Measuring daylight. Building Research Establishment Information Paper IP 23 /93*, Construction Research Communications, Garston, UK.
- Littlefair, P. (2003), Daylight prediction in atrium buildings, *Solar Energy*, **73**, 2, pp.105–109.
- Littlefair, P. and Aizlewood, M.E. (1998), Daylighting in atrium buildings. BRE Information Paper IP3 /98. Construction Research Communications, Garston, UK.
- Liu, A., Navvab, M. and Jones, J. (1991), Geometric shape index for daylight distribution variations in atrium spaces, *Solar World Conference Proceedings*, Denver, CO.
- Lynes, JA. (1979), *A sequence for daylighting design*, *Light. Res. Technol*, **11**, 2, pp.102–106.
- Perez R, Ineichen P, Seals R, Michaels J and Stewart R. (1990), Modeling daylight availability and irradiance components from direct and solar irradiance, *Solar energy*, **44**, 5, pp.271-289.
- Reinhart, CF. and Walkenhorst, O., (2001), Dynamic RADIANCE-based daylight simulations for a full-scale test office with outer venetian blinds, *Energy and Buildings*, **33**, 7, pp.683-697.
- Saradphun, A., Chaiwiwatworakul, C. and Chirarattananon, S. (2011), *An Experimental and simulation study of daylighting in atrium building in the tropics*, Energy and Technology Management, The joint of graduate school of energy and environment, KMUTT.
- Sharples, S. and Lash, D. (2007), Daylight in atrium buildings: a critical review. *Architectural Science Review*, **50**, pp. 301-312.
- Szerman, M. (1992), Daylighting in adjacent rooms connected to an atrium by artificial sky measurements; Nomograph derived from artificial diffused sky measurement predicts mean daylight factor in office rooms connected to linear atrium, *Building Research and Information*, **20**, 6.

- Treganza, P.R., Perez, R., Michalsky, J. and Seals, R. (1993), Guide to Recommended practice of daylight measurement, CIE TC-3.07, Final Draft.
- Ward, GL. (1994), The Radiance lighting simulation and rendering system, *Computer Graphics Proceedings Annual Conference Series*, pp. 459-472.
- Ward, GL. and Larson, C. (1996), *RADIANCE User's Manual*, IEA Solar R & D.