

CONTENTS

CHAPTER	TITLE	PAGE
	ABSTRACT	i
	ACKNOWLEDGEMENTS	ii
	CONTENTS	iii
	LIST OF TABLES	vi
	LIST OF FIGURES	x
1	INTRODUCTION	1
	1.1 Rationale	1
	1.2 Literature review	3
	1.3 Research objectives and scope of research work	10
2	THEORIES	11
	2.1 Graphene and graphene oxide	11
	2.2 Effect of graphene on TiO ₂ photocatalyst	14
	2.3 Titanium dioxide (TiO ₂) photocatalyst and its photocatalytic activity	15
	2.4 Effect of metal and nonmetal doped TiO ₂	20
	2.5 Composite semiconductor	25
	2.6 Silver sulfide (Ag ₂ S) preparation	27
	2.7 Formation of peroxo titanate acid (PTA) and TiO ₂	28
3	METHODOLOGY	30
	3.1 Photocatalyst preparation	30
	3.2 Characterizations	34
	3.3 Photocatalytic activity test	35

CONTENTS (Cont')

CHAPTER	TITLE	PAGE
4	A STUDY OF PHOTOCATALYTIC ACTIVITY OF GRAPHENE-TITANIUM DIOXIDE (GR-TiO ₂) PHOTOCATALYST	39
	4.1 Introduction	39
	4.2 Results and discussion	41
	4.3 Conclusions	54
5	ENHANCING THE PHOTOCATALYTIC ACTIVITY OF TiO ₂ CO-DOPING OF GRAPHENE-Fe ³⁺ IONS FOR FORMALDEHYDE REMOVAL	56
	5.1 Introduction	56
	5.2 Results and discussion	57
	5.3 Conclusions	66
6	ENHANCING PHOTOOXIDATION OF Ag ₂ S SENSITIZER ON GRAPHENE-TiO ₂ COMPOSITE FILMS FOR FORMALDEHYDE REMOVAL	67
	6.1 Introduction	67
	6.2 Results and discussion	68
	6.3 Conclusions	77
7	A STUDY OF THE EFFECT OF ENVIRONMENTAL PARAMETERS ON GR/Fe ³⁺ -TiO ₂ PHOTOCATALYST AND THE PRACTICAL USE OF GR/Fe ³⁺ -TiO ₂ PHOTOCATALYST FILM FOR FORMALDEHYDE REMOVAL	78
	7.1 Introduction	78
	7.2 Results and discussion	80
	7.3 Conclusions	89

CONTENTS (Cont')

CHAPTER	TITLE	PAGE
8	CONCLUSIONS AND RECOMMENDATIONS	90
	8.1 Conclusions	90
	8.2 Recommendations	92
	REFERENCES	93
	APPENDIXES	109

LIST OF TABLES

TABLE	TITLE	PAGE
1.1	TiO ₂ preparation condition and crystal size of TiO ₂ by heating PTA solution.	8
3.1	Studied and controlled parameters for the study of effect of environmental parameters on GR/Fe ³⁺ -TiO ₂ photocatalyst.	38
4.1	Crystal size of TiO ₂ and weight fraction of anatase phase.	42
4.2	Texture characterization of TiO ₂ and GR-TiO ₂ photocatalysts.	47
5.1	Functional groups of TiO ₂ (PTA), GR-TiO ₂ (PTA) and graphene oxide.	58
5.2	Stability of GR-TiO ₂ sol at different weight ratio of Fe ³⁺ ion	59
5.3	Estimated band gap energy of photocatalysts.	63
5.4	Photocurrent generation of catalysts.	64
6.1	Estimated band gap energy of photocatalysts.	71
7.1	Degradation efficiency (%) of photocatalysts at optimal condition of GR, Fe ³⁺ and Ag ₂ S dopants for formaldehyde removal	78
7.2	Degradation efficiency (%) and apparent rate constant (k _{app}) at various HCHO concentrations.	81
7.3	Degradation efficiency (%) and apparent rate constant (k _{app}) at various %RH conditions.	83
7.4	Degradation efficiency (%) and apparent rate constant (k _{app}) at various visible light intensity	84
7.5	Summary of the measured environmental conditions (outdoor sunshade).	88
8.1	Major role of graphene, Fe ³⁺ and Ag ₂ S dopants.	90

LIST OF TABLES (Cont')

TABLE	TITLE	PAGE
8.2	Summary of environmental parameters for the practical use of GR/Fe ³⁺ -TiO ₂ (0.12 wt% Fe ³⁺) film for HCHO removal (outdoor sunshade).	92
A.1	Analysis condition of gas chromatograph flame ionization detector (Shimadzu, GC-FID 2014).	110
B.1	Concentration profile of MB solution in the presence of TiO ₂ (PTA) and P25 under UV and visible light irradiation.	111
B.2	Degradation efficiency (%) of MB solution in the presence of TiO ₂ (PTA) and P25 under UV and visible light irradiation.	112
B.3	Concentration profile of MB solution in the presence of TiO ₂ (PTA) and GR-TiO ₂ (PTA) at different weight ratios of graphene under UV irradiation.	112
B.4	Degradation efficiency (%) of MB solution over TiO ₂ (PTA) and GR-TiO ₂ (PTA) at different weight ratios of graphene under UV irradiation.	113
B.5	Concentration profile of MB solution in the presence of TiO ₂ (PTA) and GR-TiO ₂ (PTA) at different weight ratios of graphene under visible light irradiation.	113
B.6	Degradation efficiency (%) of MB solution over TiO ₂ (PTA) and GR-TiO ₂ (PTA) at different weight ratios of graphene under visible light irradiation.	114
B.7	Distribution diameter of GR-TiO ₂ (PTA) nanoparticles.	114
B.8	Distribution length of GR-TiO ₂ (PTA) nanoparticles.	115

LIST OF TABLES (Cont')

TABLE	TITLE	PAGE
C.1	Degradation efficiency (%) of formaldehyde over TiO ₂ , GR-TiO ₂ and GR/Fe ³⁺ -TiO ₂ at different weight ratios of Fe ³⁺ under UV irradiation.	116
C.2	Degradation efficiency (%) of formaldehyde over TiO ₂ , GR-TiO ₂ and GR/Fe ³⁺ -TiO ₂ at different weight ratios of Fe ³⁺ under visible light irradiation.	116
C.3	Degradation efficiency (%) of formaldehyde over Fe ³⁺ -TiO ₂ (0.12 wt% Fe ³⁺) under UV and visible light irradiation.	117
C.4	Repeatability of GR/Fe ³⁺ -TiO ₂ (0.12 wt% Fe ³⁺) film over five cycles under UV and visible light irradiation.	117
D.1	Degradation efficiency (%) of formaldehyde over TiO ₂ , GR-TiO ₂ and GR/Ag ₂ S -TiO ₂ photocatalyst under UV irradiation.	118
D.2	Degradation efficiency (%) of formaldehyde over TiO ₂ , GR-TiO ₂ and GR/Ag ₂ S -TiO ₂ photocatalyst under visible light irradiation.	118
D.3	Degradation efficiency (%) of formaldehyde over Ag ₂ S sensitizer and Ag ₂ S -TiO ₂ (5.6 wt% Ag ₂ S) under UV and visible light irradiation.	119
E.1	Effect of initial concentration of formaldehyde (HCHO) on GR/Fe ³⁺ -TiO ₂ photocatalytic activity (degradation efficiency (%)).	120
E.2	Effect of relative humidity (%RH) on GR/Fe ³⁺ -TiO ₂ photocatalytic activity (degradation efficiency (%)).	120
E.3	Effect of visible light intensity on GR/Fe ³⁺ -TiO ₂ photocatalytic activity (degradation efficiency (%)).	121

LIST OF TABLES (Cont')

TABLE	TITLE	PAGE
E.4-13	Experimental data of GR/Fe ³⁺ -TiO ₂ for formaldehyde removal under outdoor sunshade irradiation.	122-131
E.14	Degradation efficiency (%) of GR/Fe ³⁺ -TiO ₂ for formaldehyde removal under outdoor sunshade irradiation.	132

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
2.1	Possible structures of graphene oxide (a) Hofmann, (b) Scholz–Boehm and (c) Ruess models (Dreyer et al., 2009).	12
2.2	Possible structure of graphene oxide that was proposed by Lerf–Klinowski (Dreyer, et al., 2009).	13
2.3	Reaction pathway of epoxide reduction by hydrazine (Stankvich et al., 2007).	13
2.4	Schematic band gap structure and photoexcitation of TiO ₂ photocatalyst.	16
2.5	Molecular structure of methylene blue (Houas et al., 2001).	18
2.6	Cleavage of C–S ⁺ =C bond in methylene blue to sulfoxide group (Houas et al., 2001).	19
2.7	Photocatalytic degradation pathway of methylene blue (Houas et. al., 2001).	20
2.8	Bonding diagram of TiO ₂ (Chen and Mao, 2007).	21
2.9	Energy levels of impurity ions in TiO ₂ photocatalyst (Mizushima et al., 1979 and Triggs et al., 1985).	22
2.10	Possible mechanism of Fe ³⁺ –TiO ₂ photoexcitation (Kaewtip et al., 2012c).	24
2.11	Synergistic effects of iron and carbon dopants on TiO ₂ photoexcitation system (Wu et al., 2010).	25
2.12	General concept of composite (coupled) semiconductor–semiconductor photocatalyst.	26
2.13	Band gap energy diagram and photoexcitation of Ag ₂ S–TiO ₂ (Zhu et al., 2012a and Shen et al., 2013).	27
3.1	Schematic diagram of irradiation box (Kaewtip et al., 2012b).	36

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
3.2	Procedure of preparation of GR/Fe ³⁺ -TiO ₂ photocatalyst film and schematic diagram and components of glass chamber reactor (Kaewtip et al., 2012a).	37
4.1	XRD diffraction patterns of (a) TiO ₂ (PTA refluxed at 100 °C for 2 h), (b) TiO ₂ (PTA refluxed at 100 °C for 10 h), (c) GR-TiO ₂ (PTA, 1:100), (d) GR-TiO ₂ (PTA, 1:50), (e) GR-TiO ₂ (PTA, 1:20) and (f) GR-TiO ₂ (PTA, 1:10).	42
4.2	Degradation efficiencies of TiO ₂ (PTA) at various refluxed time. (MB was used as an indicator.)	43
4.3	FTIR spectra of (a) GR-TiO ₂ (PTA) composite, (b) TiO ₂ (PTA refluxed at 100 °C for 10 h), (c) graphene oxide powder and (d) PTA powder (non-refluxed).	43
4.4	Photographs of (a) graphene oxide powder, (b) TiO ₂ (PTA refluxed at 100 °C for 10 h) and (c) GR-TiO ₂ (PTA) composite. (Canon EOS 450D, EFS 18–55 mm, 10X)	44
4.5	TEM images of (a) graphene oxide, (b) TiO ₂ (PTA refluxed at 100 °C for 10 h) and (c) GR-TiO ₂ (PTA) composite.	45
4.6	(a) High resolution TEM (HRTEM) image and (b) the selected area electron diffraction (SAED) pattern of GR-TiO ₂ (PTA) composite.	46
4.7	UV-vis absorption spectra of photocatalysts.	48
4.8	Estimated band gaps energy of photocatalysts.	48

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
4.9	Photocurrent behaviors of (a) TiO ₂ (PTA), (b) GR–TiO ₂ (PTA, 1:10), (c) GR–TiO ₂ (PTA, 1:20), (d) GR–TiO ₂ (PTA, 1:50) and (e) GR–TiO ₂ (PTA, 1:100) photocatalysts under UV and visible light irradiation.	49
4.10	Concentration at equilibrium of MB solution (ppm) in the presence of TiO ₂ , GR–TiO ₂ (PTA) and graphene.	50
4.11	Degradation efficiency of photocatalysts under UV irradiation.	52
4.12	Degradation efficiency of photocatalysts under visible light irradiation.	52
5.1	Degradation efficiency (%) of TiO ₂ , Fe ³⁺ –TiO ₂ , GR–TiO ₂ and GR/Fe ³⁺ –TiO ₂ at different weight ratios of Fe ³⁺ ion under UV irradiation.	60
5.2	Degradation efficiency (%) of TiO ₂ , Fe ³⁺ –TiO ₂ , GR–TiO ₂ and GR/Fe ³⁺ –TiO ₂ at different weight ratios of Fe ³⁺ ion under visible light irradiation.	61
5.3	UV-vis absorption spectra of TiO ₂ (PTA) and GR–TiO ₂ (PTA) photocatalysts with different weight ratios of Fe ³⁺ ion.	62
5.4	Repeatability of the use of GR/Fe ³⁺ –TiO ₂ (0.12 wt% Fe ³⁺) photocatalyst.	65
6.1	XRD diffraction patterns of prepared catalysts (a) Ag ₂ S sensitizer, (b) TiO ₂ , (c) GR–TiO ₂ , (d) Ag ₂ S–TiO ₂ and (e) GR/Ag ₂ S–TiO ₂ photocatalysts.	68
6.2	FTIR spectra of A(a) graphite, A(b) graphene oxide, B(a) Ag ₂ S, B(b) TiO ₂ , B(c) GR–TiO ₂ , B(d) Ag ₂ S–TiO ₂ and B(e) GR/Ag ₂ S–TiO ₂ .	69

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
6.3	UV-vis adsorption spectra of prepared photocatalysts.	70
6.4	Photocatalytic degradation of HCHO in the presence of (a) TiO ₂ , (b) Ag ₂ S, (c) GR–TiO ₂ , (d) GR/Ag ₂ S–TiO ₂ (2.9 wt% Ag ₂ S), (e) GR/Ag ₂ S–TiO ₂ (5.6 wt% Ag ₂ S), (f) GR/Ag ₂ S–TiO ₂ (8.2 wt% Ag ₂ S) and (g) Ag ₂ S–TiO ₂ (5.6 wt% Ag ₂ S).	72
6.5	Degradation of HCHO in the presence of catalysts under UV and visible light irradiation.	73
6.6	Schematic mechanism of photoexcitation of (a) Ag ₂ S–TiO ₂ , (b) GR–TiO ₂ and (c) GR/Ag ₂ S–TiO ₂ photocatalyst.	76
7.1	Optical property of photocatalyst film	80
7.2	Effect of HCHO initial concentration on photocatalytic activity.	81
7.3	Effect of relative humidity (%RH) on photocatalytic activity.	82
7.4	Effect of visible light intensity on photocatalytic activity.	84
7.5	Adsorption and photocatalytic degradation behavior of the practical use of GR/Fe ³⁺ –TiO ₂ photocatalyst for HCHO removal.	86
7.6	Degradation efficiency (%) of GR/Fe ³⁺ –TiO ₂ photocatalyst.	86
A.1	Calibration curve of methylene blue (MB).	109
A.2	Calibration curve of formaldehyde (HCHO).	110