

REFERENCES

- Ao, C.H., Lee, S.C., Yu, J.Z. and Xu, J.H. (2004), Photodegradation of formaldehyde by photocatalyst TiO₂: effects on the presences of NO, SO₂ and VOCs, *Applied Catalysis B: Environmental*, **54**, pp. 41-50.
- Banerjee, S., Bhattacharya, S. and Chakravorty, D. (2007), Resistivity hysteresis of Ag₂S nanocomposites, *Journal of Physical Chemistry C*, **111**, pp. 13410-13413.
- Bao, XW., Yan, S., Chen, F. and Zhang, J. (2004), Preparation of TiO₂ photocatalyst by Hydrothermal method from aqueous peroxotitanium acid gel, *Materials Letters*, **59**, pp. 412-415.
- Bernstein, J.A., Alexis, N., Bacchus, H., Bernstein, L., Fritz, P., Horner, E., Li, N., Mason, S., Nel, A., Oullette, J., Reijula, K., Reponen, T., Seltzer, J., Smith, A. and Tarlo, S.M. (2008), The health effects of nonindustrial indoor air pollution, *American Academy of Allergy, Asthma and Immunology*, **121**, pp. 585-591.
- Bessekhouad, Y., Robert, D., and Weber, J.V. (2004), Bi₂S₃/TiO₂ and CdS/TiO₂ heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, *Journal of Photochemistry and Photobiology A: Chemistry*, **163**, pp. 569-580.
- Bhatkhande, DS., Pangarkar, VG. and Beenackers, A-ACM. (2001), Photocatalytic degradation for environmental applications – a review, *Journal of Chemical Technology and Biotechnology*, **77**, pp. 102-116.
- Boonamnuayvitaya, V. and Photong, S. (2009), Synthesis of APTMS-functionalized SiO₂/TiO₂ transparent film using peroxo titanate acid refluxed solution for formaldehyde removal, *Water Air Soil Pollut*, **210**, pp. 453-461.

- Bruce, N., Perez-Padilla, R. and Albalak, R. (2000), Indoor air pollution in developing countries: a major environmental and public health challenge, *Bulletin of the World Health Organization*, **78**, pp. 1078-1092.
- Bynug, S.L. (2007), Automatic air purifying windows, US Patent, No. 20,070,157,585.
- Chen, J., Li, G., Huang, Y., Zhang, H., Zhao, H. and An, T. (2012), Optimization synthesis of carbon nanotubes-anatase TiO₂ composite photocatalyst by response surface methodology for photocatalytic degradation of gaseous styrene, *Applied Catalysis B: Environmental*, **123-124**, pp. 69-77.
- Cheng, P., Yang, Z., Wang, H., Cheng, W., Chen, M. and Shanguan, W. (2012), TiO₂-graphene nanocomposites for photocatalytic hydrogen production from splitting water, *International Journal of Hydrogen Energy*, **37**, pp. 2224-2230.
- Chen, X. and Mao, S. (2007), Titanium dioxide nanomaterials: synthesis, properties, modification and applications, *Chemical Reviews*, **107**, pp. 2891-2959.
- Cong, Y., Li, X., Qin, Y., Dong, Z., Yuan, G., Cui, Z. and Lai, X. (2011), Carbon-doped TiO₂ coating on multiwalled carbon nanotubes with higher visible light photocatalytic activity, *Applied Catalysis B: Environmental*, **107**, pp. 128-134.
- Devi, L.G., Kottam, N., Murthy, B.N. and Kumar, G. (2010), Enhanced photocatalytic activity of transition metal ions Mn²⁺, Ni²⁺ and Zn²⁺ doped polycrystalline titania for the degradation of Aniline blue under UV/solar light, *Journal of Molecular Catalysis A: Chemical*, **328**, pp. 44-52.
- Draper, R.B. and Fox, M.A., (1990), Titanium dioxide photosensitized reactions studied by diffuse reflectance flash photolysis in aqueous suspensions of TiO₂ powder, *Langmuir*, **6**, pp. 1396-1402.
- Dreyer, D.R., Park, S., Bielawski, C.W. and Ruoff, R.S. (2009), The chemistry of graphene oxide, *Chemical Society Reviews*, **39**, pp. 228-240.

- Elghniji, K., Atyaoui, A., Livraghi, S., Bousselmi, L., Giamello, E. and Ksibi, M. (2012), Synthesis and characterization of Fe³⁺ doped TiO₂ nanoparticles and films and their performance for photocurrent response under UV illumination, *Journal of Alloys and Compounds*, **541**, pp. 421-427.
- Erik, J.K., Kenneth, G.B. and Christine M.D. (1996), Catalytic process for formaldehyde oxidation, US Patent, No. 5,585,083.
- Farhangi, N., Chowdhury, R.R., Medina-Gonzalez, Y., Ray, M.B. and Charpentier, P.A. (2011), Visible light active Fe doped TiO₂ nanowires grown on graphene using supercritical CO₂, *Applied Catalysis B: Environmental*, **110**, pp. 25-32.
- Feng, Y.L., Wen, S., Wang, X.M., Sheng, G.Y., He, Q.S., Tang, J.H. and Fu, J.M. (2004), Indoor and outdoor carbonyl compounds in the hotel ballrooms in Guangzhou, *Journal of Atmospheric Environment*, **38**, pp. 103-112.
- Fu, P., Luan, Y. and Dai, X. (2004), Preparation of TiO₂ photocatalyst anchored on activated carbon fibers and its photodegradation of methylene blue, *China Particuology*, **2**, pp. 76-80.
- Fu, P.F., Zhao, Z., Peng, P. and Dai, X.G. (2008), Photodegradation of methylene blue in a fixed bed photoreactor using activated carbon fibers supported TiO₂ photocatalyst, *The Chinese Journal of Process Engineering*, **8**, pp. 65-71.
- Gao, Y., Masuda, Y., Peng, Z., Yonezaw, T. and Koumoto, K. (2003), Room temperature deposition of a TiO₂ thin film from aqueous peroxotitanate solution, *Journal of Materials Chemistry*, **13**, pp. 608-613.
- Ge, L., Mingxia, X., Haibo, F. and Sun, M. (2006a), Preparation of TiO₂ thin films from autoclaved sol containing needle-like anatase crystals, *Applied Surface Science*, **253**, pp. 720-725.

- Ge, L., Xu, M. and Sum, M. (2006b), Synthesis and characterization of TiO₂ photocatalytic thin films prepared from refluxed PTA sols, *Materials Letters*, **60**, pp. 287–290.
- Ge, L., Xu, M. and Fang, H. (2007), Synthesis of titanium oxide layers on glass substrates with aqueous refluxed sols (RS) and photocatalytic activities, *Journal of Mater Science*, **47**, pp. 4926-4934.
- Gilbert, L.E. and White, B. (1984), Sorbent material for reducing formaldehyde emission, US Patent, No. 4,443,354.
- Guimarães, J.R., Turato Farah, C.R., Maniero, M.G. and Fadini, P.S. (2012), Degradation of formaldehyde by advanced oxidation processes, *Journal of Environmental Management*, **107**, pp. 96-101.
- Hanoune, B. (2009). Assessment of the exposure to formaldehyde while driving: a feasibility study, *International symposium Environment and Transport in different contexts*, pp. 9-14, Algiers.
- He, H., Riedl, T., Lerf, A. and Klinowski, J. (1996), Solid-state NMR studies of the structure of graphene oxide, *Journal of Physical Chemistry*, **100**, pp. 19954-19958.
- Houas, A., Lachheb, H., Kisibi, M., Elaloui, E., Guillard, C. and Herrmann, JM. (2001), Photocatalytic degradation pathway of methylene blue in water, *Applied Catalysis B*, **31**, pp. 154-147.
- Ho, W. and Yu, J.C. (2006), Sonochemical synthesis and visible light photocatalytic behavior of CdSe and CdSe/TiO₂ nanoparticles, *Journal of Molecular Catalysis A: Chemical*, **247**, pp. 268-274.
- Hou, C., Zhang, Q., Li, Y. and Wang, H. (2012), P25-graphene hydrogels: room-temperature synthesis and application for removal of methylene blue from aqueous solution, *Journal of Hazardous Materials*, **205-206**, pp. 229-235.

- Huang, D., Liao, S., Quan, S., Liu, L., He, Z., Wan, J. and Zhou, W. (2007), Preparation anatase F doped TiO₂ sol and its performance for photodegradation of formaldehyde, *Journal Mater Science*, **42**, pp. 8193-8202.
- Hyman, D.G. (1990), Removal of aldehydes and acidic gases from indoor air, US Patent, No. 4,892,719.
- Ichinose, H., Terasaki, M. and Katsuki, H. (2001), Properties of peroxotitanium acid solution and peroxy-modified anatase sol derived from peroxotitanium hydrate, *Journal of Sol-Gel Science and Technology*, **22**, pp. 33-40.
- Ichiura, H., Kitaoka, T. and Tanaka, H. (2003), Removal of indoor pollutants under UV irradiation by a composite TiO₂-zeolite sheet prepared using a papermaking technique, *Chemosphere*, **50**, pp. 79-83.
- Jiang, G., Lin, Z., Chen, C., Zhu, L., Chang, Q. and Wang, N. (2011), TiO₂ nanoparticles assembled on graphene oxide nanosheets with high photocatalytic activity for removal of pollutants, *Carbon*, **49**, pp. 2693-2701.
- Jo, W.K., Park, J.H and Chun, H.D. (2001), Photocatalytic destruction of VOCs for in-vehicle air cleaning, *Journal of Photochemistry and Photobiology A: Chemistry*, **148**, pp. 109-119.
- Kaewtip, C., Accanit, K., Chaowai, N., Areerat, K., Reanjaruan, P. and Boonamnuayvitaya, V. (2012a). Photocatalytic of TiO₂-SiO₂ thin films co-doped with Fe³⁺ and thiourea in the degradation of formaldehyde by indoor and outdoor visible lights, *Advances in Materials Physics and Chemistry: 2012 World Congress on Engineering and Technology*, pp. 40-44, China
- Kaewtip, C., Chadpunyanun, P. and Boonamnuayvitaya, V. (2012b), Effect of co-dopants in TiO₂-SiO₂ thin films on the formaldehyde degradation, *Water Air Soil Pollut*, **223**, pp. 1455-1465.

- Kaewtip, C., Jarudilokkul, S. and Boonamnuyvitaya, V. (2012c), Effects of metal (Fe^{3+}), non-metal (N-S) and dye-sensitizer (PANI) dopants in $\text{TiO}_2\text{-SiO}_2$ thin films on methylene blue and formaldehyde degradation, *Journal of Chemical Engineering of Japan*, **45**, pp. 960-967.
- Karthick, S.N., Prabakar, K., Subramania, A., Hong, J.T., Jang, J.J. and Kim, H.J. (2011), Formation of anatase TiO_2 nanoparticles by simple polymer gel technique and their properties, *Powder Technology*, **205**, pp. 36-41.
- Khalid, N.R., Hong, Z., Ahmed, E., Zhang, Y., Chan, H. and Ahmad, M. (2012), Synergistic effects of Fe and graphene on photocatalytic activity enhancement of TiO_2 under visible light, *Applied Surface Science*, **258**, pp. 5827-5834.
- Kim, S. and Kim, H.J. (2005), Comparison of formaldehyde emission from building finish materials at various temperature in under heating system, *ONDOL, Indoor Air*, **15**, pp. 317-325.
- Kibanova, D., Sleiman, M., Cervini-Silva, J. and Destailats, H. (2012), Adsorption and photocatalytic oxidation of formaldehyde on a clay- TiO_2 composite, *Journal of Hazardous Materials*, **211-213**, pp. 233-239.
- Kurtz, R.L., Stockbauer, R., Madey, T.E., Román, E. and Segovia, J. (1989), Synchrotron radiation studies of H_2O adsorption on TiO_2 (110), *Surface Science*, **218**, pp. 178-200.
- Leary, R. and Westwood, A. (2011), Carbonaceous nanomaterials for the enhancement of TiO_2 photocatalysis, *Carbon*, **49**, pp. 741-772.
- Lee, S.C. and Chang, M. (2000), Indoor and outdoor air quality investigation at school in Hong Kong, *Chemosphere*, **41**, pp. 109-113.

- Lee, S.C., Ao, C.H., Yu, J.Z. and Xu, J.H. (2004), Photodegradation of formaldehyde by photocatalyst TiO₂: effect on the presences of NO, SO₂ and VOCs, *Applied Catalysis B: Environmental*, **54**, pp. 41-50.
- Lettmann, C., Hildenbrand, K., Macyk, W. and Maier, W.F. (2001), Visible light photodegradation of 4-chlorophenol with a coke-containing titanium dioxide photocatalyst, *Applied Catalyst B Environment*, **32**, pp. 215-227.
- Li, G., Wang, T., Zhu, Y., Zhang, S., Mao, C., Wu, J., Jin, B. and Tian, Y. (2011), Preparation and photoelectrochemical performance of Ag/graphene/TiO₂ composite film, *Applied Surface Science*, **257**, pp. 6568-6572.
- Liang, W., Li, J. and He, H. (2012), "Photo-catalytic degradation of volatile organic compounds (VOCs) over titanium dioxide thin film". Available online: http://cdn.intechopen.com/pdfs/38554/InTech_Photo_catalytic_degradation_of_volatile_organic_compounds_vocs_over_titanium_dioxide_thin_film.pdf
- Lin, L., Chai, Y., Zhao, B., Wei, W., He, D., He, B., and Tang, Q. (2013), Photocatalytic oxidation for degradation of VOCs, *Open Journal of Inorganic Chemistry*, **13**, pp. 14-25.
- Lin, L., Lin, W., Xie, J.L., Zhu, Y.X., Zhao, B.Y. and Xie, Y.C. (2007), Photocatalytic properties of phosphor-doped titania nanoparticles, *Applied Catalyst B Environment*, **75**, pp. 52-58.
- Linsebigler, A.L., Lu, G. and Yates, J.T. (1995), Photocatalysis on TiO₂ surface: principle, mechanism and selected results, *Chemical Reviews*, **95**, pp. 736-758.
- Liu, X., Li, F., and Li, X. (2008a), TiO₂ hydrosols with high activity for photocatalytic degradation of formaldehyde in a gaseous phase, *Journal of Hazardous Materials*, **152**, pp. 347-355.

- Liu, Y.J., Aizwawa, M., Wang, Z.M, Hatori, H., Uekawa, N. and Kanoh, H. (2008b), Comparative examination of titania nanocrystals synthesized by peroxy titanate approach from different precursors, *Journal of Colloid and Interface Science*, **322**, pp. 497-504.
- Low, W. and Boonamnuayvitaya, V. (2013a), Enhancing the photocatalytic activity of TiO₂ co-doping of graphene-Fe³⁺ ions for formaldehyde removal, *Journal of Environmental Management*, **127**, pp. 142-149.
- Low, W. and Boonamnuayvitaya, V., (2013b), A study of photocatalytic graphene-TiO₂ synthesis via peroxy titanate refluxed sol, *Materials Research Bulletin*, **48**, pp. 2809-2816.
- Lu, G., Linsebigler, A. and Yates. J.T. (1994), Ti³⁺ defect sites on TiO₂ (110): production and chemical detection of active sites, *Journal of Physical Chemistry*, **98**, pp. 11733-11738.
- Lu, N., Pei, J., Zhao, Y., Qi, R. and Liu, J. (2012c), Performance of a biological degradation method for indoor formaldehyde removal, *Building and Environment*, **57**, pp. 253-258.
- Lu, X., Ma, Y., Tian, B. and Zhang, J. (2011), Preparation and characterization of Fe-TiO₂ films with high visible photoactivity by autoclaved-sol method at low temperature, *Solid State Sciences*, **13**, pp. 625-629.
- Luo, H., Takata, T., Lee, Y., Zhao, J., Domen, K. and Yan, Y. (2004), Photocatalytic activity enhancing for titanium dioxide by co-doping with bromine and chlorine, *Chemistry of Materials*, **16**, pp. 846-849.
- Lv, X., Zhang, G. and Fu, W. (2012), Highly efficient hydrogen evolution using TiO₂/graphene composite photocatalysts, *Procedia Engineering*, **27**, pp. 570-576.

- Matthews, R.W. (1992), Photocatalytic oxidation of organic contaminants in water: an aid to environment preservation, *Pure Application Chemistry*, **64**, pp. 1285-1290.
- Mcallister, M.J., Li, J.L., Adamsom, D.H., Schniepp, H.C., Abdala, A.A., Liu, J., Alonso, M.H., Milius, D.V., Car, R., Prud'homme, R.K. and Aksay, I.A. (2007), Single sheet functionalized graphene by oxidation and thermal expansion of graphite, *Chemistry of Materials*, **19**, pp. 4396-4404.
- Min, Y., Zhang, K., Chen, Y. and Zhang, Y. (2012), Sonodegradation and photodegradation of methyl orange by InVO₄/TiO₂ nanojunction composites under ultrasonic and visible light irradiation, *Ultrasonics Sonochemistry*, **19**, pp. 883-889.
- Miyawaki, J., Shimohara, T., Shirahama, N., Yasutake, A., Yoshikawa, M., Mochida, I. and Yoon, S.H. (2011), Removal of NO_x from air through cooperation of the TiO₂ photocatalyst and urea on activated carbon fiber at room temperature, *Applied Catalysis B: Environmental*, **110**, pp. 273-278.
- Mizushima, K., Tanaka, M., Asai, A. and Iida, S. (1979), Impurity levels of iron-group ions in TiO₂(II), *Journal of Physical Chemistry Solids*, **40**, pp. 1129-1140.
- Nakano, Y., Morikawa, T., Ohwaki, T. and Taga, T. (2005), Electrical characterization of band gap state in C-doped TiO₂ films, *Applied Physics Letters*, **87**, pp. 052111/1-052111/3.
- Nguyen-Phan, T.D., Pham, V.H., Shin, E.W., Pham, H.D., Kim, S. and Chung, J.S. (2011), The role of graphene oxide content on the adsorption-enhanced photocatalysis of titanium dioxide/graphene oxide composites, *Chemical Engineering Journal*, **170**, pp. 226-232.
- Nevesa, M.C., Nogueira, J.M.F., Trindade, T., Mendonca, M.H., Pereirac, M.I. and Monteiro, O.C. (2009), Photosensitization of TiO₂ by Ag₂S and its catalytic activity on phenol photodegradation, *Journal of Photochemistry and Photobiology A: Chemistry*, **204**, pp. 168-173.

- Norback, D., Michel, I. and Widstrom, J. (1990), Indoor air quality and personal factors related to the sick building syndrome, *Scand J Work Environmental Health*, **16**, pp.121-128.
- Novoselov, K.S., Geim, A.K., Morozov, S.V., Jiang, D., Zhang, Y., Dubonos, S.V., Grigorieva, I.V. and Firsov, A.A. (2004), Electric field effect in atomically thin carbon films, *Science*, **306**, pp. 666-669.
- Ohno, T., Akiyoshi, M., Umebayashi, T., Asai, K., Mitsui, T. and Matsumura, M. (2004), Preparation of S-doped TiO₂ photocatalysts and their photocatalytic activity under visible light, *Applied Catalyst A: General*, **265**, pp. 115-121.
- Pan, S. and Aksay, L.A. (2011), Factors controlling the size of graphene oxide sheets produced via the graphite oxide route, *ACS NANO*, **5**, pp. 4073-4083.
- Pang, C.Y., Mu, Y., Yuan, J. and He, H. (2008), Carbonyl emission from ethanol-blended gasoline and biodiesel-ethanol-diesel used in engines, *Atmospheric Environment*, **42**, pp. 1349-1358.
- Pang, Y.L. and Abdullah, A.Z. (2012), Effect of low Fe³⁺ doping on characteristics, photocatalytic activity and reusability of TiO₂ nanotubes catalysts for removal of Rhodamine B from water, *Journal of Hazardous Materials*, **235–236**, pp. 325-335.
- Paredes, J.I., Villar-Rodil, S., Martinez-Alonso, A. and Tascon, J.M.D. (2008), Graphene oxide dispersions inorganic solvents, *Langmuir*, **24**, pp. 10560-10564.
- Park, Y., Kim, W., Park, H., Tachikawa, T., Majima, T and Choi, W. (2009), Carbon-doped TiO₂ photocatalyst synthesized without using external carbon precursor and the visible light activity, *Applied Catalyst B: Environment*, **91**, pp. 355-361.
- Pei, J. and Zhang, J.S. (2011), On the performance and mechanisms of formaldehyde removal by chemisorbents, *Chemical Engineering Journal*, **167**, pp. 59-66.

- Peng, C.Y., Yang, H.H., Lan, C.H. and Chien, S.M. (2008), Effects of biodiesel blend fuel on aldehyde emission from diesel engine exhaust, *Atmospheric Environment*, **42**, pp. 906-915.
- Qianqian, Z., Tang, B. and Guoxin, H. (2011), High photoactive and visible-light responsive graphene/titanate nanotubes photocatalysts: Preparation and characterization, *Journal of Hazardous Materials*, **198**, pp. 78-86.
- Rolf, E. (2010), High intensity air purifier, US Patent, No. 20,100,143,205.
- Rodrigues, M.C., Guarieiro, L.L.N., Cardoso, M.P., Carvalho, L.S., da Rocha, G.O. and de Andrade, J.B. (2012), Acetaldehyde and formaldehyde concentrations from sites impacted by heavy-duty diesel vehicles and their correlation with the fuel composition: Diesel and diesel/biodiesel blends, *Fuel*, **92**, pp. 258-263.
- Sahoo, C., Gupta, A.K. and Pal, A. (2005), Photocatalytic degradation of methyl red dye in aqueous solution UV irradiation using Ag^+ doped TiO_2 , *Desalination*, **181**, pp. 91-100.
- Sahoo, C., Gupta, A.K. and Pal, A. (2006), Photocatalytic degradation of a mixture of crystal violet (basic violet 3) and methyl red dye in aqueous suspensions using Ag^+ doped TiO_2 , *Dyes and Pigments*, **69**, pp. 224-232.
- Sasirekha, N., Rajesh, B. and Chen, Y.W. (2009), Synthesis of TiO_2 sol in a neutral solution using TiCl_4 as a precursor and H_2O_2 as an oxidizing agent, *Thin Solid Films*, **518**, pp. 43-48.
- Schupp, T., Bolt, H.M. and Hengstler, J.G. (2005), Maximum exposure levels for xylene, formaldehyde and acetaldehyde in cars, *Toxicology*, **206**, pp. 461-470.
- Sekine, Y. (2002), Oxidative decomposition of formaldehyde by metal oxide at room temperature, *Atmospheric Environment*, **36**, pp. 5543-5547.

- Seok, S., Vithal, M. and Chang, J.A. (2010), Colloidal TiO₂ nanocrystals prepared from peroxotitanium complex solutions: phase evolution from different precursors, *Journal of Colloid and Interface Science*, **346**, pp. 66-71.
- Shen, h., Jiao, X., Oron, D., Li, J. and Lin, Hong. (2013), Efficient electron injection in non-toxic silver sulfide (Ag₂S) sensitized solar cells, *Journal of Power Sources*, **240**, pp. 8-13.
- Sonawane, R., Kale, B. and Dongre, M. (2004), Preparation and photocatalytic activity of Fe–TiO₂ thin films prepared by sol-gel dip coating, *Materials Chemistry and Physics*, **85**, pp. 52-57.
- Stankovich, S., Dikin, D.A., Piner, R.D., Kohlhaas, K.A., Kleinhammes, A., Jia, Y., Wu, Y., Naudy, S.T. and Ruoff, R.S. (2007), Synthesis of graphene-based nanosheets via chemical reduction of exfoliated graphite oxide, *Carbon*, **45**, pp. 1558-1565.
- Szabo, T., Tomba, E., Illes, E. and Dekany, I. (2006), Enhanced acidity and pH-dependent surface charge characterization of successively oxidized graphite oxides, *Carbon*, **44**, pp. 537-545.
- The photochemistry portal (2012), “Principles, Application and Experimentation in Modern Photochemistry Metal oxide Photocatalysis”, Available online: <http://photochemistry.wordpress.com/tag/absorption>
- Tieng, S., Kanaev, A. and Chhor, K. (2011), New homogeneously doped Fe(III)–TiO₂ photocatalyst for gaseous pollutant degradation, *Applied Catalysis A: General*, **399**, pp. 191-197.
- Triggs, P. and Levy, F. (1985), Optical and electrical properties of ruthenium-doped TiO₂, *Physica Status Solidi (B)*, **129**, pp. 363-374.

- Tseng, T.K., Lin, Y.S., Chen, Y.J. and Chu, A. (2010), A review of photocatalysts prepared by sol-gel method for VOCs removal, *Journal of Molecular Sciences*, **11**, pp. 2336-2361.
- Turchi, C.S., and Ollis, D.F. (1989), Mixed reactant photocatalysis: intermediates and mutual rate inhibition, *Journal of Catalyst*, **119**, pp. 483-496.
- Turchi, C.S., and Ollis, D.F. (1990), Photocatalytic degradation of organic water contaminants: mechanisms involving hydroxyl radical attack, *Journal of Catalyst*, **122**, pp. 178-192.
- University of Colorado (2012), "Mineral Structure and property Data TiO₂ Group", Available online: <http://ruby.colorado.edu/~smyth/min/tio2.html>
- Wang, B., Li, Q., Wang, W., Li, Y. and Zhai, J. (2011a), Preparation and characterization of Fe³⁺-doped TiO₂ on fly ash cenospheres for photocatalytic application, *Applied Surface Science*, **257**, pp. 3473-3479.
- Wang, C., Shi, H. and Li, Y. (2011b), Synthesis and characteristics of natural zeolite supported Fe³⁺-TiO₂ photocatalysts, *Applied Surface Science*, **257**, pp. 6873-6877.
- Wang, F. and Zhang, K. (2011c), Reduced graphene oxide-TiO₂ nanocomposite with high photocatalytic activity for the degradation of rhodamine B, *Journal of Molecular Catalysis A: Chemical*, **345**, pp. 101-107.
- Wang, M.C., Lin, H.J. and Yang, T.S. (2009), Characteristic and optical properties of iron ion (Fe³⁺)-doped titanium dioxide thin films prepared by sol-gel spin coating, *Journal of Alloys and Compounds*, **473**, pp. 349-400.
- Wang, W., Yu, J., Xiang, Q., and Cheng, B. (2012), Enhanced photocatalytic activity of hierarchical macro/mesoporous TiO₂-graphene composites for photodegradation of acetone in air, *Applied Catalysis B: Environmental*, **119-120**, pp. 109-116.

- Williams, G., Seger, B. and Kamat, P. (2008), TiO₂-graphene nanocomposites UV-assisted photocatalytic reduction of graphene oxide, *ACS NANO*, **2**, pp. 1487-1491.
- Weller, H., Hoyer, P. and Vogel, R. (1994), Quantum-sized PbS, CdS, Ag₂S, Sb₂S₃ and Bi₂S₃ particles as sensitizers for various nanoporous wide-bandgap semiconductor, *Journal of Physical Chemistry*, **98**, pp. 3183-3188.
- Wellia, D.V., Xu, Q.C., Sk, M.A., Lim, K.H., Lim, T.M., Thatt, T. and Tan, Y. (2011), Experimental and theoretical studies of Fe-doped TiO₂ films prepared by peroxo sol-gel method, *Applied Catalysis A: General*, **401**, pp. 98-105.
- World Health Organization (WHO) (2012), "Guidelines for indoor air quality: selected pollutants", Available online : [http:// ruby.colorado.edu/~smyth/min/tio2.html](http://ruby.colorado.edu/~smyth/min/tio2.html)
- Wonyong, C., Termin, A. and Hoffmann, M.R. (1994), The role of metal ion dopants in quantum-sized TiO₂: correlation between photoreactivity and charge carrier recombination dynamics, *Journal of Physical Chemistry*, **98**, pp. 13669-13679.
- Wu, G.S., Nishikaw, T., Ohtana, B. and Chen, A.C. (2007), Synthesis and characterization of carbon-doped TiO₂ nanostructures with enhanced visible light response, *Chemistry of Materials*, **17**, pp. 4530-4537.
- Wu, T., Zhang, J., Xiao, L. and Chen, F. (2010), Properties of carbon and iron modified TiO₂ photocatalyst synthesized at low temperature and photodegradation of acid orange 7 under visible light, *Applied Surface Science*, **256**, pp. 4260-4268.
- Xei, Y., Heo, S.H., Kim, Y.N., Yoo, S.E. and Cho, S.O. (2009), Synthesis and visible-light-induced catalytic activity of Ag₂S-coupled TiO₂ nanoparticles and nanowires, *Nanotechnology*, **21**, pp. 7-13.
- Yang, L., Liu, Z., Shi, J., Hu, H. and Shangguan, W. (2007), Design consideration of photocatalytic oxidation reactors using TiO₂-coated foam nickels for degrading indoor gaseous formaldehyde, *Catalysis Today*, **126**, pp. 359-368.

- Yong, C.K. and Jae, H.K. (2009), Air purification system for vehicles and method thereof, US Patent, No. 20,090,068,058.
- Yoo, D.H., Cuong, T.V., Pham, V.H., Chung, J.S., Khoa, N.T., Kim, E.J. and Hahn, S.H. (2011), Enhanced photocatalytic activity of graphene oxide decorated on TiO₂ films under UV and visible irradiation, *Current Applied Physics*, **11**, pp. 805-808.
- Yu, H., Zhang, K. and Rossi, C. (2007), Theoretical study on photocatalytic oxidation of VOCs using nano-TiO₂ photocatalyst, *Journal of Photochemistry and Photobiology A: Chemistry*, **188**, pp. 65-73.
- Zhang, H., Lv, X., Li, Y., Wang, Y. and Li, J. (2010a), P25-Graphene composite as a high performance photocatalyst, *ACS NANO*, **4**, pp. 380-386.
- Zhang, X., Sun, Y., Cui, X. and Jiang, Z., (2012), A green and facile synthesis of TiO₂/graphene nanocomposites and their photocatalytic activity for hydrogen evolution, *International Journal of Hydrogen Energy*, **37**, pp. 811-815.
- Zhang, Y. and Pan, C. (2011), TiO₂/graphene composite from thermal reaction of graphene oxide and its photocatalytic activity in visible light, *Journal of Materials Science*, **46**, pp. 2622-2626.
- Zhang, Y., Tang, Z., Fu, X. and Xu, YJ. (2010b), TiO₂-graphene nanocomposites for gas-phase photocatalytic degradation of volatile aromatic pollutant: Is TiO₂-graphene truly different from other TiO₂-carbon composite materials?, *ACS NANO*, **4**, pp. 7303-7314.
- Zhang, Y., Wu, L., Zeng, Q. and Zhi, J. (2010c), Synthesis and characterization of rutile TiO₂ nano-ellipsoid by water-soluble peroxotitanium complex precursor, *Materials Chemistry and Physics*, **121**, pp. 235-240.

- Zhao, D., Sheng, G., Chen, C., and Wang, X. (2012), Enhanced photocatalytic degradation of methylene blue under visible irradiation on graphene@TiO₂ dyade structure, *Applied Catalysis B: Environmental*, **111-112**, pp. 303-308.
- Zhu, J.F., Chen, F., Zhang, J.L., Chen, H.J. and Anpo, M. (2006), Fe³⁺-TiO₂ photocatalysis prepared by combination sol-gel method with hydrothermal treatment and their characterization, *Journal of Photochemistry and Photobiology. A Chemistry*, **180**, pp. 196-204.
- Zhu, L., Meng, Z.D. and Oh W.C. (2012a), MWCNT-based Ag₂S-TiO₂ nanocomposites photocatalyst: ultrasound-assisted synthesis, characterization and enhanced catalytic efficiency, *Journal of Nanomaterials*, **2012**, pp. 1-10.
- Zhu, L., Meng, Z., Trisha, G. and Oh, W.C. (2012b), Hydrothermal Synthesis of Porous Ag₂S Sensitized TiO₂ Catalysts and Their Photocatalytic Activities in the Visible Light Range, *Chinese Journal of Catalysis*, **33**, pp. 254-260.
- Zyoud, A.H., Zaatari, N., Saadeddin, I., Ali, C., Park, D., Campet, G. and Hilal, H.S. (2010), CdS-sensitized TiO₂ in phenazopyridine photo-degradation: Catalyst efficiency, stability and feasibility assessment, *Journal of Hazardous Materials*, **173**, pp. 318-325.