

CONTENTS

CHAPTER	TITLE	PAGE
	ABSTRACT	i
	ACKNOWLEDGEMENT	ii
	CONTENTS	iii
	LIST OF TABLES	v
	LIST OF FIGURES	vii
1	INTRODUCTION	1
	1.1 Problem Statement	1
	1.2 Literature Review	2
	1.3 Objectives	18
	1.4 Scope of the Study	18
	1.5 Output/Outcome	19
	1.6 Conceptual Framework	19
2	THEORIES	20
	2.1 Anaerobic Digestion	20
	2.2 Reactor Design	28
	2.3 Volatile Acid Inhibition	33
	2.4 Microbial Inhibition by Undissociated and Dissociated Organic Acids	34
	2.5 Biogas Production	38
3	ANAEROBIC FOOD WASTE DIGESTION	40
	3.1 Introduction	40
	3.2 Methodology	41
	3.3 Result and Discussion	48
	3.4 Summary of Anaerobic Food Waste Digestion	88
4	ANAEROBIC MARKET WASTE DIGESTION	90
	4.1 Introduction	90
	4.2 Methodology	90
	4.3 Result and Discussion	96
	4.4 Summary of Anaerobic Market Waste Digestion	146

CONTENTS (Cont')

CHAPTER	TITLE	PAGE
5	CONCLUSION AND RECOMMENDATION	148
	5.1 Conclusion	148
	5.2 Recommendations for Further Study	152
	REFERENCES	153
	APPENDIX A: Experimental Data of Anaerobic Food Waste Digestion	167
	APPENDIX B: Experimental Data of Anaerobic Market Waste Digestion	184

LIST OF TABLES

TABLES	TITLE	PAGE
1.1	Waste composition of Bangkok at transfer station in year 2009	3
1.2	Average composition of solid waste from several sources	4
1.3	Average percentage spent by type of retail outlet for different food product categories	5
1.4	Ultimate methane yields of fruit and vegetable wastes and manures	6
1.5	Advantages of mixing digester content	8
1.6	Typical temperature ranges for various bacteria	9
2.1	The three stages of anaerobic digestion of solids	25
2.2	Operational conditions for acceptable activity of methane-forming bacteria and methane production	28
2.3	Comparison of wet and dry fermentations	29
2.4	Types of anaerobic digesters	30
2.5	Advantages and disadvantages of the suspended growth anaerobic digesters	31
2.6	Advantages and disadvantages of the two-stage system	32
2.7	Indicators of unstable anaerobic digesters	33
2.8	Main cause of elevated VFA in anaerobic process	34
2.9	Typical digester gas production rates	38
2.10	Mean composition and specific yields of biogas in relation to the kind of substances degraded	39
3.1	Food waste characteristics	41
3.2	Experimental procedure of acid-phase anaerobic digestion treating food waste	43
3.3	Packing media (Pallring 40×40 mm) specification	46
3.4	Performances of acid phase food waste at various pH values	56
3.5	Concentration of VFA and undissociated VFA by the leachate dilution	63
3.6	Reactor performance data of improving acid phase food waste	75
3.7	Acidogenesis performance under stepwise increase in pH 4.5-6.5	77

LIST OF TABLES (Cont')

TABLES	TITLE	PAGE
3.8	Change in undissociated VFAs and methane content at stepwise pH and leachate dilution	78
3.9	Performances of anaerobic acidogenic process treating high solid food waste	81
3.10	Carbon balance of high solid food waste	86
3.11	Summary of treatment high solid food waste (15 %TS) results	88
4.1	Feeding market waste component used in all experiment	92
4.2	Operational process of anaerobic market waste study	93
4.3	One phase and two-phase operational process of market waste	95
4.4	Market waste compositions of Thungkru market and Seimummuang market	97
4.5	Market waste characteristics	98
4.6	Change in TVFA and undissociated VFAs by dilution	113
4.7	Effects of introducing leachate dilution	119
4.8	Performance under pH adjustment and dilution application	121
4.9	Undissociated acid concentrations with pH gradient 4.5 to 6.5	129
4.10	Degradation of VFA composition in fixed film reactor during coupling period	135
4.11	Process performance of one and two-phase treating market waste	144

LIST OF FIGURES

FIGURE	TITLE	PAGE
1.1	Top 20 provinces with the highest number of registered markets	5
1.2	Conceptual framework	19
2.1	Scheme of the biodegradation steps of complex matter	23
2.2	Acid step in anaerobic process	23
2.3	Methane step in anaerobic process	24
2.4	Using acetate and hydrogen by sulfate-reducing bacteria and methane-forming bacteria	26
2.5	Two-stage digester system	32
2.6	Transmembrane pathways of undissociated acid molecules and dissociated proton/anion in a bacterial cell at acidic and neutral pH	37
3.1	Acidogenesis improvement study flowchart	43
3.2	Schematic diagram of experimental laboratory reactor set-up	44
3.3	Representation of high solid food waste (15%TS) digestion	45
3.4	Changes in pH, alkalinity, and TVFA/Alk at operating pH of 5, 6, and 7	49
3.5	Changes in SCOD, TVFA, and TVFA/SCOD at operating pH of 5, 6, and 7	51
3.6	Undissociated VFAs content at different operating pH tested	53
3.7	Inhibitory undissociated VFAs level for acidogenesis of food waste, peel pineapple and kitchen waste	54
3.8	Gas compositions at different operating pHs of 5, 6, and 7	55
3.9	Change in TVFA and undissociated VFAs with and without pH adjustment	57
3.10	Overall performances of neutral pH reactor and control reactor	60
3.11	Cumulative TVFA of neutral pH and dilution reactors	63
3.12	Profile of total VFA and undissociated VFA fraction by dilution method	64
3.13	Overall performance of dilution reactor	64

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
3.14	Changes in TVA and UA concentrations by dilution after neutral pH	66
3.15	Overall performance of dilution with initial pH adjustment	66
3.16	The TVFA/SCOD ratio in the unbuffered reactors	67
3.17	The variation of TVA/SCOD ratio under different treatments	68
3.18	The evolution of iVFA under various experimental conditions	70
3.19	Gas composition profile with and without pH control	72
3.20	Overall performance of stepwise pH adjustment	73
3.21	Overall performances by stepwise pH gradient 4.5-6.5	77
3.22	Overall performances under dilution application	79
3.23	Overall performances of neutral pH adjustment condition	80
3.24	Changes in liquid and gas phase of F5 during combination period	82
3.25	Methanogenic reactor performances at various organic loading rates	83
3.26	Changes in liquid and gas phase of high acid digester by inhibitory product control and phase separation	87
4.1	Source sorted market waste at Thungkru market	91
4.2	Quartering sampling method	91
4.3	Market waste composition of Thungkru market	92
4.4	Schematic diagram of the reactor set-up	96
4.5	Changes in pH, alkalinity and TVFA/Alk at operating pH 5, 6, and 7	100
4.6	Variation of the SCOD, TVFA, and undissociated VFAs with different pHs	102
4.7	Inhibitory level for acidogenesis of market waste and pineapple (peel)	104
4.8	iVFA distribution at different pH conditions	105
4.9	Process performance of neutral pH control reactor	108
4.10	Changes in the SCOD and SCOD/TVFA of neutral pH reactor	109
4.11	Overall performance of neutral pH reactor of market waste	109
4.12	Leachate pH profile of buffered and unbuffered reactors	110
4.13	Liquid phase characteristics of dilution application	112
4.14	The VFA generation rate of applying dilution	113

LIST OF FIGURES (Cont')

FIGURE	TITLE	PAGE
4.15	Liquid phase profile of control reactor	115
4.16	Changes in SCOD and TVFA of dilution and control reactors	116
4.17	Overall performance of dilution and control reactors	117
4.18	Variations of TVFA and SCOD in the leachate of reactor M3	120
4.19	Gas content in acid-phase market waste digestion	123
4.20	Variation of pH, SCOD and TVFA by stepwise increasing pH 4.5-6.5	127
4.21	Gas production and undissociated VFA by stepwise pH adjustment	128
4.22	Leachate characteristics and biogas production of M5 before combination with FF	131
4.23	Leachate characteristics and biogas production of M5 coupled with FF	133
4.24	Effect of different OLRs on the volumetric gas production rate, COD removal and effluent VFA	135
4.25	Leachate characteristics and biogas production of two-phase system	137
4.26	iVFA profiles of acidogenic reactor M4 (single-phase) and M5 (two-phase)	139
4.27	iVFA profiles of methanogenic fixed film reactor	140
4.28	Cumulative specific CH ₄ production of one and two-phase based on VS added	142
4.29	Carbon balance analysis of anaerobic market waste treatment	143
4.30	Performance comparison of one and two-phase treating market waste	145