

## REFERENCES

- Chen, C-L. (1991). Unified Theory on Power Laws for Flow Resistance. *Journal of Hydraulic Engineering*. **117**. No. 3. ASCE. pp. 371-389.
- Chen, Y-C., and Chiu, C-L. (2002), An efficient method of discharge measurement in tidal streams, *Journal of Hydrology*, **265**, pp. 212–224.
- Chen, Y-C. and Chiu, C-L. (2004), A fast method of flood discharge estimation, *Journal of Hydrological Processes*, **18**, pp. 1671–1684, DOI: 10.1002/hyp.1476.
- Chiu, C-L., ASCE, M. and Tung, N-C. (2002), Maximum Velocity and Regularities in Open- Channel Flow, *Journal of Hydraulics Engineering*, pp. 390-398.
- Choi, G., Chae, S. and Byeon, S. (2011), “The Effect of Tidal Boundary Condition in the River Mouth”, *Proceeding of AWRA 2011 SUMMER SPECIALTY CONFERENCE*, Snowbird, Utah, USA.
- Dias, F., Lacerda, L., Marins, R. and Paula, F. (2011), Comparative analysis of rating curve and ADP estimates of instantaneous water discharge through estuaries in two contrasting Brazilian rivers, *Journal of Hydrology Processes*. **25**, DOI: 10.1002/hyp.7972.
- Ghosh, S.N. (1998), *Tidal Hydraulic Engineering*, A.A. Balkema, Netherlands, pp.181.
- Harleman, D.R.F. and Abraham, G. (1966), One-dimensional analysis of salinity intrusion in the Rotterdam Waterway. Delft Hydraulic laboratory publication. No. 44.
- Komolmaedhee, L. (1989), Hydrological studies and analysis of the major rivers into the Gulf of Thailand (in Thai), Department of Marine Science, Faculty of Science, Chulalongkorn University, Bangkok Thailand.

- Lee S., and Cheong, T. S. (2009), Development of regression equations for the water discharge estimation in tidally effected rivers, *KSCE, Journal of Civil Engineering*, **13**(3), pp.195–203.
- Leopold, L.B. (1993), Downstream Change of Velocity in Rivers, *America Journal of Science*, **251**, pp.606-624.
- Liu, W-C., Chen, W-B., Cheng, R-T., Hsu, M-H.andKuo, A-Y. (2007), Modeling the influence of river discharge on salt intrusion and residual circulation in Danshuei River estuary, Taiwan, *Continental Shelf Research*, **27**, pp.900–921.
- Lu, J-Y., Su, C-C.and Wang, C-Y. (2006),Application of a portable measuring system with acoustic Doppler current profiler to discharge observations in steep rivers, *Journal of Flow Measurement and Instrumentation*, pp.179–192.
- Maghrebi, M. and Ball, J. (2006), New Method for Estimation of Discharge,*Journal of Hydraulics Engineering*,pp. 1044-1051.
- Maghrebi, M.F. and Givehchi, M. (2010),Discharge Estimation in a Tidal River with Partially Reverse Flow, *Journal of Waterway, Port, Coastal, and Ocean Engineering*, pp.266-274.
- Maghrebi, M.F. and Rahimpour, M. (2005), A simple model for estimation of dimensionless isovel contours in open channels, *Journal of Flow Measurement and Instrumentation*, pp. 347-352.
- Manoj, N.T and Unnikrishnan, A.S (2009), Tidal Circulation and Salinity Distribution in the Mandovi and Zuari Estuaries: Case Study, *Journal of Waterway, Port, Coastal, and Ocean Engineering*, **135**, 6, pp 278–287.
- McDowell, D.M. and O'Connor, B.A. (1977), *Hydraulic Behavior of Estuaries*, The Macmillan press, England, pp.292.

- Morlock, S.E. (1996), *Evaluation of acoustic Doppler Current Profiler measurements of river discharge*, U.S. Geological Survey, WRIR No. 95-4218, Indiana.
- Muste, M., Yu, K. and Spasojevic, M.(2004), Practical aspects of ADCP data use for quantification of mean river flow characteristics; Part I: moving-vessel measurements, *Journal of Flow Measurement and Instrumentation*, **15**, pp.1–16.
- Simpson, M.R. and Bland, R. (2000). Methods for accurate estimation of net discharge in a tidal channel. *IEEE Journal of Oceanic Engineering***25** (4), pp. 437–445
- Simpson, M.R. and Oltmann, R.N. (1993), Discharge-Measurement system using acoustic doppler current profiler with applications to large rivers and estuaries. *U.S. Geological Survey Water-Supply Paper 2395*.
- Sontek/YSI.(2010), *River Surveyor S5/M9 System Manual*, pp.107.
- Thailand Institute of Scientific and Technological Research. (1999), *The study of area risk of food and natural disaster in the Central River Basin (in Thai)*, Office of Natural Resources and Environmental Policy and Planning, Bangkok.
- Visutimeteegorn, S., Likitdecharote, K. and Vongvisessomjai, S. (2007), Effects on the upstream flood inundation caused from the operation of Chao Phraya Dam, *SongklanakarinnJournal of Science and Technology*, **29**(6), pp.1661-1674.
- Vongvisessomjai, S. and Chatanantavet, P. (2006), Analytical Model of Interactions of Tide and River Flow, *SongklanakarinnJournal of Science and Technology*, **28**(6), pp.1149-1160.
- Vongvisessomjai, S. and Srivihok, P. (2003), The Interaction between Tide and Salinity Barriers, *SongklanakarinnJournal of Science and Technology*, **25**(6), pp.743-756.

Weesakul,S. and Thammasittirong,S. (2000), "*Operational Flood Forecasting for Chao Praya River Delta*", *Proceeding of the International Conference the Chao Praya Delta : Historical Development, Dynamics and Challenges of Thailand's Rice Bowl*, pp. 267-270.

Woo, S.B. and Yoon, B.I. (2011),The Classification of Estuary and Tidal Propagation Characteristics, in the Gyeong-Gi Bay, South Korea, *Journal of Coastal Research*, Special Issue 64, pp.1624-1628.