

บรรณานุกรม

- Al-Qaradawi, S., and Salman, S.R. (2002). Photocatalytic degradation of methyl orange as a model compound. *J. Photoch. Photobio. A* 148(1), 161-168.
- Anipsitakis, G.P., and Dionysiou, D.D. (2003). Degradation of organic contaminants in water with sulfate radicals generated by the conjunction of peroxymonosulfate with cobalt. *Environ. Sci. Technol.* 37(20), 4790-4797.
- Bass, D.H., Hastings, N.A., and Brown, R.A. (2000). Performance of air sparging systems: a review of case studies. *J. Hazard. Mater.* 72, 101-119.
- Berlin, A.A. (1986). Kinetics of radical-chain decomposition of persulfate in aqueous solutions of organic compounds. *Kinet. Catal.* 27, 34-39.
- Block, P.A., Brown, R.A., and Robinson, D. (2004). In Novel activation technologies for sodium persulfate in situ chemical oxidation, *Proceedings of the 4th International Conference on the Remediation of Chlorinated and Recalcitrant Compounds*, Monterey, CA, USA, May 24-27.
- Chan, T.W., Graham, N.J.D., Chu, W. (2010). Degradation of iopromide by combined UV irradiation and peroxydisulfate. *J. Hazard. Mater.* 181, 508-513.
- Chen, K.F., Kao, C.M., Wu, L.C., Surampalli, R.Y., and Liang, S.H. (2009). Methyl tert-butyl ether (MTBE) degradation by ferrous ion-activated persulfate oxidation: feasibility and kinetics studies. *Water Environ. Res.* 81(7), 687-694.
- Chokejaroenrat, C., Kananizadeh, N., Sakulthaew, C., Comfort, S., and Li, Y. (2013). Improving the sweeping efficiency of permanganate into low permeable zones to treat TCE: experimental results and model development. *Environ. Sci. Technol.* 47(22), 13031-13038.
- Christenson, M.D., Kambhu, A., and Comfort, S.D. (2012). Using slow-release permanganate candles to remove TCE from a low permeable aquifer at a former landfill. *Chemosphere* 89(6), 680-687.

- Coughlin, M.F., Kinkle, B.K., and Bishop, P.L. (1999). Degradation of azo dyes containing aminonaphthol by *Sphingomonas* sp. strain 1CX. *J. Ind. Microbiol. Biotechnol.* 23(4-5), 341-346.
- Crimi, M.L., and Siegrist, R.L. (2004). Impact of reaction conditions on MnO₂ genesis during permanganate oxidation. *J. Environ. Eng-ASCE.* 130, 562-572.
- Daneshvar, N., Oladegaragoze, A., and Djafarzadeh, N. (2006). Decolorization of basic dye solutions by electrocoagulation: an investigation of the effect of operational parameters. *J. Hazard. Mater.* 129, 116–122.
- Deng, D., Peng, L., Guan, M., and Kang, Y. (2014). Impact of activation methods on persulfate oxidation of methyl tert-butyl ether. *J. Hazard. Mater.* 264(0), 521-528.
- Dhananjeyan, M.R., Fine, E., and Kiwi, J. (2000). Synthetic polymer delivery system: sustained release of persulfate during the photo-oxidation of an azo-dye. *J. Photoch. Photobio. A* 136(1–2), 125-131.
- Ebersson, L. (1982). Electron-transfer reactions in organic chemistry. *Adv. Phys. Org. Chem.* 18, 79-185.
- Eyerdom, T.J. (2014). Treating organic pollutants in urban runoff using slow-release oxidants: Laboratory and field investigations. MS thesis. Ohio University. Available at: https://etd.ohiolink.edu/ap/10?0::NO:10:P10_ACCESSION_NUM:ohiou1398683119
- Gao, Y.Q., Gao, N.Y., Deng, Y., Yang, Y.Q., Ma, Y. (2012). Ultraviolet (UV) light-activated persulfate oxidation of sulfamethazine in water. *Chem. Eng. J.* 195, 248–253.
- Gayathri, S., Ayten, Q., and Meysun, A. (2010). Bioprospecting potential of fast growing endophytic bacteria from leaves of mangrove and salt-marsh plant species. *Ind. J. Biotechnol.* 9(4), 397-402.
- Ghauch, A., Tuqan, A.M., Kibbi, N., and Geryes, S. (2012). Methylene blue discoloration by heated persulfate in aqueous solution. *Chem. Eng. J.* 213(0), 259-271.

- Gomare, S., Jadhav, J., and Govindwar, S. (2008). Degradation of sulfonated azo dyes by the purified lignin peroxidase from *Brevibacillus laterosporus* MTCC 2298. *Biotechnol. Bioproc. E* 13(2), 136-143.
- Gomathi Devi, L., Girish Kumar, S., Mohan Reddy, K., and Munikrishnappa, C. (2009). Photo degradation of methyl orange an azo dye by advanced fenton process using zero valent metallic iron: Influence of various reaction parameters and its degradation mechanism. *J. Hazard. Mater.* 164(2-3), 459-467.
- Guettaï, N., and Ait, A. H., (2005). Photocatalytic oxidation of methyl orange in presence of titanium dioxide in aqueous suspension. Part II: kinetics study. *Desalination*. 185(1-3), 439-448.
- Hou, L.W., Zhang, H., Xue, X.F. (2012). Ultrasound enhanced heterogeneous activation of peroxydisulfate by magnetite catalyst for the degradation of tetracycline in water. *Sep. Purif. Technol.* 84, 147-152.
- House, D.A. (1962). Kinetics and mechanism of oxidations by peroxydisulfate. *Chem. Rev.* 62(3), 185-203.
- Huang, K.C., Couttenye, R.A., Hoag, G.E. (2002). Kinetics of heat-assisted persulfate oxidation of methyl tert-butyl ether (MTBE). *Chemosphere* 49, 413-420.
- Huang, K.C., Zhao, Z., Hoag, G.E., Dahmani, A., and Block, P.A. (2005). Degradation of volatile organic compounds with thermally activated persulfate oxidation. *Chemosphere* 61, 551-560.
- Hussain, I., Zhang, Y., Huang, S., and Du, X. (2012). Degradation of p-chloroaniline by persulfate activated with zero-valent iron. *Chem. Eng. J.* 203(0), 269-276.
- Inoue, M., Okada, F., Sakurai, A., and Sakakibara, M. (2006). A new development of dyestuffs degradation system using ultrasound. *Ultrason. Sonochem.* 13, 313-320.
- ITRC (2005). Technical and regulatory guidance for in situ chemical oxidation of contaminated soil and groundwater. Available at: <http://www.itrcweb.org/Guidance/GetDocument?documentID>
- Kambhu, A., Comfort, S., Chokejaroenrat, and C., Sakulthaew, C. (2012). Developing slow-release persulfate candles to treat BTEX contaminated groundwater. *Chemosphere* 89(6), 656-664.

- Kang, N., Hua, I., and Rao, P.S.C. (2004). Production and characterization of encapsulated potassium permanganate for sustained release as an in situ oxidant. *Ind. Eng. Chem. Res.* 43(17), 5187-5193.
- Kolthoff, I.M., and Miller, I.K. (1951). The chemistry of persulfate I: The kinetics and mechanism of the decomposition of the persulfate ion in aqueous medium. *J. Am. Chem. Soc.* 73(7), 3055-3059.
- Krembs, F.J., Siegrist, R.L., Crimi, M.L., Furrer, R.F., and Petri, B.G. (2010). ISCO for groundwater remediation: Analysis of field applications and performance. *Ground Water Monit. R.* 30, 42-53.
- Lau, T.K., Chu, W., Graham, N.J.D. (2007). The aqueous degradation of butylated hydroxyanisole by UV/S2O8: study of reaction mechanisms via dimerization and mineralization. *Environ. Sci. Technol.* 41, 613-619.
- Lee, E.S., and Schwartz, F.W. (2007a). Characteristics and applications of controlled-release KMnO₄ for groundwater remediation. *Chemosphere* 66(11), 2058-2066.
- Lee, E.S., and Schwartz, F.W. (2007b). Characterization and optimization of long-term controlled release system for groundwater remediation: A generalized modeling approach. *Chemosphere* 69(2), 247-253.
- Lee, E.S., Woo, N.C., Schwartz, F.W., Lee, B.S., Lee, K.C., Woo, M.H., Kim, J.H., and Kim, H.K. (2008). Characterization of controlled-release KMnO₄ (CRP) barrier system for groundwater remediation: A pilot-scale flow-tank study. *Chemosphere* 71(5), 902-910.
- Li, H., Guo, J., Yang, L., and Lan, Y. (2014). Degradation of methyl orange by sodium persulfate activated with zero-valent zinc. *Sep. Purif. Technol.* 132(0), 168-173.
- Liang, C.J., and Lai, M.C. (2008). Trichloroethylene degradation by zero valent iron activated persulfate oxidation. *Environ. Eng. Sci.* 25, 1071-1077.

- Liang, S.H., Chen, K.F., Wu, C.S., Lin, Y.H., and Kao, C.M. (2014). Development of KMnO_4 -releasing composites for in situ chemical oxidation of TCE-contaminated groundwater. *Water Res.* 54(0), 149-158.
- Liang, S.H., Kao, C.M., Kuo, Y.C., and Chen, K.F. (2011a). Application of persulfate-releasing barrier to remediate MTBE and benzene contaminated groundwater. *J. Hazard. Mater.* 185(2-3), 1162-1168.
- Liang, S.H., Kao, C.M., Kuo, Y.C., Chen, K.F., and Yang, B.M. (2011b). In situ oxidation of petroleum-hydrocarbon contaminated groundwater using passive ISCO system. *Water Res.* 45(8), 2496-2506.
- McCarthy, E. L. (1934). Mariotte's bottle. *Science*. 27 July 1934: 100.
- McEwen, F. L., Stephenson, G. R. (1979). *The Use and Significance of Pesticides in the Environment*. New York-Chichester-Brisbane-Toronto: John Wiley & Sons 538 pp.
- McGuire, T.M., McDade, J.M., and Newell, C.J. (2006). Performance of DNAPL source depletion technologies at 59 chlorinated solvent-impacted sites. *Ground Water Monit. R.* 26, 73-84.
- Naderpour, H., Noroozifar, M., and Khorasani-Motlagh, M. (2013). Photodegradation of methyl orange catalyzed by nanoscale zerovalent iron particles supported on natural zeolite. *J. Iran Chem. Soc.* 10, 471-479.
- Parthasarathy, N.V., and Sanghi, I.A. (1958). A simple technic for the calibration of the wavelength scale of spectrophotometers. *Nature* 182, 44.
- Peng, Y., Fu, D., Liu, R., Zhang, F., and Liang, X. (2008). $\text{NaNO}_2/\text{FeCl}_3$ catalyzed wet oxidation of the azo dye Acid Orange 7. *Chemosphere*. 71(5), 990-997.
- Petri, B.G., Watts, R.J., Tsitonaki, A., Crimi, M., Thomson, R., and Teel, A.L. (2011). Fundamentals of ISCO using Persulfate. In Siegrist, R.L., Crimi, M., and Simpkin, T.J., Eds. *In Situ Chemical Oxidation for Groundwater Remediation*, New York: Springer, p. 147-185.

- Pi, K.-W., Xiao, Q., Zhang, H.-Q., Xia, M., and Gerson, A. R. (2014). Decolorization of synthetic methyl orange wastewater by electrocoagulation with periodic reversal of electrodes and optimization by RSM. *Process Safety and Environmental Protection*. 92(6), 796-806.
- Puvaneswari, N., Muthukrishnan, .J, and Gunasekaran, P. (2006). Toxicity assessment and microbial degradation of azo dyes. *Indian J. Exp. Biol.* 44(8), 618-626.
- Rauscher, L., Sakulthaew, C., and Comfort, S. (2012). Using slow-release permanganate candles to remediate PAH-contaminated water. *J. Hazard. Mater.* 241–242(0), 441-449.
- Riu, J., Schonss, I., and Barcelo, D. (1998). Determination of sulfonated azo dyes in groundwater and industrial effluents by automated solid-phase extraction followed by capillary electrophoresis/mass spectrometry. *J. Mass Spectrom.* 33, 653-663.
- Rodriguez, S., Vasquez, L., Costa, D., Romero, A., and Santos, A. (2014). Oxidation of orange G by persulfate activated by Fe(II), Fe(III) and zero valent iron (ZVI). *Chemosphere* 101(0), 86-92.
- Ross, C., Murdoch, L., Freedman, D., and Siegrist, R. (2005). Characteristics of potassium permanganate encapsulated in polymer. *J. Environ. Eng-ASCE*. 131(8), 1203-1211.
- Shih, Y.J., Putra, W.N., Huang, Y.H., Tsai, J.C. (2012). Mineralization and defluorization of 2,2,3,3-tetrafluoro-1-propanol (TFP) by UV/persulfate oxidation and sequential adsorption. *Chemosphere* 89, 1262-1266.
- Sureshvarr, K., Bharathiraja, B., Jayakumar, M., Jayamuthunagai, J., and Balaji, L. (2010). Removal of azo dye compounds from paper industries wastes using phytoremediation methodology. *Int. J. Chem. Sci.* 8(1), 687-700.
- Teel, A.L., Ahmad, M., and Watts, R.J. (2011). Persulfate activation by naturally occurring trace minerals. *J. Hazard. Mater.* 196(0), 153-159.
- Tsitonaki, A., Petri, B., Crimi, M., Mosbæk, H., Siegrist, R.L., and Bjerg, P.L. (2010). In situ chemical oxidation of contaminated soil and groundwater using persulfate: A review. *Critical Reviews in Environ. Sci. Technol.* 40(1), 55-91.

- Waldemer, R.H., Tratnyek, P.G., Johnson, R.L., and Nurmi, J.T. (2007). Oxidation of chlorinated ethenes by heat-activated persulfate: kinetics and products. *Environ. Sci. Technol.* 41, 1010–1015.
- Wang, C.W., and Liang, C. (2014). Oxidative degradation of TMAH solution with UV persulfate activation. *Chem. Eng. J.* 254(0), 472-478.
- Wu, J., Zhang, H., Qiu, J.J. (2012). Degradation of Acid Orange 7 in aqueous solution by a novel electro/Fe²⁺/peroxydisulfate process. *J. Hazard. Mater.* 215–216.
- Xu, X.R., Li, S., Hao, Q., Liu, J.L., Yu, Y.Y., and Li, H.B. (2012). Activation of persulfate and its environmental application. *Int. J. Environ. Bioener.* 1(1), 60-81.
- Yang, S.Y., Wang, P., Yang, X., Shan, L., Zhang, W.Y., Shao, X.T., and Niu, R. (2010). Degradation efficiencies of azo dye acid orange 7 by the interaction of heat, UV and anions with common oxidants: persulfate, peroxymonosulfate and hydrogen peroxide. *J. Hazard. Mater.* 179, 552–558.
- Yuan, B., Li, F., Chen, Y., and Fu, M. (2013). Laboratory-scale column study for remediation of TCE-contaminated aquifers using three-section controlled-release potassium permanganate barriers. *J. Environ. Sci.* 25(5), 971-977.
- กรมควบคุมมลพิษ (2545). รายงานฉบับสมบูรณ์โครงการจัดการมลพิษทางน้ำจากเกษตรกรรมประเภทไม่มีแหล่งกำเนิดแน่นอน
- กรมวิชาการเกษตร (2550). สถิติการนำเข้าสารเคมีทางการเกษตร. กองสำนักงานควบคุมพืชและวัสดุการเกษตร. ม.ป.ท.
- จารุพงศ์ ประสพสุข และ ดร.ชวลีมาศ บุญไทย อิวาย การติดตามสารกำจัดศัตรูพืชตกค้างในขยะอินทรีย์ชนิดพืชผัก ในอำเภอเมือง จังหวัดขอนแก่น (Monitoring of Pesticide Residues in Organic Waste in Amphoe Mueang Khon Kaen Province)
- ทรงพล ได้ขำวี กรมควบคุมมลพิษ การตกค้างของสารเคมีป้องกันกำจัดศัตรูพืชในสิ่งแวดล้อม (<http://wqm.pcd.go.th/water/images/stories/agriculture/pr/pesticide.pdf>.)
- รายงานการศึกษาวิจัย ปัญหอนาภัยในประเทศไทย พ.ศ. 2545

วิภาวรรณ ตั๋งนิพนธ์ (2536). ผลกระทบของยาฆ่าแมลงประเภท Organophosphate และ Carbamate ต่อ
การทำงานของระบบประสาทในเกษตรกรไทย. รายงานการวิจัยมหาวิทยาลัยมหิดล
สุปราณี อิมพิทักษ์ และคณะ (2518) การศึกษาระยะเวลาการสลายตัวของวัตถุมีพิษในพืชต่างๆ รายงาน
ผลการทดลองและวิจัยกรมวิชาการเกษตร