

บรรณานุกรม

กรมทางหลวง (2517): “วิธีการทดลองแอสฟัลต์ติกคอนกรีตโดยวิธี Marshall”, *ทล.-ท. 604/2517*, กองวิเคราะห์และวิจัย, หน้า 365-375.

กรมทางหลวง (2532): “แอสฟัลต์คอนกรีต (Asphalt Concrete or Hot Mix Asphalt”, *ทล.-ท. 408/2532*, กองวิเคราะห์และวิจัย, หน้า 7.

ชยชนันว์ พรหมสร (2541): “การศึกษาคุณสมบัติทางวิศวกรรมของยางแอสฟัลต์และวัสดุผสมแอสฟัลต์คอนกรีตที่ปรับปรุงคุณภาพด้วยสารโพลีเมอร์”, *รายงานฉบับที่ วพ.166*, ศูนย์วิจัยและพัฒนาทางกรมทางหลวง, กรุงเทพฯ.

Department of Rural Roads (2545): “มาตรฐานวัสดุรวมสำหรับงานแอสฟัลต์คอนกรีต (Aggregates for Asphalt Concrete)”, *มทช. 209-2545*

AASHTO (1993): *Guide for design of pavement structures*, Washington, D.C.

AI (1983): *Asphalt Overlays for Highway and Street Rehabilitation*, Asphalt Institute, Maryland.

AI (1970): *Thickness Design-Full Depth Asphalt Pavement Structures for Highways and Streets*, Asphalt Institute, Maryland.

American Society for Testing and Material (2007) “ASTM D 2166-06: Standard test method for unconfined compressive strength of cohesive soils”, *Annual Book of ASTM Standards*, West Conshohocken, Pennsylvania.

Barksdale, R.D. and R.G. Hicks (1973): “Materials characterization and layered theory for use in fatigue analysis”., *Specials Report 40, Highway Research Board*, National Academy of Sciences, U.S.A., pp. 20-48.

Bergado, D.T., Youwai, S., Hai C.N. and Voottipreux, P. (2001): "Interaction of nonwoven needle-punched geotextile under axisymmetric loading conditions with application to reinforced unpave roads", *Geotextile and geomembranes*, pp. 19: 299-328.

Bonnaure, F, G. Gest., A. Gravois and P. Uge (1997): "A new method of asphalt pavement mixtures"., *Proc. Association of Asphalt Paving Technologists*, Vol.46. pp. 64-104.

Bonnot, J. (1972): "Assessing the properties of materials for the structural design of pavements", Proc. 3rd Int. Conf. on the Structural Design of Asphalt Pavement, Vol.1., Univ. of Michigan, USA., pp. 200-213.

Brown, S.F., Brunton, J.M. and Stork A.F. (1958): "The analysis design of bituminous pavement". *Proc. Inst. of Civil Engineers*, 79 (2), pp. 1-31.

Brown, S.F. (1974): "A Simplified fundamental design for bituminous pavement", *J. the Highway Engineer*, 21 (8), pp. 14-23.

Brown, S.F., Brodrick, B.V. and Hughes, D.A.B. (1984): " Tensar reinforcement of asphalt: laboratory studies", *Proceeding of the Symposium on Polymer Grid Reinforcement in Civil Engineering*, Institute of Civil Engineers, pp. 158-165.

Button, J.W., Epps, J.A., Lytton, R.L. and Harmon, W.S. (1982): "Fabric interlayer for pavement overlays", *Proceeding of the 2nd International Conference on Geotextiles*, August 1-6, 1982, IFAI, pp. 523-528.

Dormon, G.M. and Metcalf, C.T. (1965): "Design curve for flexible pavements based on layered system theory", In Highway Res. Rec. 71, *Highway Res. Board*, Nat, Res. Council, Washington D.C., U.S.A. pp. 69-84.

Freeme, C.R. (1972): "Discussion on paper by Brown and Pell", *In proc. Of the 3rd Int. Conf. on the Structural design of Asphalt Pavements*, Vol. 2, Univ. of Michigan, U.S.A. pp. 170-182.

Head, K.H.. (1982) *Manual of Soil Laboratory Testing*, Vol. 1, 2, 3, London: Pentech Press American Association of State Highway and Transportation Officials. 2001. Standard Specification for Performance Graded Asphalt Binders M 30.

Heukelom, W. and Klomp, A.J.G. (1964): "Road design and dynamic loadings". *Proc. Ass. of Asphalt Paving Technol.* 33, pp. 92-125.

Hirakawa, D. (2003): *Study on residual deformation characteristics of geosynthetic-reinforced soil structure*, Ph.D. Thesis, University of Tokyo, Japan.

Hoe, I.L. and Zheng, L. (2001): "Performance of Geosynthetic Reinforced Asphalt Pavements", *Geotechnical and Geoenvironmental Engineering*, ASCE, pp. 177-184.

Krishnan, J.M. and Rajagopal, K.R. (2003): *Triaxial testing and stress relaxation of asphalt concrete*, Department of Mechanical Engineering, Texas A&M University, College Station.

Kennepohl, G.J.A. and Kamel, N.I. (1984): "Construction of Tensar reinforced asphalt pavements", *Proceeding of the Symposium on Polymer Grid Reinforcement in Civil Engineering*, Institute of Civil Engineers, 1984, pp. 171-175.

Kongkitkul, W., and Tatsuoka, F. and Hirakawa, D. (2007): "Rate-dependent load-strain behavior of geogrid arranged in sand under plane strain compression", *Soil and foundation*, Vol.47, No.3, pp. 473-491.

Majidzadeh, K., Luther, M.S. and Skylut, H, (1982): "A mechanical design procedure for fabric-reinforced pavement systems", *Proceeding of the 2nd International Conference on Geotextiles*, August 1-6, 1982, IFAI, pp. 529-534.

Miura, S. and Toki, S. (1982): "A Sample preparation method and its effect on static and cyclic deformation-strength properties of soil", *Soils and Foundations*, Vol.22, No.1, pp. 61-77.

Momoya, Y., Sekine, E. and Tatsuoka, F, (2005): "Deformation characteristics of railway roadbed and subgrade under moving-wheel load", *Soils and Foundations*, Vol.45, No.4, pp. 99-118.

Molenaar, A.A.A. and Nods, M. (1996): "Design method for plain and geogrid reinforced overlays on cracked pavements", *Proceeding of the 3rd International RILEM Conference*, edited by L. Francken, E. Beuving and A.A.A. Molenaar & FN Spon., 1996, pp. 311-320.

Monismith, C.L. (1973) "Pavement design : The fatigue subsystem". *Highway Research Board Special Report 140*, Highway Research Board, National Research Council, Washington D.C., U.S.A. pp. 1-19.

NAASRA. (1987): "Pavement Design: A guide to the structural design of road pavement", *National Association of Australia State Road Authorities*. New South Wales, Australia.

National Cooperative Highway Research Program, 2002, "Simple Performance Test for Superpave Mix Design". *Transportation Research Board – National Research Council*, Washington, D.C, pp. 11-13.

Otte, E. (1974): "The stress-strain curve for cement and lime treated material". pp. 3-14. *In Proc. of the 2nd Conf. on Asphalt Pavement for Southern Africa*.

Otte, E. (1978): *A structural design procedure for cement-treated layers in pavements*, D Sc, Thesis, Univ, of Pretoria, South Africa.

Otte, E., Savage, P.F. and Monismith, C.L. (1982): "Structural design of cemented pavement layers". *ASCE, Transportation Engineering*, 108 (TE 4), pp. 428-445.

Papazian, H.S. (1962) "The response of linear viscoelastic materials in the frequency domain with emphasis on asphaltic concrete", *Proc. 1st Int. Conf. on the Structural Design of Asphalt Pavements*, Univ. of Michigan, U.S.A., pp. 454-463.

Paterson, W.D.O. (1978): "Towards applying mechanistic pavement design in practice", *Proc. ARRB. Conf.* Vol.9, Part 4 Brisbane, Queensland, Australia, pp. 260-280.

Perkins S.W., Bowders, J.J., Chistopher, B.R. and Berg R.R.. (2005): "Geosynthetic Reinforcement for Pavement Systems: US Perspectives", *Geotechnical Special Publication ASCE (30) 155*, pp. 1-15.

Pretorius, P.C. and Monismith, C.L. (1972): "Fatigue crack formation and propagation in pavement containing soil-cement bases", Highway Res. 407, *Highway Res. Board*, Nat. Res. Council, Washington D.C., U.S.A. 196 p.

Tatsuoka, F., Molenkamp, F. Torii, T. and Hino, T. (1984): "Behaviour of lubrication layers of platens in element test", *Soils and Foundations*, Vol.24, No.1, pp. 113-128.

Tatsuoka, F., Sakamoto, M., Kawamura, T. and Fukushima, S, (1986):, "Strength and deformation characteristics of sand in plane strain compression at extremely low pressures", *Soils and Foundations*, Vol. 26, No. 1, pp. 65-84.

Thaisri, K., Youwai, S. and Kongkitkul, W. (2008): "Behavior of reinforced flexible pavement under monotonic loading condition", *Proc. of the 13th National Convention on Civil Engineering*, Jomtien Beach Pattaya, 14 – 16 May 2008, pp. 344-347.

The Asphalt Institute (1963): "Thick design full depth asphalt pavement structures for highway and street". *Asphalt Ins. Manual Ser*, No. 1, 8th ed., Maryland College Park. 45 p.

The Asphalt Institute (1977): "Asphalt Overlays and Pavement Rehabilitation", *Manual Series No.17 (MS-17)*, College Park, MD, November 1977.

Van D P, C. (1954): "A general system describing the visco-elastic properties of bitumen and its relation to routine test date", *J. Appl. Chem*, 4 (5), pp. 221-236.

Yasin,S.J.M., Umetsu,K., Tatsuoka,F., Arthur,J.R.F. and Dunstan,T. (1999): "Plane strain strength and deformation of sands affected by batch variations in two different types of apparatus", *Geotechnical Testing Journal, ASTM*, Vol.22, No.1, pp. 80-100.

ผลงานตีพิมพ์

ผลการดำเนินการวิจัยจากโครงการวิจัยนี้ที่ได้รับการเผยแพร่แล้วมีดังนี้

1. จิตาพรรณ นันทโชติ, วรัช ก้องกิจกุล และสมโพธิ อยู่ไว (2555). “พฤติกรรมของผิวทางที่โอเวอร์เลย์ด้วยโพลีเมอร์โมดิฟายด์แอสฟัลต์เสริมแรง”, การประชุมวิชาการวิศวกรรมโยธาแห่งชาติครั้งที่ 17, 9-11 พฤษภาคม 2555, อุตรธานี
2. อนุภัทร สุภศิลาวัต, วรัช ก้องกิจกุล และสมโพธิ อยู่ไว (2555). “การประยุกต์เสริมแรงในชั้นพื้นทางเพื่อลดการเสีรูปลถาวรของผิวทางยึดหยุ่น”, การประชุมวิชาการวิศวกรรมโยธาแห่งชาติครั้งที่ 17, 9-11 พฤษภาคม 2555, อุตรธานี, GTE047
3. Chantachot, T., Kongkitkul, W., Youwai, S. and Jongpradist, P. (2012): “Behaviours of polymer-modified asphalt reinforced with geosynthetics – a physical model study”, *Proc. of the 5th Asian Regional Conference on Geosynthetics, Geosynthetics Asia 2012, Bangkok, Thailand, 13 – 15 December 2012, pp.605-612.*