

เอกสารอ้างอิง

- Abbey, L., Aked, J., Joyce, D.C., 2001. Discrimination amongst alliums using an electronic nose. *Annals of Applied Biology* 139, 337-342.
- Al-Zahim, M., Newbury, H.J., Ford-Lloyd, B.V., 1997. Classification of genetic variation in garlic (*Allium sativum* L.) revealed by RAPD. *HortScience* 32, 1102-1104.
- Almora, K., Pino, J.A., Hernández, M., Duarte, C., González, J., Roncal, E., 2004. Evaluation of volatiles from ripening papaya (*Carica papaya* L., var. Maradol roja). *Food Chemistry* 86, 127-130.
- Block, E., Ahmad, S., Catalfamo, J.L., Jain, M.K., Apitz-Castro, R., 1986. The chemistry of alkyl thiosulfinate esters. 9. Antithrombotic organosulfur compounds from garlic: structural, mechanistic, and synthetic studies. *Journal of the American Chemical Society* 108, 7045-7055.
- Bocchini, P., Andalo, C., Pozzi, R., Galletti, G.C., Antonelli, A., 2001. Determination of diallyl thiosulfinate (allicin) in garlic (*Allium sativum* L.) by high-performance liquid chromatography with a post-column photochemical reactor. *Analytica Chimica Acta* 441, 37-43.
- Brattoli, M., De Gennaro, G., De Pinto, V., Demarinis Loiotile, A., Lovascio, S., Penza, M., 2011. Odour detection methods: Olfactometry and chemical sensors. *Sensors* 11, 5290-5322.
- Doyle, J.J., 1990. Isolation of plant DNA from fresh tissue. *Focus* 12, 13-15.
- Echeverría, G., Fuentes, T., Graell, J., Lara, I., López, M.L., 2004. Aroma volatile compounds of 'Fuji' apples in relation to harvest date and cold storage technology: A comparison of two seasons. *Postharvest Biology and Technology* 32, 29-44.
- Gorinstein, S., Drzewiecki, J., Leontowicz, H., Leontowicz, M., Najman, K., Jastrzebski, Z., Zachwieja, Z., Barton, H., Shtabsky, B., Katrich, E., Trakhtenberg, S., 2005. Comparison of the bioactive compounds and antioxidant potentials of fresh and cooked Polish, Ukrainian, and Israeli garlic. *Journal of Agricultural and Food Chemistry* 53, 2726-2732.
- Ipek, M., Ipek, A., Simon, P.W., 2003. Comparison of AFLPs, RAPD Markers, and isozymes for diversity assessment of garlic and detection of putative duplicates in germplasm collections. *Journal of the American Society for Horticultural Science* 128, 246-252.

- Jaccard, P., 1908. Nouvelles recherches sur la distribution florale.
- Lanzotti, V., 2006. The analysis of onion and garlic. *Journal of Chromatography A* 1112, 3-22.
- Li, S., 2009. Overview of odor detection instrumentation and the potential for human odor detection in air matrices. MP090053, The MITRE Corporation McLean, Virginia.
- Maekawa, T., Suzuki, K., Takada, T., Kobayashi, T., Egashira, M., 2001. Odor identification using a SnO₂-based sensor array. *Sensors and Actuators B: Chemical* 80, 51-58.
- Mazza, G., Ciaravolo, S., Chiricosta, G., Celli, S., 1992. Volatile flavour components from ripening and mature garlic bulbs. *Flavour and Fragrance Journal* 7, 111-116.
- Morsi, I., Mostafa, M.M.M., 2013. Wireless gas detector system using microcontrollers, PLC and SCADA system for monitoring environmental pollution. *Applied Mechanics and Materials* 249, 247-255.
- Muñoz-Aguirre, S., Yoshino, A., Nakamoto, T., Moriizumi, T., 2007. Odor approximation of fruit flavors using a QCM odor sensing system. *Sensors and Actuators B: Chemical* 123, 1101-1106.
- Nakamoto, T., Hiramatsu, H., 2002. Study of odor recorder for dynamical change of odor using QCM sensors and neural network. *Sensors and Actuators B: Chemical* 85, 263-269.
- Penza, M., Cassano, G., Tortorella, F., Zaccaria, G., 2001. Classification of food, beverages and perfumes by WO₃ thin-film sensors array and pattern recognition techniques. *Sensors and Actuators B: Chemical* 73, 76-87.
- Rohlf, F.J., 2005. NTSYSpc: numerical taxonomy system, ver. 2.20. Setauket, NY: Exeter Publishing, Ltd.
- Warade, S.D., Shinde K.G. 1998, Garlic, In: Salunkhe, D.K., Kadam, S.S. (Eds.), *Handbook of vegetable science and technology: Production, Compostion, Storage, and Processing*. Marcel Dekker, New York, pp. 397-431.
- Smith, R.G., 2005. Determination of the country of origin of garlic (*Allium sativum*) using trace metal profiling. *Journal of Agricultural and Food Chemistry* 53, 4041-4045.
- Sticher, O., 1991. Beurteilung von Knoblauchpreparaten. *Dtsch. Apoth. Ztg* 131, 403-413.

- Szczurek, A., Maciejewska, M., 2005. Relationship between odour intensity assessed by human assessor and TGS sensor array response. *Sensors and Actuators B: Chemical* 106, 13-19.
- Tamaki, K., Sonoki, S., Tamaki, T., Ehara, K., 2008. Measurement of odour after in vitro or in vivo ingestion of raw or heated garlic, using electronic nose, gas chromatography and sensory analysis. *International Journal of Food Science & Technology* 43, 130-139.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M., et al., 1995. AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res* 23, 4407-4414.
- Wei, T.A.N., 2001. Investigations for garlic oil content of garlic in various areas [J]. *Shaanxi Chemical Industry* 2, 014.
- Yamanaka, T., Matsumoto, R., Nakamoto, T., 2003. Fundamental study of odor recorder for multicomponent odor using recipe exploration method based on singular value decomposition. *Sensors Journal, IEEE* 3, 468-474.
- Yu, T.H., Wu, C.M., Liou, Y.C., 1989. Volatile compounds from garlic. *Journal of Agricultural and Food Chemistry* 37, 725-730.
- Figaro USA Inc., *Operation principle of Figaro gas sensor : General information for TGS sensors* [online]. Available at <http://www.figarosensor.com/products/general.pdf> [Accessed: 3 January 2014]
- สุขาดา สุขห่อง, "ลายพิมพ์ดีเอ็นเอ: หลักฐานทางพันธุกรรมในการพิสูจน์เอกลักษณ์สมุนไพร," *วารสารวิจัยวิทยาศาสตร์การแพทย์* 19(1), 75-85 (2005).