

## REFERENCES

- Barr, S.M., and Macdonald, A.S., 1987, Nan River suture zone, northern Thailand: *Geology*, v. 15, p. 907-910.
- Barr, S.M., Tantisukrit, C., Yaowanoiyothin, W., and Macdonald, A.S., 1990, Petrology and tectonic implications of Upper Palaeozoic volcanic rocks of the Chiang Mai belt, northern Thailand: *Journal of Southeast Asian Earth Sciences*, v. 4, p. 37-47.
- Barr, S.M., and Macdonald, A.S., 1991, Toward a Late Paleozoic-Early Mesozoic tectonic model for Thailand: *Journal of Thai Geosciences*, v. 1, p. 11-22.
- Barr, S.M., Macdonald, A.S., Dunning, G.R., Ounchanum, P., and Yaowanoiyothin, W., 2000, Petrochemistry, U-Pb (zircon) age, and palaeotectonic setting of the Lampang volcanic belt, northern Thailand: *Journal of the Geological Society of London*, v. 157, p. 553-563.
- Barr, S.M., Macdonald, A.S., Ounjanum, p., and Hamilton, M.A., 2006, Age, tectonic setting and regional implications of the Chiang Khong volcanic suite, northern Thailand: *Journal of Geological Society of London*, v. 163, p. 1037-1046.
- Braun, E.V., and Hahn, L., 1976, Geological map of Northern Thailand 1:250,000 sheet Chiang Rai II, German Geological Mission in Thailand cooperation with Geological Survey Division Department of Mineral Resources.
- Bunopas, S., 1981, Palaeogeographic History of Western Thailand and Adjacent Parts of Southeast Asia—A Plate Tectonic Interpretation: Unpublished Ph.D. thesis, Victoria University of Wellington, 810 p.
- Chaodumrong, P., 1992, Stratigraphy, Sedimentology and Tectonic Implications of the Lampang Group, Central Northern Thailand: Unpublished Ph.D. Thesis, University of Tasmania, 230 p.

- Cabanis, B., and Lecolle, M., 1989, Le diagramme La/10-Y/15-Nb/8: un outli pour la discrimination des series volcaiques et la mise en evidence des processus de mélange et/ou de contamination crustale: Comptes Rendus de l' Académie des Sciences. Série II, v. 309, p. 2023-2029.
- Charusiri, P., Clark, A.H., Farrar, E., Archibald, D., and Charusiri, B., 1993, Granite belts in Thailand: evidence from the  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronological and geological syntheses: Journal of Southeast Asian Earth Sciences, v. 8, p. 127-136.
- Charusiri, P., Xu, X., Pan, G., Daorerk, V., Zhuang, Z., and Li, X., 1999, Evolution of northern Thailand and southern Yunnan: Implications for tectonic history of mainland Southeast Asia and Paleo-Mesotethys evolution, *In* proceedings, The International Symposium on Shallow Tethys (ST) 5, Chiang Mai, Thailand, Chiang Mai University, p. 242-264.
- Chen, J.J., Xu, J.F., Wang, B.D., Kang, Z.Q., and Jie, L., 2010, Origin of Cenozoic alkaline potassic volcanic rocks at KonglongXiang, Lhasa terrane, Tibetan Plateau: Products of partial melting of a mafic lower-crustal source?: Chemical Geology, v. 273, p. 286-299.
- Crawford, A.J., and Panjasawatwong, Y., 1996, Ophiolite, ocean crust, and the Nan suture in NE Thailand, *In* Proceedings, The International Symposium on Lithosphere Dynamics of East Asia, Taipei, Taiwan, R.O.C., Program and Extended Abstracts, p. 84-89.
- Cox, K. G., Bell, J.D., and Pankhurst, R.J., 1979, The Interpretation of Igneous rocks. George Allen & Unwin LTD, London, Great Britain , 450 p.
- Della-Pasqua, F.N., and Zaw K., 2002, Chemical affinities of Loei belt volcanic intrusive rocks, Central Thailand, *In* Proceedings, The Sixteenth Australian Geological Convention, Adelaide, Australia, abstracts. v. 67, p. 255.
- Fan, W.M., Wang, Y.J., Zhang, A., Zhang, F., and Zhang, Y., 2010, Permian arc back-arc basin development along the Ailaoshan tectonic zone: Geochemical, isotopic and geochronological evidence from the Mojiang volcanic rocks, Southwest China: Lithos. v. 119, p. 553-568.

- Feng, Q., Chonglakmani, C., Helmcke, D., Ingavat-Helmcke, R., and Liu, B., 2005, Correlation of Triassic stratigraphy between the Simao and Lampang-Phrae Basin: *Journal of Asian Earth Sciences*, v. 24, p. 777-786.
- Ferrari, O.M., Hochard, C., and Stampfli, G.M., 2008, An alternative plate tectonic model for the Palaeozoic –Early Mesozoic Palaeotethyan evolution of southeast Asia (Northern Thailand-Burma): *Journal of Tectonophysics*, v. 451, p. 346-365.
- Floyd, P.A., and Winchester, J.A., 1975, Magma type and tectonic discrimination using immobile elements: *Earth Planetary Science Letters*, v. 27, p. 211-218.
- Fontaine, H., Salyapongse, S., Tien, N.D., and Vachard, D., 2002, Permian fossils recently collected from limestone of Nan area, Northern Thailand, *In* Proceedings, The Symposium on Geology of Thailand, Department of Mineral Resources, Bangkok, Thailand, p. 45-47.
- Green, T.H., 1980, Island arc and continent building magmatism: a review of petrogenetic models based on experimental petrology and geochemistry: *Tectonophysics*, v. 63, p. 367-385.
- Hada, S., Bunopas, S., Ishii, K., and Yoshikura, S., 1999, Rift-drift history and the Amalgamation of Shan-Thai and Indochina/East Malaya Blocks: *In* Metcalfe, I. (ed.), *Gondwana Dispersion and Asian Accretion – IGCP 321 Final Results Volume*, A.A. Balkema Publishers, Rotterdam, p. 67-68.
- Haoruo, W., Boulter, C.A., Baojia, K., Stow, D.A.V., and Zhongcheng, W., 1995, The Changning-Menglian suture zone – a segment of the major Cathaysian-Gondwana divide in Southeast Asia: *Tectonophysics*, v. 242, p. 267-280.
- Hart, S.R., Coetzee, M., Workman, R.K., Blusztajn, J., Johnson, K.T.M., Sinton, J.M., Steinberger, B. J., and Hawkins, W., 2004, Genesis of the Western Samoa seamount province: age, geochemical fingerprint and tectonics: *Earth and Planetary Science Letters*, v. 227, p. 37 – 56.
- Hellman, P.L., and Henderson, P., 1979, Are rare earth mobile during spilitization?: *Nature*, v. 267, p. 38-40.
- Hess, P.C., 1989, *Origins of Igneous Rocks*. Harvard University Press, Cambridge Massachusetts, USA, 336 p.

- Hisada, K., Sugiyama, M., Ueno, K., Charusiri, P., and Arai, S., 2004, Missing ophiolite rocks along the Mae Yuam Fault as the Gondwana-Tethys divide in northwest Thailand: *Island Arc*, v. 13, p. 119-127.
- Intasopa, S., 1993, Petrology and Geochronology of the Volcanic Rocks of the Cantral Thailand Volcanic Belt: Unpublished Ph.D. Thesis, University of New Brunswick, 244p.
- Intasopa, S., and Dunn, T., 1994, Petrology and Sr-Nd isotropic systems of the basalts and rhyolites, Loei, Thailand: *Journal of Southeast Asian Earth Sciences*, v. 9, p. 177-180.
- Jungyusuk, N., and Khositantont, S., 1992, Volcanic rocks and associated mineralization in Thailand, *In Proceedings, The National Conference on Geological Resources of Thailand: Potential for Future Development*, Department of Mineral Resources of Thailand, Bangkok, p. 528-532.
- Kamvong, T., Charusiri, P., and Intasopa, B.S., 2006, Petrochemical characteristics of igneous rocks from the Wang Pong area, Phetchabun, North Central Thailand: implication for tectonic setting: *Journal of Geological Society of Thailand*, no. 1, p. 9-26.
- Khositantont, S., 2008, Gold and iron-gold mineralization in the Sukhothai and Loei-Phetchabun fold bels: Unpublished Ph.D. thesis, Chiang Mai University, 186 p.
- Kosuwan, P., 2004, Petrochemistry and Tectonic Setting of Mafic Volcanic Rocks in the Khlong Tha Dan Dam Area, Nakhon Nayok Province, Thailand: Unpublished M.S. thesis, Chiang Mai University, 95 p.
- Metcalf, I., 2000, The Bentong-Raub suture zone: *Journal of Asian Earth Sciences*, v. 18, p. 691-712.
- Metcalf, I., 2002a, Permian tectonic framework and palaeogeography of SE Asia: *Journal of Asian Earth Sciences*, v. 20, p. 551-566.
- Metcalf, I., 2002b, The Paleo-Tethys in Thailand, *In Proceedings, The Fourth Symposium of IGCP Project No. 411-Geodynamic Processes of Gondwanaland-Derived Terranes in East Asia and Southeast Asia*, Phitsanulok, Thailand, Program and Abstract, p. 10-16.

- Metcalf, I., and Sone, M., 2008, Parallel Tethyan sutures in mainland Southeast Asia: New insights for Palaeo-Tethys closure and implications for the Indosinian orogeny : *Journal of Comptes Rendus Geoscience*, v. 340, p. 166-179.
- Metcalf, I., 2011, Tectonic framework and Phanerozoic evolution of Sundaland: *Journal of Gondwana research*, v. 19, p. 3-21.
- Meschede, M., 1986, A method of discrimination between different types of mid-ocean ridge basalts and continental tholeiites with Nb-Zr-Y diagram: *Chemical Geology*, v. 56, p. 207-218.
- Morley, C.K., 2002, A tectonic model for the Tertiary evolution of strike-slip faults and rift basins in SE Asia: *Tectonophysics*, v. 347, p. 189-215.
- Osataporn, P., 2007, Petrochemistry and Tectonic Setting of Late Triassic-Early Jurassic Mafic Volcanic Rocks, Long District, Phrae Province, Thailand: Unpublished M.S. thesis, Chiang Mai University, 107 p.
- Paengkaew, W. and Kitisarn, N., 2000, Geological map of Thailand 1:50,000 sheet 4949II Amphoe Mae Chan, Chiang Rai District: Geological Survey Division, Bangkok, Thailand.
- Panjasawatwong, Y., 1991, Petrology, Geochemistry and Tectonic Implications of Igneous rocks in the Nan Suture, Thailand, and an Empirical Study of the Effects of Ca/Na, Al/Si and H<sub>2</sub>O on Plagioclase-Melt Equilibria at 5-10 kb Pressure: Unpublished Ph.D. thesis, University of Tasmania, 239 p.
- Panjasawatwong, Y., 1999, Petrology and tectonic setting of eruption of basaltic rocks penetrated in well GTE-1, San Kam Phaeng geothermal field, Chiang Mai, northern Thailand, In: Ratanastheini, B., Riebel, S.L. (Eds.), *Proceedings of the International Symposium on Shallow Tethys (ST) 5*, Chiang Mai, Thailand, February 1999. Department of Geological Sciences, Chiang Mai University, p. 242-264.
- Panjasawatwong, Y., Kanpeng, K., and Ruangvatanasirikul, K., 1995, Basalts in Li basin, northern Thailand. In: Thanvarachorn, S., Hokjaroen, S., Youngme, W. (Eds.), *Proceedings of the International Conference on Geology, Geotechnology and Mineral Resources of Indochina*, Khon Kaen, Thailand,

- November 1995. Department of Geotechnology, Khon Kaen University, p. 225–234.
- Panjasawatwong, Y., Zaw, K., Chantaramee, S., Limtrakun, P., and Pirarai, K., 2006, Geochemistry and tectonic setting of the Central Loei Volcanic Rocks, Pak Chom area, Loei, northeastern Thailand: *Journal of Asian Earth Sciences*, v. 26, p. 77-90.
- Panjasawatwong, Y., Phajuy, B., and Hada, S., 2003, Tectonic setting of the Permo-Triassic Chiang Khong volcanic rocks, northern Thailand, based on petrochemical characteristics: *Gondwana Research*, v. 6, p. 743-755.
- Pearce, J.A., 1982, Trace element characteristics of lavas from destructive plate boundaries: *In Proceedings, Andesites-Orogenic Andesites and Related Rocks*, Norwich, Page Bros. Ltd., p. 525-548.
- Pearce, J.A., and Cann, J.R., 1973, Tectonic setting of basic volcanic rocks determined using trace element analyses :*Earth and Planetary Science Letters*, v. 19, p. 290-300.
- Pearce, J.A., and Gale, G.H., 1977, Identification of ore-deposit environment from trace element geochemistry of associated igneous host rock: *Geological Society Special Publication*, v. 7, p. 14-24.
- Pearce, J.A., and Norry, M.J., 1979, Petrogenetic implications of Ti, Zr, Y and Nb variations in volcanic rocks: *Contributions to Mineralogy and Petrology*, v. 69, p. 33-47.
- Phajuy, B., 2008, Petrochemistry and Tectonic Significance of Mafic Volcanic Rocks in the Chiang Rai – Chiang Mai Volcanic Belt, Northern Thailand: Unpublished Ph.D. thesis, Chiang Mai University, 259 p.
- Phajuy, B., Panjasawatwong, Y., and Osataporn, P., 2005, Preliminary geochemical study of volcanic rocks in the Pang Mayao area, Phrao, Chiang Mai, northern Thailand - tectonic setting of formation: *Journal of Asian Earth Sciences*, v. 24, p. 765-776.
- Putthaphiban, P., and Ya-anan, Ch., 1988, Geological map of Thailand 1:50,000 sheet 4949I Amphoe Mae Sai, Chiang Rai Province: Department of Mineral Resources, Thailand.

- Qi, H., Hu, R., and Zhang, Q., 2007, Concentration and distribution of trace elements in lignite from the Shengli Coalfield, Inner Mongolia, China: Implications on origin of the associated Wulantuga Germanium Deposit: *International Journal of Coal Geology*, v. 71, p. 129 – 152.
- Royal Thai Survey Department, 1999a, Topographic map of Thailand 1:50,000 sheet 4949I Amphoe Mae Sai, Chiang Rai Province.
- Royal Thai Survey Department, 1999b, Topographic map of Thailand 1:50,000 sheet 4949II Amphoe Mae Chan, Chiang Rai Province.
- Rollison, H.R., 1993, *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Singapore Publishers (Pte) Ltd., Singapore, 352 p.
- Shangyue, S., Qinglai, F., Zhibin, Z., and Chonglakmani, C., 2009, Geochemical characteristics of the oceanic island-type volcanic rocks in the Chiang Mai zone, northern Thailand: *Chinese Journal of Geochemistry*, v. 28, p. 258-263.
- Shervais, J.W., 1982, Ti-V plot and the petrogenesis of modern and ophiolite lavas: *Earth Planetary Science Letters*, v. 59, p. 101-118.
- Singharajwarapan, S., 1994, *Deformation and Metamorphism of the Sukhothai Fold Belt, Northern Thailand*: Unpublished Ph.D. thesis, University of Tasmania, 385 p.
- Singharajwarapan, S., and Berry, R., 2000, Tectonic implications of the Nan Suture zone and its relationship to the Sukhothai Fold belt, northern Thailand: *Journal of Asian Earth Sciences*, v. 18, p. 663-673.
- Singharajwarapan, S., Berry, R., and Panjasawatwong, Y., 2000, Geochemical characteristics and tectonic significance of the Permo-Triassic Pak Pat volcanic, Uttaradit, northern Thailand: *Journal of the Geological Society of Thailand*, no. 1. p. 1-7.
- Sone, M., and Metcalfe, I., 2008, Parallel Tethyan sutures in mainland Southeast Asia: New insights for Palaeo-Tethys closure and implications for the Indosinian orogeny: *Comptes Rendus Geoscience*, v. 340, p. 166-179.
- Srichan, W., 2008, *Petrochemistry, Geochronology and Tectonic Implication of the Chiang Khong-Lumpang-Tak Volcanic Belt, Northern, Thailand*: Unpublished Ph.D. thesis, University of Tasmania, 284 p.

- Srichan, W., Crawford, A.J., and Berry, R.F., 2009, Geochemistry and geochronology of the Lampang area igneous rocks, northern Thailand, *In Proceedings, The International Symposia on Geoscience Resources and Environments of Asian Terranes (GREAT 2008)*, 4<sup>th</sup> IGCP 516 and 5<sup>th</sup> APSEG; Nov. 24-26, Bangkok, Thailand, p. 218.
- Sun, S.S., and McDonough, W.F., 1989, Chemical and isotopic systematics of oceanic basalts-Implications for mantle composition and processes: In Saunders, A.D., and Norry, M.J., eds., *Magmatism in Ocean Basins*, Geological Society Special Publication 42, p. 313-345.
- Takashima, R., Nishi, H., and Yoshida, T., 2002, Geology, petrology and tectonic setting of the late Jurassic ophiolite in Hokkaido, Japan: *Journal of Asian Earth Sciences*, v. 21, p. 197-215.
- Taylor, S.R., and Gorton, M.K., 1977, Geochemical application of spark-source mass spectrometry. III-Element sensitivity, precision and accuracy: *Geochimica Cosmochimica Acta*, v. 41, p. 1375-1380.
- Tourism Authority of Thailand, 2007, Chiang Rai tourism map 1:1,000,000 of Chiang Rai Province, Thailand.
- Ueno, K., 1999, Gondwana/Tethys divide in East Asia-solution from Late Paleozoic foraminiferal paleobiogeography, *In Proceedings, The International Symposium on Shallow Tethys (ST) 5*, Chiang Mai, Thailand, Chiang Mai University, p. 45-54.
- Wakita, K., and Metcalfe, I., 2005, Ocean plate stratigraphy in East and Southeast Asia: *Journal of Asian Earth Sciences*, v. 24, p. 679-702.
- Wang, Y.J., Zhang, A., Fan, W.M., Peng, T., Zhang, F., Zhang, Y., and Bi, X., 2010, Petrogenesis of late Triassic post-collisional basaltic rocks of the Lancangjiang tectonic zone, southwest China, and tectonic implications for the evolution of the eastern Paleotethys: Geochronological and geochemical constraints: *Lithos*, v. 120, p. 529-546.
- Whiterford, D.J., Korsch, M.J., Porritt, P.M., and Craven, S.J., 1988, Rare-earth mobility around the volcanogenic polymetallic massive sulphide deposit at Que River, Tasmania, Australia: *Chemical Geology*, v. 68, p. 105-119.



- Wilson, M., 1989, *Igneous Petrogenesis*. Harper Collins Academic, London, Great Britain, 466 p.
- Winchester, J.A., and Floyd, P.A., 1977, Geochemical discrimination of different magma series and their differentiation products using immobile elements: *Chemical Geology*, v. 20, p. 325-343.
- Winter, J.D., 2010, *An Introduction to Igneous and Metamorphic Petrology*. Prentice Hall, 720 p.
- Wood, D.A., 1980, The application of a Th-Hf-Ta diagram to problems of tectomagmatic classification and establishing the crustal contamination of basaltic lavas of the British Tertiary volcanic province: *Earth and Planetary Science Letters*, v. 50, p. 11-33.
- Yang, K., 1998, A plate tectonic reconstruction of the eastern Tethyan orogen in southwestern China, *In* Flower, F.J., Chung, S., Lo, C., and Lee, T. (Eds.), *Mantle Geodynamics and Plate Interactions in East Asia-Geodynamics Series*, v. 27, p. 269-287.
- Yang, K., Mo, X., and Zhu, Q., 1994, Tectono-volcanic belts and Late Paleozoic-Early Mesozoic evolution of southwestern Yunnan, China: *Journal of Southeast Asian Earth sciences*, v. 10, p. 245-262.
- Yoshikura, S., 1990, Geology of the Nan-Chanthaburi suture zone (II)-Petrology of basaltic rocks, *In* *Proceedings, The Symposium on Development Geology for Thailand into the Year 2000*, Bangkok, Thailand, Abstract, p. 11-13.