

เอกสารอ้างอิง

- กอบแก้ว ทองดี. (2553). *ภาวะสับสนเฉียบพลันในผู้สูงอายุหลังผ่าตัด* (วิทยานิพนธ์พยาบาลศาสตร-
มหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ), บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- กุศลมาลย์ งามศิริ. (2543). *คุณภาพการนอนหลับ ปัจจัยที่รบกวน และการจัดการกับปัญหาการนอน
หลับของผู้สูงอายุ* (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาล
ผู้สูงอายุ), บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ชนกพร จิตปัญญา. (2543). บททความวิชาการมนมดี และการวัดการนอนหลับ. *วารสารพยาบาลศาสตร์
จุฬาลงกรณ์มหาวิทยาลัย*, 12(1), 1-9.
- นงลักษณ์ ทศเกตุ. (2550). *คุณภาพการนอนหลับและปัจจัยรบกวนการนอนหลับในผู้ป่วย
กระดูกหักที่ได้รับการผ่าตัดในหอผู้ป่วยพิเศษ โรงพยาบาลเชียงใหม่ราม* (การค้นคว้า
แบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่).
- นันทา เล็กสวัสดิ์. (2540). การพยาบาลผู้ป่วยก่อนผ่าตัดและหลังผ่าตัด. (พิมพ์ครั้งที่ 2). พิมพ์ลักษณ์
, เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- สมบัติ ศาสตร์รุ่งกัก, รุ่งทิพย์ ประเสริฐชัย, สุทธิพร เจณวาสิน, และ รัตนา สายพานิชย์. (2544).
ความแม่นยำของ Thai Delirium Rating Scale ฉบับ 6 ข้อประเมิน. *สารศิริราช*, 53(9),
672-677.
- สุทธิชัย จิตะพันธุ์กุล. (2542). บทที่ 7 ภาวะสับสนเฉียบพลันในผู้สูงอายุ. ใน *หลักสำคัญของ
เวชศาสตร์ผู้สูงอายุ* (พิมพ์ครั้งที่ 2). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- Albert, M. S., Levkoff, S. E., Reilly, C., Liptzin, B., Pilgrim, D., Cleary, P. D., . . . Rowe, J. W.
(1992). The delirium symptom interview: An interview for the detection of delirium
symptoms in hospitalized patients. *Journal of Geriatric Psychiatry And Neurology*,
5(1), 14-21. doi:10.1177/002383099200500103
- Allen, S. R. & Frankel, H. L. (2012). Postoperative Complications: Delirium. *Surgical Clinics of
North America*, 92(2), 409–431. doi: 10.1016/j.suc.2012.01.012

- Amador, L. F., & Goodwin, J. S. (2005). Postoperative delirium in the older patient. *Journal of American College Surgery*, 200(5), 767-773. doi:10.1016/j.jamcollsurg.2004.08.031
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th Text Revision ed.) Washington, DC: Author.
- Andersson, E. M., Hallberg, I. R., Norberg, A. & Edberg, A. K. (2002). The meaning of acute confusional state from the perspective of elderly patients. *International Journal of Geriatric Psychiatry*, 17(7), 652-663. doi:10.1002/gps.682
- Balas, M. C., Happ, M. B., Yang, W., Chelluri, L., & Richmond, T. (2009). Outcome associated with delirium in older patients in surgical ICUs. *Chest*, 135(1), 18-25. doi: 10.1378/chest.08-1456
- Baumgartner, R. N., Koehler, K. M., Gallagher, D., Romero, L., Heymsfield, S. B., Ross, R. R., ... Lindeman, R. D. (1998). Epidemiology of sarcopenia among the elderly in New Mexico. *American Journal of Epidemiology*, 147(8), 755-763. Retrieved from <http://aje.oxfordjournals.org/content/147/8/755.long>
- Böhner, H., Hummel, T. C., Habel, U., Miller, C., Reinbott, S., Yang, Q., . . . Schneider, F. (2003). Predicting delirium after vascular surgery. *Annals of Surgery*, 238(1), 149-156. doi:10.1097/01.sla.0000077920.38307.5f
- Boonphadh, P. (2004). *The incidence of acute confusional states and associated factors in postoperative elderly patients* (Unpublished master's thesis). Mahidol University, Bangkok, Thailand.
- Bourgeois, J. A., Seaman, J. S., & Servis, M. E. (2008). Dementia, delirium and amnesic disorder and other cognitive disorder. In R. E. Hales, S. C. Yudofsky, & G. O. Gabbard (Eds.), *American psychiatric publishing textbook of psychiatry* (5th ed., pp. 303-322). Washington, DC: American Psychiatric.
- Bowman, A. M. (1997). Sleep satisfaction, perceived pain and acute confusion in elderly clients undergoing orthopaedic procedures. *Journal of Advanced Nursing*, 26(3), 550-564. doi:10.1046/j.1365-2648.1997.t01-16-00999.x

- Breitbart, W., Rosenfeld, B., Roth, A., Smith, M. J., Cohen, K., & Passik, S. (1997). The Memorial Delirium Assessment Scale. *Journal of Pain and Symptom Management*, 13(3), 128-137. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0885392496003168#>
- Bridges, J., Flatley, M., & Meyer, J. (2010). Older people's and relatives' experiences in acute care settings: Systematic review and synthesis of qualitative studies. *International Journal of Nursing Studies*, 47(1), 89-107. doi:10.1016/j.ijnurstu.2009.09.009
- Broshek, D. K., & Marcopulos, B. A. (1999). Delirium assessment in older adults. In P. A. Lichtenberg (Ed.), *Handbook of assessment in clinical gerontology* (pp. 179-210). New York: Wiley.
- Cole, M. G. (2004). Delirium in elderly patients. *American Journal of Geriatric Psychiatry*, 12(1), 7-21.
- Dasgupta, M., & Dumbrell, A. C. (2006). Preoperative risk assessment for Delirium after noncardiac surgery: A systematic review. *Journal of American Geriatrics Society*, 54(10), 1578-1589. doi:10.1111/j.1532-5415.2006.00893.x
- Deiner, S., & Silverstein, J. H. (2009). Postoperative delirium and cognitive dysfunction. *British Journal of Anaesthesia*, 103(1), i41-i46. doi:10.1093/bja/aep291
- Demeure, M. J., & Fain, M. J. (2006). The elderly surgical patient and postoperative delirium. *Journal of American College of Surgery*, 203(5), 752-757. doi:10.1016/j.jamcollsurg.2006.07.032
- Epstein, J., & Breslow, M. J. (1999). The stress response of critical illness. *Critical Care Clinics*, 15(1), 17-33.
- Ewing, J. A. (1984). Detecting alcoholism. The CAGE questionnaire. *The Journal of the American Medical Association*, 252(14), 1905-1907. doi:10.1001/jama.1984.03350140051025
- Franco, K., Litaker, D., Locala, J. & Bronson, D. (2001). The Cost of Delirium in the Surgical Patient. *Psychosomatics*, 42(1), 68-73.
- Fearing, M. A., & Inouye, S. K. (2009). Delirium. In D. G. Blazer & D. C. Steffens (Eds.) *The American Psychiatric publishing textbook of geriatric psychiatry* (pp. 229-241). USA.

- Fong, T. G., Tulebaev, S. R., & Inouye, S. K. (2009). Delirium in elderly adult: Diagnosis, prevention, and treatment. *Nature Review Neurology*, 5(4), 210-220. doi:10.1038/nrneurol.2009.24
- Fricchione, G. L., Nejad, S. H., Esses, J. A., Cummings, T. M., Querques, I., Cassem, N. H., & Murray, G. B. (2008). Postoperative delirium. *American Journal Psychiatry*, 165(7), 803-812. doi:10.1176/appi.ajp.2008.08020181
- Galanakis, P., Bickel, H., Gradinger, R., Von Gumpfenberg, S., & Forstl, H. (2001). Acute confusional state in elderly following hip surgery: Incidence, risk factors and complications. *Internal Journal of Geriatrics*, 16(4), 349-355. doi:10.1002/gps.327
- Girard, T. D., Pandharipande, P. P., & Ely, E. W. (2008). *Delirium in the intensive care unit*. Retrieved from <http://ccforum.com/content/12/s3/s3.htm>
- Goldenberg, G., Kiselev, P., Bharathan, T., Baccash, E., Gill, L., Madhav, V., . . . Thakur, C. (2006). Predicting post-operative delirium in elderly patients undergoing surgery for hip fracture. *Psychogeriatrics*, 6(2), 43-48. doi:10.1111/j.1479-8301.2006.00146.x
- Inouye, S. K. (2006). Delirium in older person. *The New England Journal of Medicine*, 354(11), 1157-1165. doi:10.1056/NEJMra052321
- Inouye, S. K., van Dyck, C. H., Alessi, C. A., Balkin, S., Siegel, A. P., & Horwitz, R. I. (1990). Clarifying confusion: The confusion assessment method. A new method for detection of delirium. *Annual Internal Medicine*, 113(12), 941-948. doi:10.7326/0003-4819-113-12-941
- Jacoby, R., Oppenheimer, C., Dening, T., & Thomas, A. (2008). *Oxford textbook of old age psychiatry*. Oxford: Oxford University Press.
- Kaneko, T., Takahashi, S., Naka, T., Hirooka, Y., Inoue, Y., & Kaibara, N. (1997). Postoperative delirium following gastrointestinal surgery in elderly patients. *Surgery Today*, 27(2), 107-111. doi:10.1007/BF02385897
- Kawaguchi, Y., Kanamori, M., Ishihara, H., Abe, Y., Nobukiyo, M., Sigeta, T., . . . Kimura, T. (2006). Postoperative delirium in spine surgery. *The Spine Journal*, 6(2), 164-169. doi:10.1016/j.spinee.2005.06.010

- Koebrugge, B., Koek, H. L., van Wensen, R. J., Dautzenberg, P. L., & Bosscha, K. (2009). Delirium after abdominal surgery at a surgical ward with a high standard of delirium care: Incidence, risk factors and outcomes. *Digestive Surgery*, 26(1), 63-68. doi:10.1159/000194947
- Koster, S., Hensens, A. G., & van der Palen, J. (2009). The long-term cognitive and functional outcomes of postoperative delirium after cardiac surgery. *Annals Thoracic Surgery*, 87(5), 1469-1474. doi:10.1016/j.athoracsur.2009.02.080
- Leentjens, A. F. G. & van der Mast, R. C. (2005). Delirium in elderly people: An update. *Current Opinion in Psychiatry*, 18(3), 325-330. doi:10.1097/01.yco.0000165603.36671.97
- Leung, J. M. (2010). Postoperative delirium: Are there modifiable risk factors? *European Journal of Anaesthesiology*, 27(5), 403-405. doi:10.1097/EJA.0b013e3283340a99
- Lipowski, Z. J. (1990). *Delirium: Acute confusional states*. New York: Oxford University Press.
- Litaker, D., Locala, J., Franco, K., Bronson, D. L., & Tannous, Z. (2001). Preoperative risk factor for postoperative delirium. *General Hospital Psychiatry*, 23(2), 84-89.
- Lynch, E. P., Lazor, M. A., Gellis, J. E., Oray, J., Golman, L., & Marcantonio, E. R. (1998). The impact of postoperative pain on the development of postoperative delirium. *Anesthesia & Analgesia*, 86(4), 781-785. doi:10.1097/00000539-199804000-00019
- MacLulich, A. M., Ferguson, K. J., Miller, T., de Rooij, S. E., & Cunningham, C. (2008). Unravelling the pathophysiology of delirium: A focus on the role of aberrant stress responses. *Journal of Psychosomatic Research*, 65(3), 229-238. doi:10.1016/j.jpsychores.2008.05.019
- Mangnall, L. T., Gallagher, R., & Stein-Parbury, J. (2011). Postoperative delirium after colorectal surgery in older patients. *American Journal of Critical Care*, 20(1), 45-55. doi:10.4037/ajcc2010902
- Mantz, J., Hemmings, H. C., Jr., & Boddaert, J. (2010). Case scenario: Postoperative delirium in elderly surgical patients. *Anesthesiology*, 112(1), 189-195. doi:10.1097/ALN.0b013e3181c2d661

- McAlpine, J. N., Hodgson, E. J., Abramowitz, S., Richman, S. M., Su, Y., Kelly, M. G., . . . Schwartz, P. E. (2008). The incidence and risk factors associated with postoperative delirium in geriatric patients undergoing surgery for suspected gynecologic malignancies. *Gynecologic Oncology*, *109*, 296-302. doi:10.1016/j.ygyno.2008.02.016
- Minden, S. L., Carbone, L. A., Barsky, A., Borus, J. F., Fife, A., Fricchione, G. L., & Orav, E. J. (2005). Predictors and outcomes of delirium. *General Hospital Psychiatry*, *27*(3), 209-214.
- Mistraletti, G., Caroni, E., Cigada, M., Zambrelli, E., Taverna, M., Sabbatici, G., . . . Iapichino, G. (2008). Sleep and delirium in the intensive care unit. *Minerva Anestesiologica*, *74*(6), 329-333.
- Morimoto, Y., Yoshimura, M., Utada, K., Setoyama, K., Matsumoto, M., & Sakube, T. (2009). Prediction of postoperative delirium after abdominal surgery in the elderly. *Journal of Anesthesia*, *23*(1), 51-56. doi:10.1007/s00540-008-0688-1.
- Morrison, R. S., Magaziner, J., McLaughlin, M. A., Orosz, G., Silberzweig, S. B., Koval, K. J., . . . Siu, A. L. (2003). The impact of post-operative pain on outcomes following hip fracture. *Pain*, *103*(3), 303-11.
- O'Brien, D. (2002). Acute postoperative delirium: Definition, incidence, recognition, and interventions. *Journal of Perianesthesia Nursing*, *17*(6), 384-392. doi:10.1053/jpan.2002.36783
- Ozyurtkan, M. O., Yildizeli, B., Kescu, K., Bekiroglu, N., Bostanci, K., Batirel, H. F., Yuksel, M. (2010). Postoperative psychiatric disorders in general thoracic surgery: Incidence, risk factors and outcomes. *European Journal of Cardio-Thoracic Surgery*, *37*(5), 1152-1157. doi:10.1016/j.ejcts.2009.11.047
- Patti, R., Saitta, M., Cusumano, G., Termine, G., & Di Vita, G. (2011). Risk factors for postoperative delirium after colorectal surgery for carcinoma. *European Journal of Oncology Nursing*, *15*(5), 519-523. doi:10.1016/j.ejon.2011.01.004
- Pilcher, L. S. (1917) *Surgical clinics and clinical reports in honor of Lewis Stephen Pilcher by Medical Society of the County of Kings*. New York. Retrieved from [http://openlibrary.org/search?first_publish_year=1917&person_facet=Lewis+Stephen+Pilcher+\(1845-1934\)](http://openlibrary.org/search?first_publish_year=1917&person_facet=Lewis+Stephen+Pilcher+(1845-1934))

- Pisani, M. A., McNicoll, L., & Inouye, S. K. (2003). Cognitive impairment in the intensive care unit. *Clinics in Chest Medicine*, 24(4), 727-737.
- Polit, D. F. & Hugler, B.P. (1999). *Nursing research principles and methods* (6th ed.). Philadelphia: J. B. Lippincott Company.
- Pun, B. T., & Ely, E. W. (2007). The importance of diagnosing and managing intensive care unit delirium. *Chest*, 132(2), 624-636. doi:10.1378/chest.06-1795
- Robinson, T. N., & Eiseman, B. (2008). Postoperative delirium in the elderly: Diagnosis and management. *Clinical Intervention in Aging*, 3(2), 351-355. doi:10.2147/CIA.S2759
- Robinson, T. N., Raeburn, C. D., Tran, Z. V., Angles, E. M., Brenner, L. A., & Moss, M. (2009). Postoperative delirium in the elderly: Risk factors and outcomes. *Annals of Surgery*, 249(1), 173-178. doi:10.1097/SLA.0b013e31818e4776
- Sasajima, Y., Sasajima, T., Uchida, H., Kawai, S., Haga, M., Akasaka, N., . . . Yamamoto, H. (2000). Postoperative delirium in patients with chronic lower limb ischaemia: What are the specific markers? *European Journal of Vascular and Endovascular Surgery*, 20(2), 132-137. doi:10.1053/ejvs.2000.1130
- Schneider, F., Bohner, H., Habel, U., Salloum, J. B., Stierstorfer, A., Hummel, T., . . . Sandmann, W. (2002). Risk factors for postoperative delirium in vascular surgery. *General Hospital Psychiatry*, 24, 28-34.
- Serafim, R. B., Dutra, M. F., Saddy, F., Tura, B., de Castro, J. E., Villarinho, L. C., . . . Rocco, J. R. (2012). Delirium in postoperative nonventilated intensive care patients: Risk factors and outcomes. *Annals of Intensive Care*, 2(1), 51. doi: 10.1186/2110-5820-2-51
- Snyder-Halpern, R., & Verran, J. A. (1987). Instrumentation to describe subjective sleep characteristics in healthy subjects. *Research in Nursing and Health*, 10(3), 155-163. doi:10.1002/nur.4770100307
- Stedman, T. L. (2000). *Stedman's medical dictionary* (pp. 1266). Baltimore: Lippincott Williams & Wilkins.
- Steiner, L. A. (2011). Postoperative delirium. Part 1: Pathophysiology and risk factors. *European Journal of Anaesthesiology*, 28(9), 628-636. doi:10.1097/EJA.0b013e328349b7f5

- Stewart, N., & Fairweather, S. (2002). Delirium: The physician's perspective. In R. Jacoby & C. Oppenheimer (Eds.), *Psychiatry in the elderly* (pp. 592-615). Oxford: Oxford University Press.
- Tabachnick, B.G., & Fidell, L.S. (2007). *Using Multivariate Statistics* (5th ed.). Boston: Pearson Education, Inc.
- Tan, M. C., Felde, A., Kuskowski, M., Ward, H., Kelly, R. F., Adabag, A. S., Dysken, M. (2008). Incidence and predictors of post-cardiotomy delirium. *American Journal of Geriatric Psychiatry*, 16(7), 575-583. doi:10.1097/JGP.0b013e318172b418
- Tognoni, P., Simonato, A., Robutti, N., Pisani, M., Cataldi, A., Monacelli, F., . . . Odetti, P. (2011). Preoperative risk factors for postoperative delirium (POD) after urological surgery in the elderly. *Archives of Gerontology and Geriatrics*, 52(3), e166–e169. doi:10.1016/j.archger.2010.10.021
- Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. (2008). Long-term outcomes of memory retrieval under stress. *Behavioral Neuroscience*, 122(3), 697-703.
- Trzepacz, P. T., Baker, R. W., & Greenhouse, J. (1987). A symptom rating scale for delirium. *Psychiatry Research*, 23(1), 89-97.
- Vaurio, L. E., Sands, L. P., Wang, Y., Mullen, E. A., & Leung, J. M. (2006). Postoperative delirium: The importance of pain and pain management. *Anesthesia & Analgesia*, 102(4), 1267-1273. doi:10.1213/01.ane.0000199156.59226.af
- Watson, P. L., Ceriana, P. & Fanfulla, F. (2012). Delirium: is sleep important?. *Best Practice & Research Clinical Anaesthesiology*, 26(3), 355-66.
- Wongpakaran, N., Wongpakaran, T., Bookamana, P., Pinyopornpanish, M., Maneeton, B., Lertrakarnnon, P., . . . Jiraniramai, S. (2011). Diagnosing delirium in elderly Thai patients: Utilization of the CAM algorithm. *Biomed central Family Practice*, 12, 65.
- World Health Organization. (2010). *International Classification of Diseases version 10 (ICD-10) classification of mental and behavioural disorders*. Retrieved from <http://www.who.int/classifications/icd/en/GRNBOOK.pdf>

- Yamagata, K., Onizawa, K., Yusa, H., Wakatsuki, T., Yanagawa, T., & Yoshida, H. (2004). Risk factors for postoperative delirium in patients undergoing head and neck cancer surgery. *International Journal of Oral & Maxillofacial Surgery*, 34, 33-36. doi:10.1016/j.ijom.2004.03.005
- Yildizeli, B., Ozyurtkan, M. O., Batirel, H. F., Kusu, K., Bekiroglu, N., & Yuksel, M. (2005). Factors associated with postoperative delirium after thoracic surgery. *Annals Thoracic Surgery*, 79(3), 1004-1009.
- Yoshimura, Y., Kubo, S., Shirata, K., Hirohashi, K., Tanaka, H., Shuto, T., . . . Kinoshita, H. (2004). Risk factor for postoperative delirium after liver resection for hepatocellular carcinoma. *World Journal of Surgery*, 28(10), 982-986. doi:10.1007/s00268-004-7344-1