

รายการอ้างอิง

- [1] Shumate, P. W. Fiber-to-the-Home: 1977–2007, Journal of Lightwave Technology 26 (9) (2008).
- [2] Masahio, A. Trends in Optical Access Network Technology Supporting FTTH [online] 2009. Available from : <https://www.nttreview.jp/archive/ntttechnical.php?contents=ntr201005sf5.html> [2010, September 28]
- [3] Synchronous optical networking [online]. 2010. Available from : http://en.wikipedia.org/wiki/Synchronous_optical_networking [2010, September 28]
- [4] Stamatiou, V.K. DWDM Network, Devices, and Technology, A JOHN WILEY & SONS, INC., PUBLICATION.
- [5] Mukherjee, B. Optical Communication Networks. McGraw-Hill, New York, NY, 1997.
- [6] PRODUCTS & SERVICES [online] Available from : www.huawei.com/transport_network/dwdm_backbone_solution.do?card=1[2010, September 28]
- [7] Itsuro, M.; and Masatoshi, S. Long-Haul Soliton WDM Transmission with Periodic Dispersion Compensation and Dispersion Slope Compensation. Journal of Lightwave Technology 17 (1) (1999): 80-85.
- [8] Li, C.S.; Tong, F.F.; Georgiou, C.J.; and Cheng, M. Gain equalization in metropolitan and wide area optical networks using optical amplifiers. In Proceedings International Conference on IEEE INFOCOM '94, (1994):130-137.
- [9] Tachibana, M.; Laming, R.L.; Morkel, P.R.; and Payne, D.N. Erbium-doped fiber amplifier with flattened gain spectrum. IEEE Photonics Technology Letters 3(2) (1991): 118-120.
- [10] Potenza, M. Optical fiber amplifiers for telecommunication system. IEEE Communications Magazine 34(8) (1996): 96-102.

- [11] Ramamurthy, B.; Iness, J.; and Mukherjee, B. Minimizing the Number of Optical Amplifiers Needed to Support a Multi-Wavelength Optical LAN/MAN. In Proceedings International Conference on IEEE INFOCOM '97 1 (1997): 261-268.
- [12] Ramamurthy, B.; Iness, J.; and Mukherjee, B. Optimizing Amplifier Placements in a Multiwavelength Optical LAN/MAN: The Equally Powered-Wavelengths Case. Journal of Lightwave Technology 16 (9) (1998): 1560-1569.
- [13] Ramamurthy, B.; Iness, J.; and Mukherjee, B. Optimizing Amplifier Placements in a Multiwavelength Optical LAN/MAN: The Unequally Powered-Wavelengths Case. Journal of Lightwave Technology 6 (6) (1998): 755-767.
- [14] Harai, H.; Murata, M.; and Miyahara, H. Performance Analysis of Wavelength Assignment Policies in All-Optical Network with Limited-Range Wavelength Conversion. IEEE Journal of Selective Areas Communication 16(7) (1998): 1051-1060.
- [15] Li, B.; and Chu, X. Routing and Wavelength Assignment VS. Wavelength Converter Placement in All-Optical Networks. IEEE Optical Communication. Aug. 2003.
- [16] Wang, J.; and Chen, B. Dynamic Wavelength Assignment for Multicast in All-Optical WDM Network to Maximize the Network Capacity. IEEE Journal of Selective Areas Communication 21(8) (2003).
- [17] Kaewplung, P.; Ketmanee, P.; Lolurlert, T. Dispersion Compensation in Broadcast-and-Selective Optical Network. In Proceedings International Conference on Lasers and Electro-Optics, CLEO /Pacific Rim 2005. Pacific Rim Conference, 2005 (2005).
- [18] Kavehrad, M.; and Tabiani, M. A Selective-Broadcast Passive Star Coupler for Self-Routing Dense Wavelength Division Multiplexed Optical Networks. Journal of Lightwave Technology 9(10) (1991): 1278-1288.

- [19] Rhee, J.K.; Tomkos, I.; and Li, M.J. A Broadcast-and-Select OADM Optical Network With Dedicated Optical-Channel Protection. Journal of Lightwave Technology 21 (1) (2003): 25-31.
- [20] Ismaeane, M.; and Pasu, K. Optimum placement of dispersion compensation unit for transparent DWDM ring network. In Proceedings International Conference on 2007 Opto-Electronics and Communications Conference (July 2007).
- [21] Gregory, R. 1-Tb/s (10×10^7 Gb/s) Electronically Multiplexed Optical Signal Generation and WDM Transmission. Journal of Lightwave Technology 25 (1) (2007): 233-238.
- [22] Gnauck, A.H. 1-Tb/s (6×170.6 Gb/s) Transmission Over 2000-km NZDF Using OTDM and RZ-DPSK Format. IEEE Photonics Technology Letters 15(11) (2003): 1618-1620.
- [23] Networking Research Laboratories. Transmission of 1.6Tb/s (40×40 Gb/s) over 1,200km and three OADM's using 200-km SMF doubled-span with remotely pumped optical amplification. In Proceedings International Conference on Optical Fiber Communication Conference (February 2004).
- [24] Gupta, G.C.; Wang, L.; and Mizuhara, O. 3.2-Tb/s ($40 \text{ ch} \times 80$ Gb/s) transmission with spectral efficiency of 0.8 b/s/Hz over 21×100 km of dispersion-managed high local dispersion fiber using all-Raman amplified spans. IEEE Photonics Technology Letters 15(7) (2003): 996-998.
- [25] Zhu, B.; and others. 3.08 Tb/s (77×42.7 Gb/s) Transmission over 1200 km of Non-zero Dispersion-Shifted Fiber with 100-km Spans using C- and L-Band Distributed Raman Amplification. In Proceedings International Conference on Optical Fiber Communication Conference and Exhibit (2001)
- [26] Gavioli, G.; and others. NRZ-PM-QPSK 16×100 Gb/s Transmission Over Installed Fiber With Different Dispersion Maps. IEEE Photonics Technology Letters 20(6) (2010): 371-373.

- [27] Mousavi, F.M.; Kikuchi, K. Performance Limit of Long-Distance WDM Dispersion-Managed Transmission System Using Higher Order Dispersion Compensation Fibers. IEEE Photonics Technology Letters 11(5) (2010): 608-610.
- [28] Xiang, Z.; and others. Transmission of 32-Tb/s Capacity Over 580 km Using RZ-Shaped PDM-8QAM Modulation Format and Cascaded Multimodulus Blind Equalization Algorithm. Journal of Lightwave Technology 26 (1) (2010): 456-465.
- [29] B. Ramamurthy, and J. P. Jue, Fibers, lasers, receivers and amplifiers. In Sivalingam, K. M. and Subramaniam, S., editors, Optical WDM Networks: Principles and Practice, chapter 2. Boston : Kluwer Academic Publishers, MA, 2000.
- [30] Keiser, G. Optical fiber communications 3rd edition, McGraw Hill, 2000.
- [31] Agrawal, GP. Nonlinear Fiber Optics 3rd edition, Academic Press, 2001.
- [32] ITU Telecommunication Standardization Sector. ITU-T G.691, Optical interfaces for single-channel STM-64, STM-256 and other SDH systems with optical interfaces [Computer file]. 2003. Available from: <http://www.itu.int/> [2007, March 12]
- [33] Tutorial DWDM prerequisite training: Fujitsu, 2002
- [34] Mukherjee, B. Optical WDM Networks. Springer, New York, NY.
- [35] Ramamurthy, B.; Feng, H.; Datta, D.; Heritage, J.P.; and Mukherjee, B. Transparent vs. Opaque vs. Translucent Wavelength-Routed Optical Networks [online] 1999. Available from : <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1086&context=cseconfwork> [2010, September 30]
- [36] ยืน ภู่วรรณ. เครือข่ายความเร็วสูง. [ออนไลน์]. 2542. แหล่งที่มา: <http://web.ku.ac.th/schoolnet/snet1/network/sdh.htm> [2553, กันยายน 28]

- [37] พงษ์ศักดิ์ สุสัมพันธ์ไพบุลย์, การวางแผนโครงข่าย SDH [Online]. แหล่งที่มา: <http://www.cewmedia.com>
- [38] Rajiv, R., Kumar, N.S. Optical Network A Practical Perspective, Morgan Kaufmann, 1998.
- [39] Chinneck, J. W. Practical Optimization: a Gentle Introduction. Canada: Carleton University, 2004.
- [40] Wang, J.; Qi, X.; and Chen, B. Wavelength Assignment for Multicast in All-Optical WDM Network with Splitting Constraints. IEEE/ACM Transactions on Networking 14 (1) (2006): 169-182.
- [41] Data Sheet of PowerForm™ DCM® Modules for Single-Mode Fiber, C-Band: Avanex, 2005.
- [42] Dense Wave Division Multiplexing (DWDM) ITU Grid C-Band, 100 GHZ Spacing. [online]. Available from: www.fiberdyne.com/products/itu-grid.html [2010, September 30]
- [43] International Telecommunication Union. Telecommunication Standardization Sector of ITU. [online]. 2006. Available from: <http://www.catr.cn/radar/itut/201007/P020100707601100980177.pdf> [2011, April 10]
- [44] Ing. J.G. Optical Networks and their Development. [online]. 2004. Available from: <http://www.ces.net/doc/2003/research/optnet.html> [2010, September 30]

ภาคผนวก

ภาคผนวก ก. บทความทางวิชาการที่ได้รับการเผยแพร่

1. Ravevun Bunprachom and Pasu Kaewplung, " An Efficient Algorithm for Placing Dispersion-Compensating Units in Wavelength-Routed Fiber Network", in Trends and Development in Converging Technology towards 2009 (TENCON 2009), Singapore, page 153, November 2009
2. Ravevun Bunprachom and Pasu Kaewplung, "Optimal Combination of Dispersion-Slope and Non-Dispersion-Slope Compensating Units in Long-Haul Fiber Transmission", in The 33 rd Electrical Engineering Conference (EECON-33), Chiang Mai, Thailand, page 1453-1456, December 2010.

ประวัติผู้เขียนวิทยานิพนธ์

นางสาวรวีวรรณ บุญประชม เกิดวันพฤหัสบดีที่ 19 กุมภาพันธ์ พ.ศ. 2530 ที่จังหวัด กรุงเทพมหานคร เข้าศึกษาหลักสูตรวิศวกรรมศาสตรบัณฑิต คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2548 และสำเร็จการศึกษาระดับปริญญาวิศวกรรมศาสตรบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า ภาควิชาวิศวกรรมไฟฟ้า คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2552 ต่อจากนั้นเข้าศึกษาต่อในหลักสูตรวิศวกรรมศาสตรมหาบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า ภาควิชาวิศวกรรมไฟฟ้า คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2552 และสำเร็จการศึกษาวิศวกรรมศาสตรมหาบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า ภาควิชาวิศวกรรมไฟฟ้า คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2554



