

## REFERENCES

- Abel, T., Graf, N., & Niemann, S. (2001). Gender bias in the assessment of physical activity in population studies. *Social and Preventive Medicine, 46*, 268-272.
- Aburto, N. J., Ziolkovska, A., Hooper, L., Elliott, P., Cappuccio, F. P., & Meerpohl, J. J. (2013). Effect of lower sodium intake on health: Systematic review and meta-analyses. *British Medical Journal, 346*, f1326.
- Agarwal, R., Bills, J. E., Hecht, T. J. W., & Light, R. P. (2011). Role of blood pressure monitoring in overcoming therapeutic inertia and improving hypertension control. *Hypertension, 57*, 29-38.
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M, Strath, S. J., . . . Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise, 32*, S498-S504.
- Alberti, K. G., Zimmet, P., & Shaw, J. (2005). The metabolic syndrome--A new worldwide definition. *Lancet, 366*, 1059-1062.
- Alberti, K. G., Zimmet, P., & Shaw, J. (2006). Metabolic syndrome-a new world-wide definition: A consensus statement from the International Diabetes Federation. *Diabetes Medicine, 23*(5), 469-480.

- Anderson, A. S., Cox, D. N., McKellar, S., Reynolds, J., Lean, M. E. J., & Mela, D. J. (1998). Take five, a nutrition education intervention to increase fruit and vegetable intakes: Impact on attitudes towards dietary change. *British Journal of Nutrition*, *80*, 133-140.
- Anderssen, S. A., Carroll, S., Urdal, P., & Holme, I. (2007). Combined diet and exercise intervention reverses the metabolic syndrome in middle-aged males: Results from the Oslo Diet and Exercise Study. *Scandinavian Journal of Medicine & Science in Sports*, *17*, 687-695.
- Armstrong, T., & Bauman, A. (2000). *Physical activity patterns of Australian adults: Results of the 1999 National Physical Activity Survey*. Canberra: The Australian Institute of Health and Welfare.
- Artimian, N. T., Fletcher, G.F., Mozaffarian, D., Kris-Etherton, P., Van Horn, L., Lichtenstein, A. H., . . . Burke, L. E. (2010). Interventions to promote physical activity and dietary lifestyle changes for cardiovascular risk factor reduction in adults: A scientific statement from the American Heart Association. *Circulation*, *122*, 406-441. doi:10.1161/CIR.0b013e3181e8edf1
- Ash, S., Reeves, M., Bauer, J., Dover, T., Vivanti, A., Leong, C., . . . Capra, S. (2006). A randomized control trial comparing lifestyle groups, individual counseling and written information in the management of weight and health outcomes over 12 months. *International Journal of Obesity*, *30*, 1557-1564.
- Azadbakht, L., Mirmiran, P., Esmailzadeh, A., Azizi, T., & Azizi, F. (2005). Beneficial effects of a dietary approaches to stop hypertension eating plan on features of the metabolic syndrome. *Diabetes Care*, *28*, 2823-2831.

- Azevedo, M. R., Araujo, C. L. P., Reichert, F. F., Siqueira, F. V., Silva, M. C., & Hallal, P. C. (2007). Gender differences in leisure-time physical activity. *International Journal of Public Health, 52*, 8-15.
- Balde, A., Figueras, J., Hawking, D. A., & Miller, J. R. (2003). Physician advice to the elderly about physical activity. *Journal of Aging and Physical Activity, 11*, 90-97.
- Balkau, B., & Charles, M. A. (1999). Comment on the provisional report of the WHO consultation. European Group for the Study of Insulin Resistance (EGIR). *Diabetic Medicine, 16*, 442-443.
- Bandura, A. (1998). Health promotion from the perspective of social cognitive theory. *Psychology and Health, 13*, 623-649.
- Bandura, A. (2004). Health promotion by social cognitive means. *Health Education Behavior, 31*, 143-165.
- Barlow, J., Wright, C., Sheasby, J., Turner, A., & Hainsworth, J. (2002). Self-management approaches for people with chronic conditions: A review. *Patient Education Counseling, 48*, 177-187.
- Bassett, D. R., Leggett, S. R., Mathien, C. A., Main, J. A., Hunter, D. C., & Duncan, G. E. (2000). Accuracy of five electronic pedometers for measuring distance walked. *Medicine & Science in Sports & Exercise, 28*, 1071-1077.
- Berkman, L. F. (1995). The role of social relations in health promotion. *Psychosomatic Medicine, 57*, 245-254.

- Bianchi, C., Penno, G., Daniele, G., Benzi, L., Prato, S. D., & Miccoli, R. (2008). Optimizing management of metabolic syndrome to reduce risk: Focus on life-style. *Internal Emergency Medicine*, 3, 87-98. doi:10.1007/s11739-008-0122-6
- Bihan, H., Takbou, K., Cohena, R., Michault, A., Boitou, F., Reach, G., & Le Clesiau, H. (2009). Impact of short-duration lifestyle intervention in collaboration with general practitioners in patients with the metabolic syndrome. *Diabetes & Metabolism*, 35(3), 185-191. doi:10.1016/j.diabet.2008.11.002
- Bo, S., Ciccone, G., Baldi, C., Benini, L., Dusio, F., Forastiere, G., . . . Pagano, G. (2007). Effectiveness of a lifestyle intervention on metabolic syndrome: A randomized controlled trial. *Journal of General Internal Medicine*, 22, 1695-1703.
- Bodenheimer, T., Lorig, K., Holman, H., & Grumbach, K. (2002). Patient self-management of chronic disease in primary care. *Journal of American Medical Association*, 288, 2469-2475.
- Bodenheimer, T., Wagner, E. H., & Grumbach, K. (2002). Improving primary care for patients with chronic illness. *Journal of American Medical Association*, 288, 1775-1779.
- Bravata, D. M., Sanders, L., Huang, J., Krumholz, H. M., Olkin, L., Gardner, C. D., & Bravata, D. M. (2003). Efficacy and safety of low carbohydrate diets: A systemic review. *Journal of the American Medical Association*, 289, 1837-1850.

- Buckworth, J., & Dishman, R. K. (1999). Determinants of physical activity; research to application. In J. Rippe & R. Malden (Eds.), *Lifestyle medicine* (pp. 1016-1027). MA: Williston Blackwell Science.
- Bureau of Policy and Strategy, (2010). *The 2010 Clinical Practice Guideline in Diabetes, Hypertension, and Dyslipidemia Control*. Ministry of Public Health Thailand. [cited 2010 Aug 30]. Available from: [http://203.157.10.11/screen/download/chapter\\_3.pdf](http://203.157.10.11/screen/download/chapter_3.pdf).
- Calfas, K. J., Long, B. J., Sallis, J. F., Wooten, W. J., Pratt, M., & Patrick, K. (1996). A controlled trial of physician counseling to promote the adoption of physical activity. *Preventive Medicine*, 25, 225-233.
- Calhoun, D. A., Jones, D., Textor, S., Goff, D. C., Murphy, T. P., Toto, R. D., . . . Carey, R. M. (2008). Resistant hypertension: Diagnosis, evaluation, and treatment. *Hypertension*, 51, 1403-1419. doi:10.1161/HYPERTENSIONAHA.108.189141
- Cancer Council of Victoria. (2005). *The dietary questionnaire for epidemiological studies*. Victoria (Vic), Carlton, Nutritional Assessment Office.
- Carroll, S., & Dudfield, M. (2004). What is relationship between exercise and metabolic abnormalities? A review of the metabolic syndrome. *Sports Medicine*, 34, 371-418.
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related research. *Public Health Report*, 100, 126-131.
- Centers for Disease Control and Prevention. (1996). Neighborhood safety and prevention of physical inactivity--Selected states, 1996. *Morbidity and Mortality Weekly Report*, 48, 143-146.

- Chan, S., Burns, S., Velzen, M., McQueen, K., Kan, C., Bondy, G., . . . Ignaszewski, A. (2008). Targeting metabolic syndrome: A new approach to intensive lifestyle intervention and self-management support. *Circulation, 118*, 1170.
- Cherrington, A., Ayala, G. X., Scarinci, I., & Corbie-Smith, G. (2011). Developing a family-based diabetes program for Latino immigrants: Do men and women face the same barriers? *Family Community Health, 34*, 280-290.  
doi:10.1097/FCH.0b013e31822b5359
- Chodosh, J., Morton, S. C., Mojica, W., Maglione, M., Suttorp, M. J., Hilton, L., . . . Shekelle, P. (2005). Meta-analysis: Chronic disease self-management programs for older adults. *Annals of Internal Medicine, 143*, 427-438.
- Christensen, T. D., Johnsen, S. P., Hiortdal, V., & Hasenkam, J. M. (2007). Self-management of oral anticoagulant therapy: A systematic review and meta-analysis. *International Journal of Cardiology, 118*(1), 54-61.
- Churilla, J. R., & Zoeller, R. F. (2008). Physical activity and the metabolic syndrome: A review of the evidence. *American Journal of Lifestyle Medicine, 2*, 118.
- Clarke, J. E. (1998). Taste and flavour: their importance in food choice and acceptance. *Proceedings of the Nutrition Society, 57*, 639-643.
- Cohen-Mansfield, J., Marx, M. S., & Guralnik, J. M. (2003). Motivators and barriers to exercise in an older community-dwelling population. *Journal of the American Planning Association, 11*, 242-253.
- Coleman, L., Cox, L., & Roker, D. (2008). Girl and young women's participation in physical activity: Psychological and social influences. *Health Education Research, 23*, 633-647.

- Coleman, M. T., & Newton, K. S. (2005). Supporting self-management in patient with chronic illness. *American Family Physician, 72*, 1503-1510.
- Corbin, J., & Strauss, A. (1988). *Unending work and care: Managing chronic illness at home*. San Francisco: Jossey-Bass.
- Coster, S., & Norman, I. (2009). Cochrane reviews of educational and self-management interventions to guide nursing practice: A review. *International Journal of Nursing Studies, 46*, 508-528.
- Cotugna, N., Subar, A. F., Heimendinger, J., & Kahle, L. (1992). Nutrition and cancer prevention knowledge, beliefs, attitudes, and practices: The 1987 National Health Interview Survey. *Journal of the American Dietetic Association, 92*, 963-968.
- Cox, D. N., Anderson, A. S., Reynolds, J., McKellar, S., Lean M. E., & Mela, D. J. (1998). Take Five, a nutrition education intervention to increase fruit and vegetable intakes: Impact on consumer choice and nutrient intakes. *British Journal of Nutrition, 80*, 123-131.
- Creer, T. L. (2000). Self-management of chronic illness. In M. Doekaert (Ed.), *Handbook of Self-management* (pp.601-629), san Diego, California: Academic.
- Creer, T. L., & Holroyd, K. A. (2006). Self-management of chronic conditions: The legacy of Sir William Osler. *Chronic Illness, 2*(1), 7-14.
- Creer, T., Renne, C., & Christian, W. (1976). Behavioral contributions to rehabilitation and childhood asthma. *Rehabilitation Literature, 37*, 226-232.

- Crouter, S. E., Schneider, P. L., Karabulut, M., & Bassett, D. R. (2003). Validity of 10 electronic pedometers for measuring steps, distance, and energy cost. *Medicine & Science in Sports & Exercise, 35*, 1455-1460.
- Cyarto, E. V., Myers, A. M., & Tudor-Locke, C. (2004). Pedometer accuracy in nursing home and community-dwelling older adults. *Medicine & Science in Sports & Exercise, 36*, 205-209.
- Dale, D., Welk, G. J., & Matthews, C. E. (2002). Methods for assessing physical activity and challenges for research. In G. J. Welk (Ed.), *Physical activity measurement for health related research* (pp. 19-34). Champaign, IL: Human Kinetics.
- Damush, T. M., Stewart, A. L., Mills, K. M., King, A. C., & Ritter, P. L. (1999). Prevalence and correlates of physician recommendations to exercise among older adults. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences, 54*, M423-M427.
- Dansinger, M. L., Gleason, J. A., Griffith, J. L., Selker, H. P., & Schaefer, E. J. (2005). Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart disease risk reduction: a randomized trial. *Journal of the American Medical Association, 293*, 43-53.  
doi:10.1001/jama.293.1.43
- De-Almeida, M. D. V., Graca, P., & Lappalainen, R. (1997). Sources used and trusted by nationally representative adults in the European Union for information on healthy eating. *European Journal of Clinical Nutrition, 51*, S815.
- Deen, D. (2004). Metabolic syndrome: Time to action. *The American Family Physician, 69*, 2875-2882.

- Devine, C. M., Connors, M. M., Sobal, J., & Bisogni, C. A. (2003). Sandwiching it in: Spillover of work onto food choices and family roles in low and moderate income urban households. *Social Science and Medicine*, *56*, 617-630.
- Dewberry, C., & Ussher, J. M. (1994). Restraint and perception of body weight among British adults. *Journal of Social Psychology*, *134*, 609-619.
- Dibsdall, L. A., Lambert, N., Bobbin, R. F., & Frewer, L. J. (2003). Low income consumers' attitudes and behavior towards access, availability and motivation to eat fruit and vegetables. *Public Health Nutrition*, *6*, 159-168.
- Dickinson, B. D., & Havas, S. (2007). Reducing the population burden of cardiovascular disease by reducing sodium intake. *Archives of Internal Medicine*, *167*, 1460-1468.
- Dishman, R. K., & Sallis, J. F. (1994). Determinants and interventions for physical activity and exercise. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 214-238). Champaign, IL: Human Kinetics.
- Dishman, R. K., Washburn, R. A., & Schoeller, D. A. (2001). Measurement of physical activity. *Quest*, *53*, 295-309.
- Domingues, M. R., Araujo, C. L., & Gigante, D. P. (2004). Knowledge and perceptions of physical exercise in an adult urban population in Southern Brazil. *Cadernos de Saude Publica*, *20*, 204-215.
- Donkin, A. J., Dowler, E. A., Stevenson, S.J., & Turner, S.A. (2000). Mapping access to food in a deprived area: the development of price and availability indices. *Public Health Nutrition*, *3*, 31-38.

- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. American College of Sports Medicine Position Stand. *Medicine & Science in Sport & Exercise*, 41(2), 459-471. doi:10.1249/MSS.0b013e3181949333
- Dragusha, G., Elez, A., Dragusha, S., Gorani, D., Begolli, L., & Saiti, V. (2010). Treatment benefits on metabolic syndrome with diet and physical activity. *Bosnian Journal of Basic Medical Science*, 10, 169-176.
- Droomers, M., Schrijvers, C. T. M., & Mackenbach, J. P. (2001). Educational level and decreases in leisure time physical activity: Predictors from the longitudinal GLOBE study. *Journal of Epidemiology Community Health*, 55, 562-568.
- DuCharme, K. A., & Brawley, L. R. (1995). Predicting the intentions and behavior of exercise initiates using two forms of self-efficacy. *Journal of Behavioral Medicine*, 18, 479-497.
- Duke, J., Huhman, M., & Heitzler, C. (2003). Physical activity levels among children aged 9-13 years-United State. *Morbidity and Mortality Weekly Report*, 52, 785-788.
- Duru, O. K., Sarkisian, C. A., Leng, M., & Mangione, C. M. (2010). Sisters in motion: A randomized controlled trial of a faith-based physical activity intervention. *Journal of the American Geriatrics Society*, 58, 1863-1869. doi:10.1111/j.1532-5415.2010.03082.x
- Dye, L., & Blundell, J. E. (1997). Menstrual cycle and appetite control: Implications for weight regulation. *Human Reproduction*, 12, 114-251.

- Ehrman, J. K., Gordon, P., Visich, P. S., & Keteyian, S. J. (2009). *Clinical exercise physiology* (2nd ed.). New Zealand: Human Kinetics.
- Ervin, R. B. (2009). Prevalence of metabolic syndrome among adults 20 years of age and over, by sex, age, race and ethnicity, and body mass index: United States, 2003-2006. *National Health Statistic Reports*, *13*, 1-8.
- Esmailzadeh, A., Kimiagar, M., Mehrabi, Y., Azadbakht, L., Hu, F. B., & Willett, W. C. (2006). Fruit and vegetable intakes, C-reactive protein, and the metabolic syndrome. *American Journal of Clinical Nutrition*, *84*, 1489-1497.
- European Opinion Research Group. (2003). *Physical activity*. Brussels: European Commission.
- Fagard, R. H., & Cornelissen, V. A. (2007). Effect of exercise on blood pressure control in hypertensive patients. *European Journal of Cardiovascular Prevention and Rehabilitation*, *14*, 12-17.
- Fan, L., & Sidani, S. (2009). Effectiveness of diabetes self-management education intervention elements: A meta-analysis. *Canadian Journal of Diabetes*, *33*(1), 18-26.
- Fappa, E., Yannakoulia, M., Pitsavos, C., Skoumas, I., Valourdou, S., & Stefanadis, C. (2008). Lifestyle intervention in the management of metabolic syndrome: Could we improve adherence issues? *Nutrition*, *24*(3), 286-291. doi:10.1016/j.nut.2007.11.008
- Farmer, A. (2007). A self-management approach to patient education for type 2 diabetes was more effective than a didactic approach. *Evidence Based Medicine*, *12*, 140.

- Faugier, J., Lancaster, J., Pickles D, & Dobson, K. (2001). Barriers to healthy eating in the nursing profession: Part 2. *Nursing Standard, 15*(37), 33-35.
- Fedorowski, A., Burri, P., Hulthen, L., & Melander, O. (2009). The metabolic syndrome and risk of myocardial infarction in familial hypertension (Hypertension Heredity in Malmo Evaluation study). *Journal of Hypertension, 27*, 109-117.
- Feunekes, G. I. J., de Graaf, C., Meyboom, S., & van Staveren, W. A. (1998). Food choice and fat intake of adolescents and adults: Associations of intakes within social networks. *Preventive Medicine, 27*, 645-656.
- Fisher, E. B., Brownson, C. A., O'Toole, M. L., Shetty, G., Anwuri, V. V., & Glasgow, R. E. (2005). Ecological approaches to self-management: The case of diabetes. *American Journal of Public Health, 95*, 1523-1535.
- Food and Agriculture Organization. (2009). *The state of food insecurity in the world 2009*. Rome: Author.
- Foster, R. C., Lanningham-Foster, L. M., Manohar, C., McCrady, S. K., Nysse, L. J., Kaufman, K. R., . . . Levine, J. A. (2005). Precision and accuracy of an ankle-worn accelerometer-based pedometer in step counting and energy expenditure. *Preventive Medicine, 41*, 778-783.
- Frank-Stromborgs, M., & Olsen, S. J. (2004). *Instruments for clinical health-care research* (3rd ed., p. 280). Sudbury, MA: Jones and Bartlett.
- Frederick, C. M., & Ryan, R. M. (1993). Differences in motivation for sport and exercise and their relations with participation and mental health. *Journal of Sport Behavior, 16*, 124-146.

- Freedson, P. S., & Miller, K. (2000). Objective monitoring of physical activity using motion sensors and heart rate. *Research Quarterly for Exercise & Sport*, *71*, 21-29.
- Friedenreich, C. M., Courneya, K. S., & Bryant, H. E. (1998). The lifetime total physical activity questionnaire: Development and reliability. *Medicine and Science in Sports and Exercise*, *30*, 266-274.
- Fruchart, J., Sacks, F. M., Hermans, M. P., Assmann, G., Brown, W. V., Ceska, R., . . . Zimmet, P. (2008). The Residual Risk Reduction Initiative: A call to action to reduce residual vascular risk in dyslipidaemic patients. *Diabetes and Vascular Disease Research*, *5*, 319-336. doi:10.1016/S0002-9149(08)01833-X
- Funnell, M. M., Brown, T. L., Childs, B. P., Haas, L. B., Hosey, G. M., Jensen, B., . . . Weiss, M. A. (2009). National standards for diabetes self-management education. *Diabetes Care*, *32*, S87-S94. doi:10.2337/dc09-S087
- Gatenby, S. (1996). Healthy eating: Consumer attitudes, beliefs and behavior. *Journal of Human Nutrition and Dietetics*, *9*, 384-385.
- Gates, P. E., & Seals, D. R. (2006). Decline in large elastic artery compliance with age: A therapeutic target for habitual exercise. *British Journal of Sports Medicine*, *40*, 897-899.
- Gee, M. E., Campbell, N. R., Gwadry-Sridhar, F., Nolan, R. P., Kaczorowski, J., Bienek, A., . . . Walker, R. L. (2012). Antihypertensive medication use, adherence, stops, and starts in Canadians with hypertension. *The Canadian Journal of Cardiology*, *28*, 383-389. doi:10.1016/j.cjca.2012.01.014

- Giannopoulou, I., Ploutz-Snyder, L. L., Carhart, R., Weinstock, R. S., Fernhall, B., Goulopoulou, S., . . . Kanaley, J. A. (2005). Exercise is required for visceral fat loss in postmenopausal women with type 2 diabetes. *The Journal of Clinical Endocrinology & Metabolism*, *90*, 1511-1518.
- Gibney, M. J. (2004, June). *European consumers' attitudes and beliefs about safe and nutritious foods: Concepts, barriers and benefits*. Paper present in proceedings of the International Food Conference 'Thinking beyond tomorrow', Dublin, Ohio.
- Gibson, P. G., Powell, H., Wilson, A., Abramson, M. J., Haywood, P., Bauman, A., . . . Roberts, J. J. L. (2009). Self-management education and regular practitioner review for adults with asthma. *Cochrane Database of Systematic Reviews*, *1*, 1-111. doi:10.1002/14651858.CD001117
- Giugliano, D., Ceriello, A., & Esposito, K. (2008). Are there specific treatments for the metabolic syndrome. *The American Journal of Clinical Nutrition*, *87*, 8-11.
- Glang, K., Rimer, B. K., & Viswanath, K. (2008). *Health behavior and health education: Theory, research, and practice*. San Francisco: Jossey-Bass.
- Glanz, K., Kristal, A. R., Tilley, B. C., & Hirst, K. (1998). Psychosocial correlates of healthful diets among male auto workers. *Cancer Epidemiology, Biomarkers and Prevention*, *7*, 119-126.
- Glasgow, R. E., Davis, C. L., Funnell, M. M., & Beck, A. (2003). Implementing practical interventions to support chronic illness self-management in health care settings: Lessons learned and recommendations. *Joint Commission Journal on Quality and Safety*, *29*, 563-574.

- Glasgow, R. E., Eakin, E. G., Fisher, E. B., Bacak, S. J., & Brownson, R. C. (2001). Physician advice and support for physical activity results from a national survey. *American Journal of Preventive Medicine, 21*, 189-196.
- Glasgow, R. E., Funnell, M. M., Bonomi, A. E., Davis, C., Beckham, V., & Wagner E. H. (2002). Self-management aspects of the improving chronic illness care breakthrough series: implementation with diabetes and heart failure teams. *Annals of Behavioral Medicine, 24*, 80-87.
- Glasgow, R. E., Whitlock, E. P., Valanis, B. G., & Vogt, T. M. (2000). Barriers to mammography and Pap smear screening among women who recently had neither, one or both types of screening. *Annals of Behavioral Medicine, 22*, 223-228.
- Glasgow, R. E., Wilson, W., & McCau, K. D. (1985). Regimen adherence: A problematic construct in diabetes research. *Diabetes Care, 8*, 300-301.
- Grandes, G., Sanchez, A., Sanchez-Pinilla, R. O., Torcal, J., Montoya, I., Lizarrage, K., & Serra, J. (2009). Effectiveness of physical activity advice and prescription by physicians in routine primary care: A cluster randomized control trial. *Archives of Internal Medicine, 169*, 694-701. doi:10.1001/archinternmed.2009.23
- Green, L., & Glasgow, R. (2006). Evaluating the relevance, generalization and applicability of research: Issues in external validation and translation methodology. *Evaluation and the Health Professions, 29*, 126-153.
- Grey, M., Knafl, K., & McCarkle, R. (2006). A framework for the study of self and family management of chronic conditions. *Nursing Outlook, 54*, 278-286.
- Grundy, S. M. (2003). Metabolic syndrome: What is it and how should i treat it? *The American College of Cardiology Current Journal Review, 12*(3), 37-40.

- Grundy, S. M. (2006). Metabolic syndrome: Connecting and reconciling cardiovascular and diabetes world. *Journal of the American College of Cardiology*, *47*, 1093-1100.
- Grundy, S. M., Cleeman, J. I., Daniels, S. R., Donato, K. A., Eckel, R. H., Franklin, B. A., . . . Costa, F. (2005). Diagnosis and management of the metabolic syndrome: An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. *Circulation*, *112*, 2735-2752.
- Grundy, S. M., Cleeman, J. I., Merz, C.N.B., Brewer, H.B., Clark, L.T., Hunninghake, D. B., . . . the Coordinating Committee of the National Cholesterol Education Program. (2004). Implication of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III Guideline. *Circulation*, *110*, 227-239.
- Hampl, J. S., Heaton, C. L., & Taylor, C. A. (2003). Snacking patterns influence energy and nutrient intakes but not body mass index. *Journal of Human Nutrition and Dietetics*, *16*, 3-11.
- Haraldsottir, J., Holm, L., Astrup, A. V., Halkjoer, J., & Stender, S. (2001). Monitoring of dietary change by telephone interviews: Results from Denmark. *Public Health Nutrition*, *4*, 1287-1295.
- Hardcastle, S., Taylor, A., Bailey, M., & Castle, R. (2008). A randomised controlled trial on the effectiveness of a primary health care based counseling intervention on physical activity, diet and CHD risk factors. *Patient Education and Counseling*, *70*, 31-39.

- Haskell, W. L., & Kiernan, M. (2000). Methodologic issues in measuring physical activity and physical fitness when evaluating the role of dietary supplements for physically active people. *American Journal of Clinical Nutrition*, 72, 541s-550s.
- Healy, G. N., Dunstan, D. W., Salmon, J., Shaw, J. E., Zimmet, P. Z., & Owen, N. (2008). Television time and continuous metabolic risk in physically active adults. *Medicine & Science in Sports & Exercise*, 40(4), 639-645.  
doi:10.1249/MSS.0b013e3181607421
- Helsel, D. L., Jakicic, J. M., & Otto, A. D. (2007). Comparison of techniques for self-monitoring eating and exercise behaviors on weight loss in correspondence based intervention. *Journal of the American Dietetic Association*, 107, 1807-1810.
- Hemmingsson, E., Page, A., Fox, K., & Rossner, S. (2001). Influencing adherence to physical activity behaviour change in obese adults. *Scandinavian Journal of Nutrition/Naringsforskning*, 45, 114-119.
- Hildrum, B., Mykletun, A., Hole, T., Midthjell, K., & Dahl, A. A. (2007). Age-specific prevalence of the metabolic syndrome defined by the International Diabetes Federation and the National Cholesterol Education Program: The Norwegian HUNT 2 study. *BMC Public Health*, 7, 220.
- Hill, M. N., Miller, N. H., Degeest, S., Materson, B. J., Black, H. R., Izzo, J. L., . . . Weber, M. A. (2011). Adherence and persistence with taking medication to control high blood pressure. *Journal of the American Society of Hypertension*, 5(1), 56-63. doi:10.1016/j.jash.2011.01.001

- Hoftstetter, C. R., Hovell, M. F., & Sallis, J. F. (1990). Social learning correlates of exercise self-efficacy: Early experiences with physical activity. *Social Science & Medicine*, *31*, 1169-1176.
- Holloszy, J. O. (2005). Exercise-induced increase in muscle insulin sensitivity. *Journal of Applied Physiology*, *99*, 338-343.
- Holloway, A., & Watson, H. E. (2002). Role of self-efficacy and behaviour change. *International Journal of Nursing Practice*, *8*, 106-115.
- Honors, M. A., Davenport, B. M., & Kinzig, K. P. (2009). Effects of consuming a high carbohydrate diet after eight weeks of exposure to a ketogenic diet. *Nutrition & Metabolism*, *6*, 46-54. doi:10.1186/1743-7075-6-46
- Hootman, J. M., Macera, C. A., Ainsworth, B. E., Addy, C. L., Martin, M., & Blair, S. N. (2002). Epidemiology of musculoskeletal injuries among sedentary and physical activity adults. *Medicine and Science in Sport and Exercise*, *34*, 838-844.
- Hu, G., Lindstrom, J., Jousilahti, P., Peltonen, M., Sjoberg, L., Kaaja R., . . . Tuomilehto, J. (2008). The increasing prevalence of metabolic syndrome among Finnish men and women over a decade. *The Journal of Clinical Endocrinology & Metabolism*, *93*, 832-836.
- Hull, E. E. (2007). *Parenthood more likely than marriage to impact physical activity*. Paper presented at the 54<sup>th</sup> Annual Meeting of the American College of Sport Medicine, New Orleans.
- Hultquist, C. N., Albright, C., & Thompson, D. L. (2007). Changes in walking volume during a one-year follow-up study. *Journal of Exercise Physiology*, *10*(2), 24-33.

- Ilanna-Parikka, P., Eriksson, J. G., Lindstrom, I., Peltonen, M., Aunola, S., Hamalainen, H., . . . Tuomilehto, J. (2008). Effect of lifestyle intervention on the occurrence of metabolic syndrome and its components in the Finnish Diabetes Prevention Study. *Diabetes Care*, *31*, 805-807. doi:10.2337/dc07-1117
- Institute of Medicine. (2003). *Priority areas for national action: Transforming health care quality*. Washington, DC: National Academy Press.
- Institute of Nutrition, Mahidol University. (2007). *The way of risk factor reduction that impact on health: Regulation of overweight and obesity*. Bangkok: Author.
- International Chair on Cardiometabolic Risk. (2009). *Waist Circumference Measurement Guideline*. Cardiology Research Center [Web blog post]. Retrieved from [http://www.myhealthywaist.org/evaluating-cmr/clinical-tools/waist-circumference-measurement-guidelines/index\\_app.html](http://www.myhealthywaist.org/evaluating-cmr/clinical-tools/waist-circumference-measurement-guidelines/index_app.html)
- Irala-Estevez, J. D., Groth, M., Johansson, L., Oltersdorf, U., Prattala, R., & Martinez-Gonzalez, M. A. (2000). A systematic review of socioeconomic differences in food habits in Europe: Consumption of fruit and vegetables. *European Journal of Clinical Nutrition*, *54*, 706-714.
- Jakicic, J. M., Marcus, B. H., Gallagher, K. I., Napolitano, M., & Lang, W. (2003). Effect of exercise duration and intensity on weight loss in overweight, sedentary women: A randomized trial. *The Journal of American Medical Association*, *290*, 1323-1330.

- Janiszewski, P. M., & Ross, R. (2007). Physical activity in the treatment of obesity: Beyond body weight reduction. *Applied Physiology, Nutrition, and Metabolism*, *32*, 512-522.
- Janz, K. F. (2002). Heart rate monitors to assess physical activity. In G. J. Welk (Ed.), *Physical activity assessment for health-related research* (pp. 143-162). Champaign, IL: Human Kinetics.
- Johnson, R. K., Appel, L. J., Brands, M., Howard, B. V., Lefevre, M., Lustig, R. H., . . . Wylie-Rosett, J. (2009). Dietary sugar intake and cardiovascular health. *Circulation*, *120*(11), 1011-1020. doi:10.1161/CIRCULATIONAHA.109.192627
- Jonk, A. M., Houben, A., de Jongh, R. T., Sern, E. H., Schaper, N. C., & Stehouwe, C. (2007). Microvascular dysfunction in obesity: A potential mechanism in the pathogenesis of obesity-associated insulin resistance and hypertension. *Physiology*, *22*, 252-260.
- Josse, A. R., Kendall, C., & Jenkins, D. (2007). Dietary management of insulin resistance and the metabolic syndrome. *Current Cardiovascular Risk Reports*, *1*, 24-31.
- Jovicic, A., Holroyd-Leduc, J. M., & Straus, S. E. (2006). Effects of self-management intervention on health outcomes of patients with heart failure: A systematic review of randomized controlled trials. *BMC Cardiovascular Disorders*, *6*, 43-50.
- Kaplan, G. A., Strawbridge, W. J., Cohen, R. D., & Hungerford, L. R. (1996). Natural history of leisure-time physical activity and its correlates: Associations with mortality from all causes and cardiovascular disease over 28 years. *American Journal of Epidemiology*, *144*, 793-797.

- Kearney, M., Gibney, M. J., Martinez, J. A., de Almeida, M. D. V., Friebe, D., Zunft, H. J. F., . . . Kearney, J. M. (1997). Perceived need to alter eating habits among representative samples of adults from all member states of the European Union. *European Journal of Clinical Nutrition*, *51*, S305.
- Kearney, M., Jearney, J. M., Dunne, A., & Gibney, M. J. (2000). Sociodemographic determinants of perceived influences on food choice in a nationally representative sample of Irish adults. *Public Health Nutrition*, *3*, 219-226.
- Keim, N. L., Blanton, C. A., & Kretch, M. J. (2004). America's obesity epidemic measuring physical activity to promote an active lifestyle. *Journal of American Diet Association*, *104*, 1398-1409.
- Kelly, G. A., & Kelly, K. S. (2006). Aerobic exercise and lipids and lipoproteins in men: a meta-analysis of randomized controlled trials. *The journal of Men's Health & Gender*, *3*(1), 61-70.
- Kheirabadi, G. R., Keypour, M., Attaran, N., Bagherian, R., & Maracy, M. R. (2008). Effect of add-on "Self management and behavior modification" education on severity of COPD. *Tanaffos*, *7*(3), 23-30.
- Kim, J. A., Montagnani, M., Koh, K. K., & Quon, M. J. (2006). Reciprocal relationships between insulin resistance and endothelial dysfunction: molecular and pathophysiological mechanisms. *Circulation*, *113*(15), 1888-1904.
- King, A. C., Blair, S. N., Bild, D. E., Dishman, R. K., Dubbert, P. M., Marcus, B. H., . . . Yeager, K. K. (1992). Determinants of physical activity and interventions in adults. *Medicine & Science in Sports & Exercise*, *24*, 221-236.

- King, A. C., Kiernan, M., Ahn, D. K., & Wilcox, S. (1998). The effects of marital transitions on changes in physical activity: Results from a 10-year community study. *Annals of Behavioral Medicine, 20*, 64-69.
- King, D. K., Glasgow, R. E., Toobert, D. J., Strycker, L. A., Estabrooks, P. A., Osuna, D., & Faber, A. J. (2010). Self-efficacy, problem solving, and social-environmental support are associated with diabetes self-management behaviors. *Diabetes Care, 33*(4), 751-753. doi:10.2337/dc09-1746
- Kohinor, M. J. E., Stronks, K., Nicolaou, M., & Halkens, J. A. (2010). Considerations affecting dietary behavior of immigrants with type 2 diabetes: A qualitative study among Surinamese in the Netherlands. *Ethnicity and Health, 16*, 245-258.
- Kohl, H., Fulton, J., & Caspersen, C. J. (2000). Physical activity assessment among children and adolescents: a review and synthesis. *Preventive Medicine, 31*, S54-S76.
- Kongsomboon, K., & Loetthiraphan, S. (2010). Metabolic syndrome and related factors of Thai people on routine health check-up in Her Royal Highness Princess Maha Chakri Sirindhorn Medical Center. *Songkla Medicine Journal, 28*, 145-153.
- Korantzopoulos, P., Elisaf, M., & Milionis, H. J. (2007). Multifactorial intervention in metabolic syndrome targeting at prevention of chronic kidney disease—Ready for prime time? *Nephrology Dialysis Transplantation, 22*(10), 2768-2774.

- Kouvonen, A., Vogli, R. D., Stafford, M., Shipley, M. J., Marmot, M. G., Cox, T., . . . Kivirnaki, M. (2011). Social support and the likelihood of maintaining and improving levels of physical activity: The Whitehall II study. *European Journal of Public Health*, 22(4), 514-548. doi:10.1093/eurpub/ckr091
- Krukowski, R. A., West, D. S., Harvey-Berino, J., & Prewitt, T. E. (2010). Neighborhood impact on healthy food availability and pricing in food stores. *Journal of Community Health Nursing*, 35(3), 315-320. doi:10.1007/s10900-010-9224-y
- Lamonte, M. J., & Ainsworth, B. E. (2001). Quantifying energy expenditure and physical activity in the context of does response. *Medical Science Sports & Exercise*, 33, S370-S378.
- Lappalainen, R., Saba, A., Moles, A., Holm, L., Mykkanen, H., & Gibney, M. J. (1997). Difficulties in trying to eat healthier: descriptive analysis of perceived barriers for healthy eating. *European Journal of Clinical Nutrition*, 51, S36-S40.
- Lawson, P. J., Flocke, S. A., & Casucci, B. (2009). Development of an instrument to document the 5A's for smoking cessation. *American Journal of Preventive Medicine*, 37(3), 248-254. doi:10.1016/j.amepre.2009.04.027
- Le Masurier, G. C., & Tudor-Locke, C. (2003). Comparison of pedometer and accelerometer accuracy under controlled conditions. *Medicine & Science in Sports & Exercise*, 35, 867-871.

- Leitz, G., Barton, K. L., Longbottom, P. J., & Anderson, A. (2002). Can the EPIC food-frequency questionnaire be used in adolescent populations? *Public Health Nutrition*, 5, 783-789.
- Livingstone, M. B. E., Prentice, A. M., Coward, W. A., Strain, J. J., Black, A. E., Davies, P. S. W., . . . Whitehead, R. G. (1992). Validation of estimates of energy intake by weighed dietary record and diet history. *American Journal of Clinical Nutrition*, 56, 29-35.
- Lorig, K., & Holman, H. (2003). Self-management education: History, definition, outcomes, and mechanisms. *Annals of Behavioral Medicine*, 26(1), 1-7.
- Lorig, K., Lubeck, D., Kraines, R. G., Seleznick, M., & Holman, H. R. (1985). Outcomes of self-help education for patients with arthritis. *Arthritis & Rheumatism*, 28, 680-685.
- Lorig, K., Sobel, D., Stewart, A., Brown, W., Bandura, A., Ritter, P., . . . Holman, H. R. (1999). Evidence suggesting that a chronic disease self-management program can improve health status while reducing hospitalization: A randomized trial. *Medical Care*, 37, 5-14.
- Lizzo, J. L., Sica, D., & Black, H. R. (2008). *Hypertension primer* (4th ed.). Philadelphia: Wolters Kluwer Health/Lippincott, Williams & Wilkins.
- Malik, S., Lopez, V., Chen, R., Wu, W., & Wong, N. D. (2007). Undertreatment of cardiovascular risk factors among persons with diabetes in the United States. *Diabetes Research and Clinical Practice*, 77(1), 126-133.

- Margetts, B. M., Thompson, R. L., Speller, V., & McVey, D. (1998). Factors which influence 'healthy' eating patterns: results from the 1993 Health Education Authority health and lifestyle survey in England. *Public Health Nutrition*, *1*, 193-198.
- Marmot, M. (2000). Social determinants of health: from observation to policy. *Medical Journal*, *172*, 379-382
- Matson-Koffman, D. M., Brownstein, J. N., Neiner, J. A., & Greaney, M. L. (2005). A site-specific literature review of policy and environmental interventions that promote physical activity and nutrition for cardiovascular health: What works? *American Journal of Health Promotion*, *19*, 167-193.
- Matsuo, T., Kim, M. K., Murotake, Y., Numao, S., Kim, M. J., Ohkubo, H., & Tanaka, K. (2009). Indirect lifestyle intervention through wives improves metabolic syndrome components in men. *International Journal of Obesity*, *34*(1), 136-145. doi:10.1038/ijo.2009.226
- Matthews, C. E. (2002). Techniques for physical activity assessment. In G. J. Welk (Ed.), *Physical activity assessment for healthrelated research* (pp. 105-123). Champaign, IL: Human Kinetics.
- Mayer-Mihalgki, N., & DeLuca, M. J. (2009). *Effective education leading to behavior change*. Retrieved from <http://www.paragonrx.com/experience/white-papers/effective-education-leading-to-behavior-change/.html>
- McAuley, E., Konopack, J. F., Morris, K. S., Motl, R. W., Hu, L., Doerksen, S. E., & Rosengren, K. (2006). Physical activity and functional limitations in older women: Influence of self-efficacy. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, *61*(5), 270-277.

- McAuley, E., Mullen, S. P., Szabo, A. N., White, S. M., Wojcicki, T. R., Mailey, E. L., . . . Kramer, A. F. (2011). Self-regulatory processes and exercise adherence in older adults. *American Journal of Preventive Medicine, 41*, 284-291. doi:10.1016/j.amepre.2011.04.014
- McBride, C .M., Koehly, L. M., Sanderson, S. C., & Kaphingst, K. A. (2010). The behavioral response to personalized genetic information: Will genetic risk profiles motivate individuals and families to choose more healthful behaviors? *Annual Review of Public Health, 31*, 89-103. doi:10.1146/annurev.publhealth.012809.103532
- McNaughton, S. A., Crawford, D., Ball, K., & Salmon, J. (2012). Understanding determinants of nutrition, physical activity and quality of life among older adults: The wellbeing, eating and exercise for a long life (WELL) study. *Health and Quality of Life Outcomes, 10*, 109-115. doi:10.1186/1477-7525-10-109
- McNeill, L., Kreuter, M., & Subramanian, S. (2006). Social environment and physical activity: a review of concepts and evidence. *Social Science and Medicine, 63*, 1011-1022.
- Melanson, E. L., & Freedson, P. S. (1996). Physical activity assessment: A review of methods. *Critical Reviews in Food Science and Nutrition, 36*, 385-396.
- Melanson, K. J. (2008). Nutrition review: diet and metabolic syndrome. *American Journal of Lifestyle Medicine, 2*, 113-117. doi:10.1177/1559827607311977
- Mestek, M. L. (2009). Physical activity, blood lipid, and lipoproteins. *American Journal of Lifestyle Medicine, 3*, 279-283. doi:10.1177/1559827609334885

- Miller, W. R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change*. New York: Guilford Press.
- Mimura, J., Yuasa, F., Yuyama, R., Kavamura, A., Iwasaki, M., Sugiura, T., & Iwasaka, T. (2005). The Effect of residential exercise training on baroreflex control of heart rate and sympathetic nerve activity in patients with acute myocardial infarction. *Chest*, *127*, 1108-1115.
- Molnar, O., & Livingstone, B. (2000). Physical activity in relation to overweight and obesity in children and adolescents. *European Journal of Pediatrics*, *159*, s45-s55.
- Moore, L. V., Diez Roux, A. V., Nettleton, J. A., & Jacobs, D. R. (2008). Associations of the local food environment with diet quality--A comparison of assessments based on surveys and geographic information systems. *American Journal of Epidemiology*, *167*(8), 917-924. doi:10.1093/aje/kwm394
- Mottillo, S., Filion, K. B., Genest, J., Joseph, L., Pilote, L., Poirier, P., ... Eisenberg, M. J. (2010). The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. *Journal of American College of Cardiology*, *56*(14), 1113-1132. doi:10.1016/j.jacc.2010.05.034
- Murphy, S. L. (2009). Review of physical activity measurement using accelerometers in older adults: Considerations for research design and conduct. *Preventive Medicine*, *48*(2), 108-114. doi:10.1016/j.ypmed.2008.12.001
- National Cholesterol Education Program. (2002). Third report of the National Cholesterol Education Program (NCEP) expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III): Final report. *Circulation*, *106*(25), 3143-3421.

- National Health Examination Survey IV Study Group. (2010). *The Thailand National Health Examination Survey IV*. The Health System Research Institutes, the Bureau of Policies and Strategy, Ministry of Public Health.
- National Heart, Lung, and Blood Institute. (2004). *The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC 7)*. National High Blood Pressure Education Program, August.
- Nestel, P., Lyn, R., Low, L. P., Sheu, W. H., Nitiyanant, W., Saito, I., & Tan, C. E. (2007). Metabolic syndrome: Recent prevalence in East and Southeast Asia populations. *Asia Pacific Journal of Clinical Nutrition, 16*, 362-367.
- New Zealand Health Surveys. (2009). *The social report 2009: Participation in physical activity*. Retrieved from <http://www.socialreport.msd.govt.nz/leisure-recreation/participation-physical-activity.html>
- Nilsson, P. M., Engstrom, G., & Hedblad, B. (2007). The metabolic syndrome and incidence of cardiovascular disease in non-diabetic subjects--A population based study comparing three different definitions. *Diabetic Medicine, 24*, 464-472.
- O'Neill, K., & Reid, G. (1991). Perceived barriers to physical activity by older adults. *Canadian Journal of Public Health, 82*, 392-396.
- Oh, E. G., Bang, S. Y., Hyun, S. S., Chu, S. H., Jeon, J. Y., & Kang, M. S. (2007). Knowledge, perception and health behavior about metabolic syndrome for an at risk group in a rural community area. *Taehan Kanho Hakhoe Chi, 37*, 790-800.

- Oh, E. G., Hyun, S. S., Kim, S. H., Bang, S. Y., Chu, S. H., Jeon, J. Y., & Kang, M. S. (2008). A randomized controlled trial of therapeutic lifestyle modification in rural women with metabolic syndrome: A pilot study. *Metabolism Clinical and Experimental*, *57*(2), 255-261. doi:10.1016/j.metabol.2007.09.009
- Oliver, G., & Wardle, J. (1999). Perceived effects of stress on food choice. *Physiology Behavior*, *66*, 511-515.
- Orozco-Beltrán, D., Gil-Guillen, V. F., Quirce, F., Navarro-Perez, J., Pineda, M., Gomez-de-la-Cámara, A., . . . Serrano-Rios, M. (2007). Control of diabetes and cardiovascular risk factors in patients with type 2 diabetes in primary care. The gap between guidelines and reality in Spain. *International Journal of Clinical Practice*, *61*(6), 909-915.
- Ounsuvan, P. (2010). *Food packaging and its influence on Thai' elderly consumer's food choices* (Unpublished master's thesis). Massey University, Palmerston North, New Zealand.
- Paisley, L., Lloyd, H. M., Sparks, P., & Mela, D. J. (1995). Consumer perceptions of dietary changes for reducing fat intake. *Nutrition Research*, *15*, 1755-1766.
- Pan, S. Y., Cameron, C., DesMeules, M., Morrison, H., Craig, C. L., & Jiang, X. (2009). Individual, social, environmental, and physical environmental correlates with physical activity among Canadians: A cross-sectional study. *BioMed Central Public Health*, *9*, 21. doi:10.1186/1471-2458-9-21
- Pattyn, N., Cornelissen, V. A., ToghiEshghi, S. R., & Vanhees, L. (2013). The effect of exercise on the cardiovascular risk factors constituting the metabolic syndrome. *Sports Medicine*, *43*(2), 121-133. doi:10.1007/s40279-012-0003-z

- Pender, N., Murdaugh, C., & Parsons, M. (2006). *Health promotion in nursing practice* (5th ed., Rev.). Upper Saddle River, NJ: Pearson Prentice Hall.
- Pennathur, A., Magham, R., Contreras, L. R., & Dowling, W. (2003). Daily living activities in older adults: Part I--A review of physical activity and dietary intake assessment methods. *International Journal of Industrial Ergonomics*, 32, 389-404.
- Peters-Klimm, F., Campbell, S., Hermann, K., Kunz, C. U., Muller-Tasch, T., & Szecsenyi, J. (2010). Case management for patients with chronic systolic heart failure in primary care: The HICMan exploratory randomised controlled trial. *Trials*, 11, 56. doi:10.1186/1745-6215-11-56
- Pettee, K. K., Brach, J. S., & Krista, A. M. (2006). Influence of marital status on physical activity levels among older adults. *Journal of the American College of Sports Medicine*, 38, 541-546.
- Pettman, T. L., Misan, G., Owen, K., Warren, K., Coates, A. M., Buckley, J. D., & Howe, P. R. C. (2009). Self-management for obesity and cardio-metabolic fitness: Description and evaluation of the lifestyle modification program of a randomized controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 5(2), 53-67. doi:10.1186/1479-5868-5-53
- Pitsavos, C., Panagiotakos, D., Weinem, M., Stefanadis, C. (2006). Diet, exercise and the metabolic syndrome. *The Review of Diabetes Studies*, 3, 118-126.
- Plasqui, G., & Westerterp, K. R. (2007). Physical activity assessment with accelerometers: An evaluation against doubly labeled water. *Obesity*, 15, 2371-2379.
- Polit, D.F., & Beck, C.T. (2004). *Nursing research: Principle and methods*. Philadelphia, Lippincott and Wilkins.

- Pongchaiyakul, C., Nguyen, T. V., Wanothayaroj, E., Krusun, N., & Klungboonkrong, V. (2007). Prevalence of metabolic syndrome and its relationship to weight in the Thai population. *Journal of Medical Association of Thailand*, *90*, 459-467.
- President's Council on Physical Fitness and Sports. (1996). *A report of the surgeon general: Physical activity and health*. Atlanta: Government Printing Office.
- Ransley, J. K., Donneley, J. K., Khara, T. N., Botham, H., Arnot, H., Greenwood, D. C., & Cade, J. E. (2001). The use of supermarket till receipts to determine the fat and energy intake in a UK population. *Public Health Nutrition*, *4*, 1279-1286.
- Reasner, C. A. (2007). Addressing residual cardiovascular risk. *Practical Diabetology*, *29*, 30-31.
- Reaven, G. M. (2005). The insulin resistance syndrome: definition and dietary approaches to treatment. *Annual Review Nutrition*, *25*, 391-406.
- Reilly, J., Montgomery, C., Jackson, D., MacRitchie, J., & Armstrong, J. (2001). Energy intake by multiple pass 24 h recall and total energy expenditure a comparison in a representative sample of 3-4 year olds. *Birth Journal of Nutrition*, *86*, 601-605.
- Reynolds, K., & Wildman, R. P. (2009). Update on the metabolic syndrome: hypertension. *Current Hypertension Reports*, *11*(2), 150-155.
- Riccardi, G., Giacco, R., & Rivellese, A. A. (2004). Dietary fat, insulin sensitivity and the metabolic syndrome. *Clinical Nutrition*, *23*, 447-456.

- Rikli, R. E. (2000). Reliability, validity, and methodological issues in assessing physical activity in older adults. *Research Quarterly for Exercise & Sport*, *71*, S89-S96.
- Riley, K. M., Glasgow, R. E., & Eakin, E. G. (2001). Resources for health: A social-ecological intervention for supporting self-management of chronic conditions. *Journal of Health Psychology*, *6*, 693-705.
- Rizkalla, S. W., Taghrid, L., Laromiguere, M., Huet, D., Boillot, J., Rigoir, A., . . . Slama, G. (2004). Improved plasma glucose control, whole-body glucose utilization, and lipid profile on a low-glycemic index diet in type 2 diabetic men: A randomized controlled trial. *Diabetes Care*, *27*, 1866-1872.
- Ross, R., & Bradshaw, A. J. (2009). The future of obesity reduction: beyond weight loss. *Nature Review Endocrinology*, *5*(6), 319-325. doi:10.1038/nrendo.2009.78
- Rumawas, M. E., Meigs, J. B., Dwyer, J. T., McKeown, N. M., & Jacques, P. F. (2009). Mediterranean-style dietary pattern, reduced risk of metabolic syndrome traits, and incidence in the Framingham Offspring Cohort. *The American Journal of Clinical Nutrition*, *90*(6), 1608-1614. doi:10.3945/ajcn.2009.27908
- Rutishauser, I. H. E., & Black, A. E. (2002). Introduction to human nutrition. In M. Gibney, H. Vorster, & F. J. Kok (Eds.), *The nutrition society textbook series* (pp. 225-248). Oxford: Blackwell.
- Ryan, P., & Sawin, K. J. (2009). The Individual and Family Self-Management Theory: background and perspectives on context, process, and outcomes. *Nursing Outlook*, *57*, 217-225.

- Sacco, W. P., Malone, J. I., Morrison, A. D., Friedmen, A., & Welly, K. (2009).  
Effect of a brief, regular telephone intervention by paraprofessionals for  
type 2 diabetes. *Journal of Behavioral Medicine*, 32(4), 349-359.  
doi:10.1007/s10865-009-9209-4
- Sahyoun, N. R., Jacques, P. F., Zhang, X. L., Juan, W., & McKeown, N. M. (2006).  
Whole-grain intake is inversely associated with the metabolic syndrome  
and mortality in older adults. *American Journal of Clinical Nutrition*, 83,  
124-131.
- Schenk, S., Harber, M. P., Shrivastava, C. R., Burant, C. F., & Horowitz, J. F. (2009).  
Improved insulin sensitivity after weight loss and exercise training is  
mediated by a reduction in plasma fatty acid mobilization, not enhanced  
oxidative capacity. *The Journal of Physiology*, 587, 4949-4961.  
doi:10.1113/jphysiol.2009.175489
- Schmitz, M. K. H., Jacobs, D. R., French, S., Lewis, C. E., Caspersen, C. J., &  
Sternfeld, B. (1999). The impact of becoming a parent on physical activity:  
the CARDIA Study. *Circulation*, 99, 101-108.
- Schutzer, K. A., & Graves, B. S. (2004). Barriers and motivations to exercise in older  
adults. *Preventive Medicine*, 39, 1056-1061.
- Schwartz, J., & Byrd-Bredbenner, C. (2006). Portion distortion: Typical portion sizes  
selected by young adults. *Journal of the American Dietetic Association*,  
106, 1412-1418.

- Seligman, H. K., Bindman, A. B., Vittinghoff, E., Kanaya, A. M., & Kushel, M. B. (2007). Food insecurity is associated with diabetes mellitus: Results from the National Health Examination and Nutrition Examination Survey (NHANES) 1999-2002. *Internal General Medicine, 22*, 1018-1023.
- Serra-Majem, L., Roman, B., & Estruch, R. (2006). Scientific evidence and interventions using the Mediterranean diet: A systematic review. *Nutrition Review, 64*(2), S27-S47.
- Shaw, B. A., & Spokane, L. S. (2008). Examining the association between education level and physical activity changes during early old age. *Journal of Aging Health, 20*(7), 767-787. doi:10.1177/0898264308321081
- Sheard, N. F., Clark, N. G., Brand-Miller, J. C., Frang, M. J., Pi-Sunyer, F. X., Mayer-Davis, E., . . . Geil, P. (2004). Dietary carbohydrate (amount and type) in the prevention and management of diabetes. *Diabetes Care, 27*, 2266-2271.
- Shephard, R. J. (2003). Limits to the measurement of habitual physical activity by questionnaires. *British Journal of Sports Medicine, 37*, 197-206.
- Sherwood, N. E., & Jeffery, R. W. (2000). The behavioral determinants of exercise: Implications for physical activity interventions. *Annual Review Nutrition, 20*, 21-44.
- Skinner, J. S. (2006). Aging for exercise testing and exercise prescription. In J. S. Skinner (Ed.), *Exercise testing and exercise prescription for special cases: Theoretical basis and clinical application* (pp. 85-99). Philadelphia: Lippincott Williams & Wilkins.

- Slentz, C. A., Duscha, B. D., Johnson, J. L., Ketchum, K., Aiken, L. B., Samsa, G. P., . . . Kraus, W. E. (2004). Effects of the amount of exercise on body weight, body composition, and measures of central obesity: STRRIDE--A randomized controlled study. *Archives of Internal Medicine, 164*, 31-39.
- Slingerland, A. S., van Lenthe, F. J., Jukema, J. W., Kamphuis, C. B. M., Looman, C., Giskes, K., . . . Brug, J. (2007). Aging, Retirement, and changes in physical activity: Prospective cohort findings from the GLOBE study. *American Journal of Epidemiology, 165*(12), 1356-1363.
- Sorensen, G., Hunt, M. K., Cohen, N., Stoddard, A., Stein, E., Phillips, F. B., . . . Palombo, R. (1998). Worksite and family education for dietary change: The Treatwell 5-a-Day program. *Health Education Research, 13*(4), 577-591.
- Sorensen, G., Stoddard, A., & Macario, E. (1998). Social support and readiness to make dietary changes. *Health Education and Behavior, 25*, 586-598.
- Sorensen, L. B., Moller, P., Flint, A., Martens, M., & Raben, A. (2003). Effect of sensory perception of foods on appetite and food intake: A review of studies on humans. *International Journal Obesity Related Metabolism Disorder, 27*, 1152-1166.
- Springer, A. E., Kelder, S. H., & Hoelscher, D. M. (2006). Social support, physical activity and sedentary behavior among 6th grad girl: A cross sectional study. *International Journal of Behavioral Nutrition and Physical Activity, 3*, 8-16.
- Steiner, J. E. (1977). Facial expressions of the neonate infant indicating the hedonics of food related chemical stimuli. In J. Weiffenbach (Ed.), *Taste and development: The genesis of sweet preference* (p. 173). Washington, DC: U.S. Government Printing Office.

- Stele, G. I. (1998). *The small group approach in the teaching process*. Old Columbia Pike: Silver Spring.
- Stewart, A. L., Mills, K. M., King, A. C., Haskell, W. L., Gillis, D., & Ritter, P. L. (2001). CHAMPS Physical Activity Questionnaire for older adults: Outcomes for interventions. *Medicine & Science in Sports & Exercise*, *33*, 1126-1141.
- Stone, N. J., & Saxon, D. (2005). Approach to treatment of the patient with metabolic syndrome: Lifestyle therapy. *American Journal of Cardiology*, *96*(4A), 15E-21E.
- Stubbs, R. J., van Wyk, M. C., Johnstone, A. M., & Harbron, C. G. (1996). Breakfasts high in protein, fat or carbohydrate: Effect on within day appetite and energy balance. *European Journal of Clinical Nutrition*, *50*, 409-417.
- Sullivan, P. W., Ghushchyan, V., Wyatt, H. R., Wu, E. Q., & Hill, J. O. (2007) Productivity costs associated with cardiometabolic risk factor clusters in the United States. *Value Health*, *10*, 443-450.
- Tan, C., Ma, S., Wai, D., Chew, S., & Tai, E. (2004). Can we apply the National Cholesterol Education Program adult treatment panel definition of the metabolic syndrome to asians? *Diabetes Care*, *27*(5), 1182-1186.
- Tanomsup, S., Aekplakorn, W., Sritara, P., Woodward, M., Yamwong, S., Tunlayadechanont, S., . . . Rajatanavin, R. (2007). A comparison of components of two definitions of the metabolic syndrome related to cardiovascular disease and all-cause mortality in a cohort study in Thailand. *Diabetes Care*, *30*(8), 2138-2140.

- Thato, R.J.R, & Dusitsin, N. (2008). Effects of the culturally-sensitive comprehensive sex education programme among Thai secondary school students. *Journal complication*, Blackwell Publishing Ltd, 457-469.
- Thompson, P., Buchner, D., Pina, I. L., Balady, G. J., Williams, M. A., Marcus, B. H., . . . Wenger, N. K. (2003). Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease. *Circulation*, *107*, 3109-3116.
- Tonstad, S., Alm, C. S., & Sandvik, E. (2007). Effect of nurse counseling on metabolic risk factors in patients with mild hypertension: A randomized controlled trial. *European Journal of Cardiovascular Nursing*, *6*, 160-164.
- Trembath, E. M., Szabo, A., & Baxter, M. J. (2002). Participation motives in leisure center physical activities. *Athletic Insight*, *4*(3), 28-41.
- Tudor-Locke, C., & Bassett, D. R.. (2004). How many steps per day are enough? Preliminary pedometer indices for public health. *Sport Medicine*, *34*, 1-8.
- U.S. Department of Health and Human Services. (2008). *Physical activity guidelines advisory committee reprot*. Washington, DC: Author.
- Valanou, E. M., Bamia, C., & Trichopoulou, A. (2006). Methodology of physical activity and energy expenditure assessment: A review. *Journal of Public Health*, *14*, 58-65.
- Van Hoye, K. V., Boen, F., & Lefevre, J. (2012). The effects of physical activity feedback on behavior and awareness in employees: Study protocol for a randomized controlled trial. *International Journal of Telemedicine Applications*, Article ID 460712. doi:10.1155/2012/460712

- Varo, J. J., Martinez-Gonzalez, M. A., De Irala-Estevez, J., Kearney, J., Gibney, M., & Martinez, J. A. (2003). Distribution and determinants of sedentary lifestyles in the European Union. *International Journal of Epidemiology*, 32, 138-146.
- Villareal, D. T., Miller, B. V., Banks, M., Fontana, L., Sinacore, D. R., & Klein, S. (2006). Effect of lifestyle intervention on metabolic coronary heart disease risk factors in obese older adults. *American Journal of Clinical Nutrition*, 84, 1317-1323.
- Visseren, F. L. J. (2008). Vascular consequences of metabolic syndrome in early life. *European Heart Journal*, 29, 693-694.
- Wagner, E. H. (2001). Meeting the needs of chronically ill people. *British Medical Journal*, 323, 945-946.
- Wang, J., Sereika, S. M., Chasens, E. R., Ewing, L. J., Matthews, J. T., & Burke, L. E. (2012). Effect of adherence to self-monitoring of diet and physical activity on weight loss in a technology-supported behavioral intervention. *Patient Prefer Adherence*, 6, 221-226. doi:10.2147/PPA.S28889
- Wang, X., Lyles, M. F., You, T., Berry, M. J., Rejeski, W. J., & Nicklas, B. J. (2008). Weight regain is related to decrease in physical activity during weight loss. *Medical Science Sport and Exercise*, 40, 1781-1788.
- Wansink, B. (2004). Environmental factors that increase the food intake and consumption volume of unknown consumers. *Annual Review Nutrition*, 24, 455-479.
- Wansink, B., & Van Ittersum, K. (2007). Portion size me: downsizing our consumption norms. *American Dietetic Association*, 107, 1103-1106.

- Wardle, J., Steptoe, A., Oliver, G., & Lipsey, Z. (2000). Stress, dietary restraint and food intake. *Journal of Psychosomatic Research, 48*, 195-202.
- Washburn, R. A. (2000). Assessment of physical activity in older adults. *Research Quarterly for Exercise & Sport, 71*, S79-S88.
- Wattana, C., Srisuphan, W., Pothiban, L., & Upchurch, S. L. (2007). Effects of a diabetes self-management program on glycemic control, coronary heart disease risk, and quality of life among Thai patients with type 2 diabetes. *Nursing and Health Science, 9*, 135-141.
- Welk, G. J. (2002). Use of accelerometry-based activity monitors to assess physical activity. In G. J. Welk (Ed.), *Physical activity measurement for health related research* (pp. 125-141). Champaign, IL: Human Kinetics.
- Westerterp, K. R. (2008). Physical activity as determinant of daily energy expenditure. *Physiology & Behavior, 93*, 1039-1043. doi:10.1016/j.physbeh.2008.01.021
- Whaley-Connell, A., & Sowers, J. R. (2009). Hypertension and insulin resistance. *Hypertension, 54*, 462-464. doi:10.1161/HYPERTENSIONAHA.109.134460
- Whitemore, R., Melkus, G. D., & Grey, M. (2005). Metabolic control, self-management and psychosocial adjustment in women with type 2 diabetes mellitus. *Journal of Clinical Nurse, 14*, 195-203.
- Whitlock, E. P., Orleans, C. T., Pender, N., & Allan, J. (2002). Evaluating primary care behavioral counseling interventions: an evidence-based approach. *American Journal of Preventive Medicine, 22*, 267-284.
- Winninger, S. R. (2007). Self-determination theory and exercise behavior: An examination of the psychometric properties of the exercise motivation scale. *Journal of Applied Sport Psychology, 19*, 471-486.

- Wood, L. H., & Fernandez, M. L. (2009). Carbohydrate-restricted versus low-glycemic-index diets for the treatment of insulin resistance and metabolic syndrome. *Nutrition Reviews*, 67(3), 179-183. doi:10.1111/j.1753-4887.2009.00186.x
- World Health Organization. (2006). *The world health report 2006: Working together for health*. Switzerland: World Health Organization.
- Worsley, A., & Crawford, D. (1985). Awareness and compliance with the Australian dietary guidelines. A descriptive study of Melbourne residents. *Nutrition Research*, 5, 1291-1308.
- Yuh-Min, C. (2010). Perceived barriers to physical activity among older adults residing in long-term care institutions. *Journal of Clinical Nursing*, 19(12), 432-439. doi:10.1089/jwh.2009.1879
- Zunft, H. J. F., Friebe, D., Seppelt, B., Widhalm, K., Remaut de Winter, A. M., Vas de Almeida, M. D., . . . Gibney, M. (1999). Perceived benefits and barriers to physical activity in a nationally representative sample in the European Union. *Public Health Nutrition*, 2(1A), 153-160.