189178

ผู้ป่วยที่รับเข้าพักรักษาในหอผู้ป่วยพิเศษรวม โรงพยาบาลพิจิตร ส่วนใหญ่เป็นผู้ป่วย โรคเบาหวาน โรคความคันโลหิตสูง และโรคระบบทางเดินอาหาร บุคลากรพยาบาลจึงต้องใช้เวลา ส่วนใหญ่ปฏิบัติกิจกรรมการพยาบาลให้แก่ผู้ป่วยเหล่านี้ แต่ยังไม่ปรากฏว่ามีรายงานต้นทุนที่ใช้ใน การปฏิบัติกิจกรรมการพยาบาลสำหรับผู้ป่วยกลุ่มนี้ ดังนั้นการศึกษานี้จึงมีวัตถุประสงค์เพื่อ วิเคราะห์ต้นทุนกิจกรรมการพยาบาลสำหรับผู้ป่วยทั้งสามประเภท โดยศึกษาตั้งแต่วันที่ 15 กรกฎาคม 2547 ถึง 15 กันยายน 2547 ซึ่งในระยะนี้มีผู้ป่วยที่เข้าพักรักษาในหอผู้ป่วยพิเศษรวม จำนวน 22 กน เป็นผู้ป่วยโรกเบาหวาน 6 กน โรกกวามดันโลหิตสูง 10 กน และ โรกระบบทางเดินอาหาร 6 คน มีบุคลากรพยาบาลที่ให้บริการจำนวน 9 คน เป็นพยาบาลวิชาชีพ 5 คน ผู้ช่วยเหลือคนไข้ 4 คน เครื่องมือที่ใช้ในการศึกษาประกอบด้วยพจนานุกรมกิจกรรมการพยาบาลผู้ป่วยโรคเบาหวาน โรคความคันโลหิตสูง และ โรคระบบทางเดินอาหาร แบบบันทึกข้อมูลต้นทุนค่าแรง ต้นทุน ้ค่าลงทุน ต้นทุนค่าวัสดุสิ้นเปลือง และ เวลาที่ใช้ในการปฏิบัติกิจกรรมการพยาบาล และนาฬิกา ดิจิตอลจับเวลา ดำเนินการศึกษาตามหลักปฏิบัติการ 4 ขั้นตอน ของแคปแพลน และ ดูเปอร์ ผลการวิเคราะห์พบว่าต้นทุนกิจกรรมการพยาบาลผู้ป่วยโรคเบาหวานเท่ากับ 1,384.05 บาท ด้นทุนกิจกรรมการพยาบาลผู้ป่วยโรคความคันโลหิตสูงเท่ากับ 957.75 บาท และค้นทุนกิจกรรม การพยาบาลผู้ป่วยโรคระบบทางเดินอาหารเท่ากับ 640.02 บาท ซึ่งผู้บริหารทางการพยาบาล สามารถนำผลการศึกษานี้ไปใช้เป็นข้อมูลพื้นฐานในการกำหนดค่าบริการการพยาบาล การมอบหมายงานและการวางแผนงบประมาณในการคำเนินงานของหอผู้ป่วยพิเศษรวม โรงพยาบาลพิจิตรในอนาคต

189178

Clients admitted in the private ward at Phichit Hospital mostly are those with Diabetes Mellitus (DM), hypertension, and gastrointestinal diseases. Nursing personnel must spend most of their nursing time to provide care for these particular clients. However, there is no reported cost of the nursing activity provision for them. This study, therefore, aimed to analyze the cost of nursing activities for these 3 groups of clients. This study was conducted during July 15, 2004 to September 15, 2004. During the period of the study there were 22 clients admitted in the studied ward; 6 had DM, 10 had hypertension and 6 had gastrointestinal diseases; and 9 nursing personnel including 5 professional nurses and 4 nurse aides, responsible for nursing care. The instruments used in this study included a dictionary regarding nursing activities for clients with DM, hypertension, and gestrointestinal diseases; the record forms for the data of labour cost, capital cost, material cost, and time spent in nursing activities; and a digital clock. The study was conducted based on 4 operational steps introduced by Kaplan and Cooper. The results of the data analyses revealed that the cost of the overall nursing activity for the clients with diabetes was 1,384.05 Baht; that for hypertension clients was 957.75 Baht; and that for those with gastrointestinal diseses was 270.64 Baht. The nursing administrators can use the results of this study as the data bases for determining the price of the nursing activities, work assignment, and operational budgetting for the private ward at Phichit Hospital in the future.