

เอกสารอ้างอิง

- กล้าณรงค์ ศรีรอด และ เกื้อกุล ปิยะจอมขวัญ. 2546. เทคโนโลยีแป้ง. สำนักพิมพ์ มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ. หน้า 126-178.
- ฉิรนนท์ คุณานพรัตน์. 2543. อิทธิพลของปริมาณอะมิโลสที่มีต่อการดูดซับน้ำมันของโดทอดแบบจุ่ม. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิศวกรรมอาหาร คณะวิศวกรรมศาสตร์. มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี. กรุงเทพฯ. หน้า 11-55.
- นิธิยา รัตนปนนท์. 2549. เคมีอาหาร. สำนักพิมพ์โอเดียนสโตร์. กรุงเทพฯ. หน้า. 107-110,189-199.
- AACC, 1986. AACC, Oil content. In: *Approved Methods of the American Association of Cereal Chemists*, AACC, St Paul, MN.
- Altunakar, B., Sahin, S. and Sumnu, G. 2004. Functionality of batters containing different starch types for deep-fat frying of chicken nuggets. *Journal of European Food Research and Technology*. Vol. 218. pp.318-322.
- AOAC. 1995. Official Methods of Analysis. 16th edition. The Association of Official Analytical Chemists. Vol. 1. pp.1-108.
- Baur, F.J. 1995. Nutritional aspects of oils and fats. In *Food oils and fats: technology, utilization and nutrition*. Chapman&Hill. New York. pp 203-280.
- Berry, S.K., Sehgal, R.C. and Kalra, C.L. 1999. Comparative oil uptake by potato chips during frying under different conditions. *Journal of Food Science and Technology*. Vol. 36. No. 6. pp. 519-521.
- Blazek, J. and Copeland, L. 2008. Pasting and swelling properties of wheat flour and starch in relation to amylose content. *Carbohydrate Polymers*. Vol. 71. No.3. pp. 380-387.
- Dana, D. and Saguy, I.S. 2006. Review: Mechanism of oil uptake during deep-fat frying and the surfactant effect-theory and myth. *Journal of Advances in Colloid and Interface Science*. Vol. 128. pp. 267-272.

- Glew, G. 1988. Large-scale catering. Frying of food, principle, changes, new approaches.(Verela, G., Bender, A.E. and Morton I.D. eds). Ellis Horwood. Chichester. pp. 191-198.
- Juliano, B. O. 1971. A simplified assay for milled-rice amylose. *Cereal Science Today*. Vol.16. pp.334.
- Krokida, M. K., Oreopoulou, V. and Maroulis, Z. B. 2000. Water loss and oil uptake as a function of frying time. *Journal of Food Engineering*. Vol. 44. No.1. pp. 39-46.
- Light, J.M. 1990. Modified Food Starch, National Starch and Chemical Co.
- Naruenartwongsakula, S., Chinnan, M.S., Bhumiratana, S. and Yoovidhya, T. 2004. Pasting characteristics of wheat flour-based batters containing cellulose ethers. *LWT*. Vol. 37. No.4. pp. 489-495.
- Ngadi, M., Li, Y. and Oluka, S. 2006. Quality changes in chicken nuggets fried in oils with different degrees of hydrogenation. Vol. 40. No. 10. pp. 1784-1791.
- Salvador, A., Sanz, T. and Fiszman, S.M. 2004. Effect of the addition of different ingredients on the characteristics of a batter coating for fried seafood prepared without a pre-frying step. *Journal of Food Hydrocolloids*. Vol.19. No.4. pp.703-708.
- Salvador, A., Sanz, T. Fiszman, S.M. 2007. Performance of methyl cellulose in coating batters for fried products. *Journal of Food Hydrocolloids*. Vol.22. No.6. pp.1062-1067.
- Sanz, T., Salvador, A. and Fiszman, S.M. 2002. Effect of concentration and temperature on properties of methylcellulose-added batters Application to battered, fried seafood. *Journal of Food Hydrocolloids*. Vol.18. No.1. pp.127-131.
- Sanz, T., Salvador, A. and Fiszman, S.M. 2005. Thermogelation properties of methylcellulose (MC) and their effect on a batter formula. *Journal of Food Hydrocolloids*. Vol.19. No.1. pp. 141-147.

Sanz, T., Salvador, A. & Fiszman, S.M. 2007. Resistant starch (RS) in battered fried products: Functionality and high-fibre benefit. *Journal of Food Hydrocolloids*. Vol.22. No.4. pp. 543-549.

Verlinden, B.E., Nicolai, B.M. and Baerdemaeker, J.D. 1995. The starch gelatinization in potatoes during cooking in relation to the modeling of texture kinetics. *Journal of Food Engineering*. Vol. 24. No.2. pp.165-179.

Zaidul, I. S. M., Yamauchi, H., Kim, S. J., Hashimoto, N., and Noda, T. 2007. RVA study of mixtures of wheat flour and potato starches with different phosphorus content. *Journal of Food Chemistry*. Vol. 102. pp. 1105–1111.