

REFERENCES

Agostini, B., Thome, J.R., Fabbri, M., Michel, B., Calmi, D. and Kloter, U., 2008, “High Heat Flux Flow Boiling in Silicon Multi-Microchannels–Part I: Heat Transfer Characteristics of Refrigerant R236fa”, **International Journal of Heat and Mass Transfer**, vol. 51, pp. 5400-5414.

Agostini, B., Thome, J.R., Fabbri, M., Michel, B., Calmi, D. and Kloter, U., 2008, “High Heat Flux Flow Boiling in Silicon Multi-Microchannels–Part II: Heat Transfer Characteristics of Refrigerant R245fa”, **International Journal of Heat and Mass Transfer**, vol. 51, pp. 5415-5425.

Agostini, B., Revellin, R., Thome, J.R., Fabbri, M., Michel, B., Calmi, D. and Kloter, U., 2008, “High Heat Flux Flow Boiling in Silicon Multi-Microchannels – Part III: Saturated Critical Heat Flux of R236fa and Two-Phase Pressure Drops”, **International Journal of Heat and Mass Transfer**, vol. 51, pp. 5426-5442.

Akers, W.W., Deans, H.A. and Crosser, O.K., 1958, “Condensing Heat Transfer within Horizontal Tubes”, **Chem. Eng. Prog.**, vol. 54, pp. 89-90.

Bao, Z.Y., Fletcher, D.F. and Haynes, B.S., 2000, “Flow Boiling Heat Transfer of Freon R11 and HCFC123 in Narrow Passages”, **International Journal of Heat and Mass Transfer**, vol. 43, pp. 3347-3358.

Beattie, D.R.H. and Whalley, P.B., 1982, "A Simple Two-Phase Frictional Pressure Drop Calculation Method", **International Journal of Multiphase Flow**, vol. 8, pp. 83-87.

Bertsch, S.S., Groll, E.A. and Garimella, S.V., 2008, "Refrigerant Flow Boiling Heat Transfer in Parallel Microchannels as a Function of Local Vapor Quality", **International Journal of Heat and Mass Transfer**, vol. 51, pp. 4775-4787.

Bertsch, S.S., Groll, E.A. and Garimella, S.V., 2009, "Effects of Heat Flux, Mass Flux, Vapor Quality, and Saturation Temperature on Flow Boiling Heat Transfer in Microchannels", **International Journal of Multiphase Flow**, vol. 35, pp. 142-154.

Chen, I.Y., Yang, K.S., Chang, Y.J. and Wang, C.C., 2001, "Two-Phase Pressure Drop of Air-Water and R-410A in Small Horizontal Tubes", **International Journal of Multiphase Flow**, vol. 27, pp. 1293-1299.

Chen, T., Garimella and S.V., 2006, "Measurements and High-speed Visualization of flow Boiling of a Dielectric Fluid in a Silicon Microchannel Heat Sink", **International Journal of Multiphase Flow**, vol. 32, pp. 957-971.

Chen, T. and Garimella, S.V., 2006, "Flow Boiling Heat Transfer to a Dielectric Coolant in a Microchannel Heat Sink", **IEEE Transactions on Components and Packaging Technologies**, vol. 30, pp. 24-31.

Chisholm. D., 1967, “A Theoretical Basis for the Lockhart Martinelli Correlation for Two-Phase Flow”, **International Journal of Heat and Mass Transfer**, vol. 10, pp.1767-1778.

Choi, K. I., Pamitran, A. S., Oh, C. Y. and Oh, J. T., 2007, “Boiling Heat Transfer of R-22, R-134a, and CO₂ in Horizontal Smooth Minichannels”, **International Journal of Refrigeration**, vol. 30, pp. 1336-1346.

Choi, K.-I., Pamitran, A.S., Oh, C.-Y., and Oh, J.-T., 2008, “Two-phase pressure drop of R-410A in Horizontal Smooth Minichannels”, **International Journal of Refrigeration**, vol. 31, pp. 119-129.

Cicchitti, A., Lombardi, C., Silvestri, M., Soldaini, G. and Zavalluilli, R., 1960, “Two-Phase Cooling Experiments-Pressure Drop: Heat Transfer and Burnout Measurements”, **Energia Nucleare**, vol. 7, pp. 407-425.

Distus, F.W. and Boelter, L.M.K., 1930, “Heat transfer in Automobile Radiators of the Tubular Type”, **University of California Publications on Engineering**, vol. 2, pp. 443-461.

Dukler, A.E., Wicks, M. and Cleaveland, R.G., 1964, “Pressure Drop and Hold Up in Two-Phase Flow”, **AIChE Journal**, vol. 10, pp. 38-51.

Fang, X., 2013, “A New Correlation of Flow Boiling Heat Transfer Coefficients Based on R134a Data”, **International Journal of Heat and Mass Transfer**, vol. 66, pp. 279-283.

Friedel, L., 1979, **Improved Friction Pressure Drop Correlations for Horizontal and Vertical Two-Phase Pipe Flow**, in: European Two-phase Group Meeting, Ispra, Italy, Paper E2.

Garimella, S.V., Singhal, V. and Liu, D., 2006, “On-Chip Thermal Management with Microchannel Heat Sinks and Integrated Micropumps”, **Proceeding of the IEEE.**, vol. 94, pp.1534-1548.

Gnielinski, V., 1976, “New Equation for Heat And Mass Transfer in Turbulent Pipe and Channel Flow”, **International Chemical Engineering**, vol.16, pp. 359-368.

Harirchian, T. and Garimella, S.V., 2008, “Microchannel size effects on Local Flow Boiling Heat Transfer to Dielectric Fluid”, **International Journal of Heat and Mass Transfer**, vol. 51, pp. 3724-3735.

Hwang, Y.W. and Kim, M.S., 2006, “The Pressure Drop in Microtubes and the Correlation Development”, **International Journal of Heat and Mass Transfer**, vol. 49, pp. 1804-1812.

Incopera, F.P. and Dewitt, D.P., 1996, “Fundamentals of Heat and Mass Transfer, 6th ed.”, **John Wiley and Sons**, pp. 514-515.

J.G., Collier and J.R., Thome, 1994, “Convective Boiling and Condensation, 3rd ed.”, **Oxford University Press**, pp. 106-111.

Jung, D.S. and Radermacher, R., 1989, "Prediction of Pressure Drop during Horizontal Annular flow Boiling of Pure and Mixed Refrigerants", **International Journal of Heat and Mass Transfer**, vol. 32, pp. 2435-2446.

Kandlikar, S. G. and Balasubramanian, P., 2004, "An Extension of the Flow Boiling Correlation to Transition, Laminar and Deep Laminar Flows in Minichannels and Microchannels", **Heat Transfer Engineering**, vol. 25, pp. 86-93.

Kandlikar, S.G., 2002, "Two-Phase Flow Patterns, Pressure Drop and Heat Transfer during Boiling in Minichannel Flow Passages of Compact Evaporators", **Heat Transfer Engineering**, vol. 23, pp. 5-23.

Kim, S.-M. and Mudawar, I., 2013, "Universal approach to predicting saturated Flow boiling heat transfer in mini/micro-channels. Part II: Two-Phase Heat Transfer Coefficient", **International Journal of Heat and Mass Transfer**, vol. 64, pp. 1239-1256.

Kuo, C.S. and Wang, C.C., 1996, "In-Tube Evaporation of HCFC-22 in a 9.52 mm Micro-Fin/Smooth Tube", **International Journal of Heat and Mass Transfer**, vol. 39, pp. 2559-2569.

Lazarek, G.M. and Black, S.H., 1982, "Evaporative Heat Transfer, Pressure Drop and Critical Heat Flux in a Small Vertical Tube with R-113", **International Journal of Heat and Mass Transfer**, vol. 25, pp. 945-959.

Lee, H. J., and Lee, S. Y., 2001, "Heat Transfer Correlation for Boiling Flows in Small Rectangular Horizontal Channels with Low Aspect Ratios", **International Journal of Multiphase Flow**, vol. 27, pp. 2043-2062.

Lee, H.J. and Lee, S.Y., 2001, "Pressure Drop Correlations for Two-Phase Flow within Horizontal Rectangular Channels with Small Heights", **International Journal of Multiphase Flow**, vol. 27, pp. 783-796.

Lee, J. and Mudawar, I., 2005, "Two-phase Flow in High-Heat-Flux Micro-Channel Heat Sink for Refrigeration Cooling Applications: Part I: Pressure Drop Characteristics", **International Journal of Heat and Mass Transfer**, vol. 48, pp. 928-940.

Lee, J. and Mudawar, I., 2005, "Two-Phase Flow in High-Heat-Flux Micro-Channel Heat Sink for Refrigeration Cooling Applications: Part II: Heat Transfer Characteristics", **International Journal of Heat and Mass Transfer**, vol. 48, pp. 941-955.

Li, W., and Wu, Z., 2010, "A General Criterion for Evaporative Heat Transfer in Micro/Mini-Channels", **International Journal of Heat and Mass Transfer**, vol. 53, pp. 1967-1976.

Li, W. and Wu, Z., 2011, "Generalized Adiabatic Pressure Drop Correlations in Evaporative Micro/Mini-Channels", **Experimental Thermal and Fluid Science**, vol. 35, pp. 866-872.

Lin, S., Kwok, C.C.K., Li, R.Y., Chen, Z.H. and Chen, Z.Y., 1991, “Local Frictional Pressure Drop during Vaporization of R-12 through Capillary Tubes”, **International Journal of Multiphase Flow**, vol. 17, pp. 95-102.

Lockhart, R.W. and Martinelli, R.C., 1949, “Proposed Correlation of Data for Isothermal Two-Phase, Two-Component flow in Pipes”, **Chem. Eng. Prog.**, vol. 45, pp. 39-48.

McAdams, W.H., Woods, W.K. and Heroman, L.C., 1942, “Vaporization inside Horizontal Tubes, II. Benzene–Oil Mixture”, **Trans. ASME**, vol. 64, pp. 193-200.

Mishima, K. and Hibiki, T., 1996, “Some characteristics of Air–Water Two-Phase Flow in Small Diameter Vertical Tubes”, **International Journal of Multiphase Flow**, vol. 22, pp. 703-712.

Müller-Steinhagen, H. and Heck, K., 1986, “A Simple Friction Pressure Drop Correlation for Two-Phase flow in Pipes”, **Chem. Eng. Process.**, vol. 20, pp. 297-308.

Nascimento, F. J. D., Leão, H. L. S. L. and Ribatski, G., 2013, “An Experimental Study on Flow Boiling Heat Transfer of R134a in a Microchannel-Based Heat Sink”, **Experimental Thermal and Fluid Science**, vol. 45, pp. 117-127.

Owens, W.L., 1961, **Two-Phase Pressure Gradient**, in: Int. Dev. Heat Transfer, Pt. II., ASME, New York.

Pamitran, A.S., Choi, K.-I., Oh, J.-T., and Oh, H.-K., 2008, “Two-Phase Pressure Drop during CO₂ Vaporization in Horizontal Smooth Minichannels”, **International Journal of Refrigeration**, vol. 31, pp. 1375-1383.

Pehlivan, K., Hassan, I. and Vaillancourt, M., 2006, “Experimental Study on Two-Phase Flow and Pressure Drop in Millimeter Sized Channels”, **Applied Thermal Engineering**, vol. 26, pp.1506-1514.

REFPROP, NIST, 1998, **Refrigerant Properties Database 23**, Gaithersburg, MD, Version 6.01.

S.M. Zivi, 1964, “Estimation of Steady-State Steam Void-Fraction by Means of the Principle of Minimum Entropy Production”, **J. Heat Transfer Trans. ASME**, vol. 86, pp. 247-252.

Saitoh, S., Daiguji, H. and Hihara, E., 2005, “Effect of Tube Diameter on Boiling Heat Transfer of R134a in Horizontal Small Diameter Tubes”, **International Journal of Heat and Mass Transfer**, vol. 48, pp. 4973-4984.

Saraceno, L., Celata, G.P., Furrer, M., Mariani, A. and Zummo, G., 2012, “Flow Boiling Heat Transfer of Refrigerant FC-72 in Microchannels”, **International Journal of Thermal Sciences**, vol. 53, pp. 35-41.

Sharma, P. R., Lee, A., Harrison, T., Martin, E. and Krishna, N., 1996, **Effect of Pressure and Heat Flux on Bubble Departure Diameters and Bubble Emission Frequency**, Grambling State University Technical report.

Shiferaw, D., Karayiannis, T. G. and Kenning, D. B. R., 2009, “Flow is Boiling in a 1.1 mm Tube with R134a: Experimental Results and Comparison with Model”, **International Journal of Thermal Science**, vol. 48, pp. 331-341.

Sieder, E.N., and Tate, G.E., 1936, “Heat Transfer and Pressure Drop of Liquids in Tubes”, **Industrial and Engineering Chemistry**, vol. 28, pp. 1429-1435.

Soupremanien, U., Person, S.L., Favre-Marinet, M., and Bultel, Y., 2011, “Influence of the Aspect Ratio on Boiling Flows in Rectangular Mini-Channels”, **Experimental Thermal and Fluid Science**, vol. 35, pp. 797-809.

Steinke, M. E. and Kandlikar S. G., 2003, “Predicting Heat Transfer during Flow Boiling in Minichannels and Microchannels”, **ASHRAE Transactions**, vol. 109, pp. 1-9.

Steinke, M. E., and Kandlikar, S. G., 2004, “An Experimental Investigation of Flow Boiling Characteristics of Water in Parallel Microchannels”, **Journal of Heat Transfer**, vol.126, pp. 518-526.

Sun, L. and Mishima, K., 2009, “Evaluation Analysis of Prediction Methods for Two-Phase flow Pressure Drop in Mini-Channels”, **International Journal of Multiphase Flow**, vol. 35, pp. 47-54.

Thome, J.R., 2004, “Boiling in Microchannels : A Review of Experiment and Theory”, **International Journal of Heat and Fluid Flow**, vol. 25, pp. 128-139.

Tibirică, C. B. and Ribatski, G., 2010, “Flow Boiling Heat Transfer of R134a and R245fa in a 2.3 mm Tube”, **International Journal of Heat and Mass Transfer**, vol. 53, pp. 2459-2468.

Tran, T.N., Chyu, M.C., Wambsganss, M.W. and France, D.M., 2000, “Two-Phase Pressure Drop of Refrigerants during Flow Boiling in Small Channels: An Experimental Investigation and Correlation Development”, **International Journal of Multiphase Flow**, vol. 26, pp. 1739-1754.

Tran, T.N., Wambsganss, M.W. and France, D.M., 1996, “Small Circular- and Rectangular-Channel Boiling with Two Refrigerants”, **International Journal of Multiphase Flow**, vol. 22, pp. 485-498.

Tuckerman, D.B. and Pease, R.F.W., 1981, “High Performance Heat Sinking for VLSI”, **IEEE Electron Device Letters**, vol. 2, pp. 126-129.

Wang, C.C., Chiang, C.S. and Lu, D.C., 1997, “Visual Observation of Two-Phase Flow Pattern of R-22, R-134a, and R-407C in a 6.5-mm Smooth Tube”, **Experimental Thermal and Fluid Science**, vol.15, pp. 395-405.

Yan, Y.Y. and Lin, T.F., 1998, “Evaporation Heat Transfer and Pressure Drop of Refrigerant R-134a in a Small Pipe”, **International Journal of Heat and Mass Transfer**, vol. 41, pp. 4183-4194.

Yang, C.Y. and Webb, R.L., 1996, “Friction Pressure Drop of R-12 in Small Hydraulic Diameter Extruded Aluminum Tubes with and without Micro-fins”, **International Journal of Heat and Mass Transfer**, vol. 39, pp. 801-809.

Yu, W., France, D.M., Wambsganss, M.W. and Hull, J.R., 2002, “Two-Phase Pressure Drop, Boiling Heat Transfer, and Critical Heat flux to Water in a Small-Diameter Horizontal Tube”, **International Journal of Multiphase Flow**, vol. 28, pp. 927-941.

Zhang, W., Hibiki, T. and Mishima, K., 2010, “Correlations of Two-Phase Frictional Pressure Drop and Void Fraction in Mini-Channel”, **International Journal of Heat and Mass Transfer**, vol. 53, pp. 453-465.

Zhuan, R. and Wang, W., 2013, “Boiling Heat Transfer Characteristics in a Microchannel Array Heat Sink with Low Mass Flow Rate”, **Applied Thermal Engineering**, vol.51, pp. 65-74.