

บรรณานุกรม

- [1] J.H. Schut, **Foaming Expands Possibilities for Wood-Fiber Composites** [Online], accessed 3 October 2006. Available from <http://www.plasticstechnology.com>.
- [2] A.K. Bledzki and O. Faruk, "Injection moulded microcellular wood fibre-polypropylene composites." **Composites: Part A**, Vol. 37 (2006) : 1358-1367.
- [3] G. Guo, G.M. Rizvit, C.B. Park and Y.H. Lee, "Extrusion Foaming of Wood-fiber/Plastic Composites with Gas Injection." **PPS21 Recycling Symposium**, Paper No. 3761.
- [4] L.M. Matuana, "Processing and Cell Morphology Relationships for Microcellular Foamed PVC/Wood-Fiber Composites." **Polymer Engineering and Science**, Vol. 37 (1997) : 1137-1147.
- [5] P. Rachtanapun, S.E.M. Selke and L.M. Matuana, "Microcellular Foam of Polymer Blends of HDPE/PP and Their Composites with Wood Fiber." **Journal of Applied Polymer Science**, Vol. 88 (2003) : 2842-2850.
- [6] Q. Li and L.M. Matuana, "Foaming Extrusion of High Density Polyethylene/Wood-Flour Composites using Chemical Foaming Agents." **Journal of Applied Polymer Science**, Vol. 88 (2003) : 2139-3150.
- [7] P.K. Mallick, **Composites engineering handbook**, New York : Mercel Dekker, 1997, 1-30.
- [8] P.K. Mallick and S. Newman, **Composites Materials Technology: Processes and Properties**, New York : Hanser Publishers, 1990, 1-23, 265-314.
- [9] J.C. Anderson and K.D. Leaver, **Materials Science**. 4th ed. Hong Kong : Chapman & Hall, 1990, 322-353.
- [10] **Coir** [Online], accessed 24 February 2007. Available from <http://en.wikipedia.org/wiki/coir>
- [11] A.K. Bledzki and J. Gassan, "Composites reinforced with cellulose based fibres." **Progress in Polymer Science**, Vol. 24 (1999) : 221 – 274.

- [12] H.S. Yang, M.P. Wolcott, H.S. Kim and H.J. Kim, "Properties of lignocellulosic material filled polypropylene bio-composites made with different manufacturing processes." **Polymer Testing**, Vol. 25 (2006) : 668-676.
- [13] M. Brahmakumar, C. Pavithran and R.M. Pillai, "Coconut fibre reinforced polyethylene composites: effect of natural waxy surface layer of the fibre on fibre/matrix interfacial bonding and strength of composites." **Composites Science and Technology**, Vol. 65 (2005) : 563-569.
- [14] H.S. Yang, H.J. Kim, H.J. Park, B.J. Lee and T.S Hwang, "Rice-husk flour filled polypropylene composites; mechanical and morphological study." **Composites Structures**, Vol. 63 (2004) : 305-312.
- [15] H.S. Yang, H.J. Kim, H.J. Park, B.J. Lee and T.S Hwang, "Effect of compatibilizing agents on rice-husk flour reinforced polypropylene composites." **Composites Structures**, Vol. 77 (2007), 45-55.
- [16] **Cellulose** [Online], accessed 24 February 2007. Available from <http://en.wikipedia.org/wiki/cellulose>
- [17] **Hemicellulose** [Online], accessed 24 February 2007. Available from <http://en.wikipedia.org/wiki/hemicellulose>
- [18] **Lignin** [Online], accessed 24 February 2007. Available from <http://en.wikipedia.org/wiki/lignin>
- [19] **Fiberglass** [Online], accessed 24 February 2007. Available from <http://en.wikipedia.org/wiki/fiberglass>
- [20] **Material performance trends** [Online], accessed 20 February 2007. Available from <http://www.unu.edu/unupress/unupbooks/uu24ee/uu24ee0a.htm>
- [21] A. Blaga, **Plastic Foams** [Online], accessed 2 May 2006. Available from http://irc.nrc-cnrc.gc.ca/pubs/cbd/cbd166_e.html
- [22] D. Klempner and K.C. Frisch, **Handbook of Polymeric Foams and Foam Technology**, New York : Hanser Publishers, 1991, 1-46, 187-242, 375-408.
- [23] D. Pentrakoon and J.W. Ellis, **An Introduction to Plastic Foams**, Bangkok : Chulalongkorn University Press, 2005, 1-52, 101-109, 135-178.

- [24] M.E. Reedy, **Chemical Foaming Agents Improve Performance and Productivity**
[Online], accessed 2 May 2006. Available from
<http://www.caropresoassociates.com/>
- [25] L.T. Richardson, **Industrial plastics: theory and application**, 2nd ed., New York :
Delmar Publishers, 1998, 57-89, 119-137.
- [26] C.A. Harper and E.M. Petrie, **Plastics Materials and Processes: A Concise
Encyclopedia**, New Jersey : John Wiley & Sons, 2003, 59-61.
- [27] J. Haim and D. Hyatt, **International Plastics Handbook: for the technologist, engineer
and user**, 3rd ed., New York : Hanser/Gardner Publications, 1995, 47-60, 394-397.
- [28] L.M. Matuana, C.B. Park and J.J. Balatinecz, "Cell Morphology and Property
Relationships of Microcellular Foamed PVC/Wood-Fiber Composites." **Polymer
Engineering and Science**, Vol. 38 (1998), 1862-1872.
- [29] A.H. Landrock, **Handbook of Plastic Foams**, New Jersey : Noyes Publications, 1995,
371-393.
- [30] American Society for Testing and Materials, "ASTM D638 : Tensile Properties of
Plastics." **In 1999 Annual Book of ASTM Standards**. Vol. 08.01 ASTM,
Philadelphia, 1999, 46-58.
- [31] American Society for Testing and Materials, "ASTM D790 : Flexural Properties of
Unreinforced and Reinforced Plastics and Electrical Insulating Materials." **In 1999
Annual Book of ASTM Standards**. Vol. 08.01 ASTM, Philadelphia, 1999, 290-
298.
- [32] American Society for Testing and Materials, "ASTM D3763 : Standard Test Method for
High Speed Puncture Properties of Plastics Using Load and Displacement
Sensors." **In 2004 Annual Book of ASTM Standards**. Vol. 01.02 ASTM,
Philadelphia, 2004, 128-135.
- [33] American Society for Testing and Materials, "ASTM D618 : Standard Practice for
Conditioning Plastics for Testing." **In 1999 Annual Book of ASTM
Standards**. Vol. 08.01 ASTM, Philadelphia, 1999, 280-283.
- [34] **3-point Bending Test** [Online], accessed 24 February 2007. Available from
http://www.keramverband.de/brevier_engl/10/5/1/10_5_1_1.htm

- [35] L.M. Sherman, **IMPACT: Which Test to Use? Which Instrument to Buy?** [Online], accessed 3 March 2007. Available from <http://www.ptonline.com/articles/200110fal.html>
- [36] Y.M. Xu and B.G. Mellor, **Instrumented Impact Testing of Polymeric Materials** [Online], accessed 3 March 2007. Available from www.astm.org/DIGITAL_LIBRARY/STP/PAGES/STP14670S.htm
- [37] **Pendulum, Drop Weight and Instrumented Impact Testing** [Online], accessed 20 December 2006. Available from http://www.instron.co.th/wa/applications/test_types/impact/test_types.aspx
- [38] **Instrumented Impact Testing** [Online], accessed 4 March 2007. Available from http://www.flemingptc.co.uk/case_instrument.htm
- [39] C.M. Tai, K.Y. Li and C.N. Ng, "Impact behavior of polypropylene/polyethylene blends." **Polymer Testing**, Vol. 19 (2000) : 143-154.
- [40] N. Whelan, A. Witte and T. Holzberg, **HYDROCEROL The right Chemical Foaming Agents for your Application** [Online], accessed 24 October 2006. Available from <http://www.plasticsnews.net/downloads/hydrocerol.pdf>
- [41] O.D. Hummel, **Atlas of Plastics Additives: Analysis by spectrometric methods**, Berlin : Springer-Verlag, 2002, 9-54.
- [42] R.A. Malloy, **Plastic Part Design for Injection Molding : An Introduction**, New York : Hanser Publishers, 1994, 211-245.
- [43] J. Case, L. Chilver and C.T.F. Ross, **Strength of Materials and Structures**, 4th ed., London : Arnold Publishers, 1999, 212-230, 295-320.
- [44] R.C. Hibbeler, **Mechanics of Materials**, 5th ed., New Jersey : Pearson Education, 2003, 255-342, 569-640.
- [45] H.D. Rozman, K.W. Tan, R.N. Kumar and A. Abubakar et.al., "The effect of lignin as a compatibilizer on the physical properties of coconut fiber-polypropylene composites", **European Polymer Journal**, Vol. 36 (2000), 1483-1494.
- [46] A.K. Bledzki, W. Zhang and A. Chate, "Natural-fiber-reinforced polyurethane microfoams." **Composites Science and Technology**, Vol. 61 (2001), 2405-2411.

- [47] S.J. Lee, J. Wang and B.V. Sankar, "A micromechanical model for predicting the fracture toughness of functionally graded foams." **International Journal of Solids and Structures**, Vol. 44 (2007), 4053-4067.
- [48] L.J. Lee, C. Zeng, X. Cao and X. Han et al., "Polymer nanocomposites foams." **Composites Science Technology**, Vol. 65 (2005), 2344-2363.
- [49] V.I. Rizov, "Non-linear indentation behavior of foam core sandwich composite materials- A 2D approach." **Computational Materials Science**, Vol. 35 (2006), 107-115.
- [50] M.E. Kabir, M.C. Saha and S. Jeelani, "Tensile and fracture behavior of polymer foams." **Materials Science and Engineering A**, Vol. 429 (2006), 225-235.
- [51] V. Polyakov, "Stress concentration in bending of sandwich orthotropic panels under point forces." **Composite Structures**, Vol. 48 (2000), 177-181.
- [52] B. Shafiq and A. Quispitupa, "Fatigue characteristics of foam core sandwich composites." **International Journal of Fatigue**, Vol. 28 (2006), 96-102.
- [53] K. Kanny and H. Mahfuz, "Flexural fatigue characteristics of sandwich structures at different loading frequencies." **Composite Structures**, Vol. 67 (2005), 403-410.
- [54] L. Vaikhanski and S.R. Nutt, "Synthesis of composite foam from thermoplastic microspheres and 3D long fibers." **Composites Part A**, Vol. 34 (2003), 755-763.
- [55] H. Sun, J.E. Mark, S.C. Tan and N. Venkatasubramanian et. al, "Microcellular foams from some high-performance composites." **Polymer**, Vol. 46 (2005), 6623-6632.
- [56] Z.M. Xu, X.L. Jiang, T. Liu and G.H. Hu et.al, "Foaming of polypropylene with supercritical carbon dioxide." **Journal of Supercritical Fluids**, Vol. 41 (2007), 299-310.