

เอกสารอ้างอิง

1. Philip Weinstein and John E. Nathan. The Challenge of fearful and Phobic Children. *Dent Clin of North Am* 1988;32(4):667-692.
2. Cuthbert M.I. and Malamed B.G. Ascreening device: children at risk for dental fears and management problem. *ASDC J Dent Child*. 1982;49:432-436.
3. Kling G, Berggren U and Noren J.G. Dental fear in an urban Swedish child population: prevalence and concomitant factors. *Community Dent Health*. 1994;11:208-214.
4. Chellappah N.K., Vignasha H., Milgrom P. and Lo L.G. Prevalence of dental anxiety and fear in children in Singapore. *Community Dent Oral Epi*. 1990;18:269-271.
5. Alvesalo I. Murtomaa P, Milgrom P, Honkanen A., Karjaleinen M. And Tay K.M.. The Dental Fear Schedule: a study with Finnish children. *International Pediatr Dent*. 1993;3:193-198.
6. Klorman R., Ratener J., Arata C.L.G., King J.B. and Sveen O.B. Predicting the child's uncooperativeness in dental treatment from maternal trait state and dental anxiety. *ASDC J Dent Child*. 1978;45:62-67.
7. Milgrom P., Jie Z., Yang Z and Tay K.M. Cross-cultural validity of parent's version of the Dental Fear Survey Schedule for children in Chinese. *Behav Res and Therapy*. 1994; 32: 131-135.
8. Milgrom P., Mancl L., King B. and Weinstein P. Origin of childhood dental fear. *Behav Res and Therapy*. 1995;33:313-319.
9. Curry SL, Russ SW, Johnsen DC, DiSantis TA. The role of coping in children's adjustment to the dental visit. *ASDC J Dent Child*. 1988;55:231-6.
10. Versloot J, Veerkamp JSJ, Hoogstraten J, Martens LC. Children's coping with pain during dental care. *Community Dent Oral Epi*. 2004; 32:456-61.
11. Van Meurs, Howard KE, Versloot J, Veerkamp JS, Freeman R. Child coping strategies, dental anxiety and dental treatment: the influence of age, gender and childhood prevalence. *Eur J Pediatr Dent*. 2005; 6(4):173-8.
12. Marjorie I.C., Barbara G. M.. A screening device children at risk for dental fears and management problems. *ASDC J Dent Child*. 1982;49(6):432-6.

13. Raadal M., et al. The prevalence of dental anxiety in children from low income families and relationship to personality trait. *Dent res* . 1995;74(8);1439-43.

ภาคผนวก



ID

แบบสอบถาม CFSS – DS

สิ่งกระตุ้นที่ทำให้ฉันเกิดอาการหวาดกลัว	ระดับของอาการหวาดกลัว				
	1 ไม่กลัว เลย	2 กลัว เล็กน้อย	3 กลัว ปานกลาง	4 กลัวมาก	5 กลัวมาก ที่สุด
1. ไปพบทันตแพทย์					
2. ไปพบแพทย์ (หมอ)					
3. การฉีดยา					
4. ขณะตรวจภายในช่องปาก					
5. ขณะกำลังอ้าปาก					
6. เมื่อมีคนแปลกหน้าเข้ามาสัมผัสฉัน					
7. เมื่อมีคนจ้องมองฉัน					
8. เมื่อทันตแพทย์กรอฟันฉัน					
9. เมื่อเห็นทันตแพทย์กรอฟันคนอื่น					
10. เมื่อได้ยินเสียงทันตแพทย์กรอฟัน					
11. ขณะที่ใครสักคนนำเครื่องมือเข้าไป ภายในปากของฉัน					
12. เมื่อมีคนมาทำให้ฉันรู้สึกอึดอัด					
13. เมื่อไปโรงพยาบาล					
14. กลัวคนที่ใส่แบบฟอร์มสีขาว					
15. ขณะที่พยาบาลกำลังทำความสะอาดฟัน					

สำนักงานคณะกรรมการวิจัยแห่งชาติ
ห้องสมุดงานวิจัย
วันที่ 21 พ.ย. 2555
เลขทะเบียน 191039
เลขเรียกหนังสือ

แบบประเมินวิธีการจัดการความกลัวทางทันตกรรม DCQ

เมื่อได้รับความเจ็บปวดจากการทำฟัน ฉันจะทำการต่อไปนี้	ไม่ใช่	ใช่
1. ฉันโกรธพ่อและแม่		
2. ฉันคิดหาเหตุผลที่จะหลีกเลี่ยง		
3. ฉันปิดปากไม่ให้หมอรักษา		
4. ฉันโกรธหมอ		
5. ฉันมองดูที่กระจก		
6. ฉันชอบเวลาที่พยาบาลจับมือฉัน		
7. ฉันชอบเวลาที่เพื่อนๆ อยู่กับฉัน		
8. ฉันบอกหมอฟัน		
9. ฉันถามหมอฟันว่าเขากำลังทำอะไร		
10. ฉันคิดว่ามันเป็นส่วนหนึ่งของการรักษา ทางทันตกรรม		
11. ฉันจะบอกกับตัวเองว่าการรักษาจะเสร็จ ในเวลาไม่ช้า		
12. ฉันคิดถึงเรื่องอื่นๆ		
13. ฉันคิดว่ามันเป็นความผิดของฉันที่ฉันมี ฟันผุ		
14. ฉันคิดว่ามันเป็นสิ่งที่ดีสำหรับฟันของฉัน		
15. ฉันทำตามที่ทันตแพทย์บอก		
16. ฉันบอกตัวเองว่า ฉันเป็นคนเก่งต้องทำได้		

