

## 6. เอกสารอ้างอิง

- กนกพร สมพรไพฑูริ. 2545. ผลของชีวสังเคราะห์แอนโทไซยานินต่อการควบคุมสีในพืช (Anthocyanin Biosynthesis Effects on Plant Color Controlling). วารสารพระจอมเกล้าเจ้าคุณทหารลาดกระบัง. ปีที่ 10. ฉบับที่ 1.
- โครงสร้างพื้นฐานของ flavonoid. {ระบบออนไลน์}. แหล่งข้อมูล : [www.hort.purdue.edu](http://www.hort.purdue.edu). (15/11/50)
- อัญชัน. {ระบบออนไลน์}. แหล่งข้อมูล : [www.tourthai.com/cgi-bin/gallery](http://www.tourthai.com/cgi-bin/gallery). (15/11/50)
- Flavonoid. {ระบบออนไลน์}. แหล่งข้อมูล : [www.florigene.com.au/regulation](http://www.florigene.com.au/regulation). (15/11/50)
- Bohm B. A. 1986. The Minor Flavonoids. In JB Harborne, ed. The Flavonoids-Advances in Research Since 1980, Chapman and Hall, New York, p 329-397.
- Buck M.J. and Atchley, W.R. 2003. Phylogenetic analysis of plant basic helix-loop-helix proteins. J. Mol. Evol. 56: 742-750
- Chen P.N., Chu S.C., Chiou H.L., Kuo W.H., Chiang C.L. and Hsieh Y.S. 2006. Mulberry anthocyanins, cyanidin 3-rutinoside and cyanidin 3-glucoside, exhibited an inhibitory effect on the migration and invasion of a human lung cancer cell line. Cancer Lett. Apr 28;235(2):248-59.
- Cody V., Middleton E. Jr and Harborne J.B. eds. 1986. Plants Flavonoids in Biology and Medicine: Biochemical Pharmacological, and Structure-Activity Relationships, Vol.213, Progress in Clinical and Biological Research. Alan R. Liss, New York.
- Cody V., Middleton E. Jr., Harborne J.B. and Beretzy A. eds. 1988. Plants Flavonoids in Biology and Medicine II: Biochemical, Cellular, and Medical properties, Vol. 280, Progress in Clinical and Biological Research. Alan R. Liss, New York.
- Cooke D., Schwarz M., Boocock D., Winterhalter P., Steward W.P., Gescher A.J. and Marczyklo T.H. 2006. Effect of cyanidin-3-glucoside and an anthocyanin mixture from bilberry on adenoma development in the ApcMin mouse model of intestinal carcinogenesis--relationship with tissue anthocyanin levels. Int J Cancer. 1;119(9):2213-20
- Cultrone A., Cotroneo S. P. and Recupero G.R. 2010. Cloning and molecular characterization of R2-R3-MYB and bHLH-MYC transcription factors from *Citrus sinensis*. Tree Genetics&Genomes. 6:101-112.
- Dooner H.K., Robbins T.P. and Jorgensen R.A. 1991. Genetic and developmental control of anthocyanin biosynthesis. Annu. Rev. Genet. 25:173-199.

- Duek P. D. and C. Fankhauser. 2005. bHLH class transcription factors take centre stage in phytochrome signaling. *TRENDS in Plant Science* Vol.10 No.2: 51-54
- Heim M.A. 2003. The basic helix-loop-helix transcription factor family in plants: a genome-wide study of protein structure and functional diversity. *Molecular Biology Evolution*. 20: 735-747
- Kaufman Peter B, Leland J. Csek, Sara Warbes, Jame A. Duke and Harry L. Brielmann. 1999. *Natural Products from Plants*. CRS press LLC p. 22-23.
- Ludwig, S. 1989. *Lc*, a member of the maize *R* gene family responsible for tissue-specific anthocyanin production, encodes a protein similar to transcription activators and contains the *myc* homology region. *Proc. Natl. Acad. Sci. U. S. A.* 86: 7092-7096
- Martin C, Gerats T. 1993. Control of Pigment Biosynthesis Genes during Petal Development. *Plants Cell* 5: 1253-1264.
- Payne C.T. 2000. GL3 encodes a bHLH protein that regulates trichome development in *Arabidopsis* through interaction with *GL1* and *TTG1*. *Genetics* 156: 1349-1362
- Quattrocchio F. 1998. Analysis of bHLH and MYB domain proteins: species-specific regulatory differences are caused by divergent evolution of target anthocyanin genes. *Plant Journal*. 13: 475-488
- Quattrocchio F., Verweij W., Kroon A., Spelt C., Mol J. and Koes R. 2006. PH4 of *Petunia* Is an R2R3 MYB Protein That Activates Vacuolar Acidification through Interactions with Basic-Helix-Loop-Helix Transcription Factors of the Anthocyanin Pathway. *Plant Cell*.18: 1274-1291.
- Ramsay, N.A. 2003. Two basic-helix-loop-helix genes (*MYC-146* and *GL3*) from *Arabidopsis* can activate anthocyanin biosynthesis in a white-flowered *Matthiola incana* mutant. *Plant Molecular Biology*. 52: 679-688
- Ramsay N. A. and B. J. Glover. 2005. MYB-bHLH-WD40 protein complex and the evolution of cellular diversity. *TRENDS in Plant Science* Vol.10 No.2: 63-70.
- Stommel J. R., . Lightbourn G. J., . Winkel B. S. and Griesbach R. J. 2009. Transcription Factor Families Regulate the Anthocyanin Biosynthetic Pathway in *Capsicum annuum*. *J. Amer. Soc. Hort. Sci.* 134:244-251.

- Toguri T., N. Umemoto, O. Kobayashi and T. Ohtani. 1993. Activation of anthocyanin Synthesis Gene by White Light in eggplant Hypocotyl Tissue, and Identification of an Inducible P-450 cDNA. *Plant Molecular Biol.* 23: 933-946.
- Xu M., Bower A K., Wang S., Frank A. J., Chen G., Ding M., Wang S., Shi X. and Luo J. 2010. Cyanidin-3-Glucoside inhibits ethanol-induced invasion of breast cancer cells overexpressing ErbB2. *Mol. Cancer.* 9:285
- Yamazaki M., Y. Makita, K. Springob and K. Saito. 2003. Regulatory mechanisms for anthocyanin biosynthesis in chemotypes of *Perilla frutescens* var. *crispa*. *Biochemical Engineering Journal.* 14: 191–197